

## Product environmental attributes – THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P14.

Brand *		Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs Alvin L Carter 1009 Think Place Building 2 / 5F1 Morrisville, North Carolina 27560 alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at http://www.lenovo.com/social_responsibility/us/en/datasheets_notebooks.html					

The company declares (based on product specification or test results based obtained from sample testing), that the product									
conforms to the statement	conforms to the statements given in this declaration.								
Type of product *	Notebook								
Commercial name *	Lenovo YOGA 710-15IKB								
Model number *	80V5, 80U0								
Issue date *	2016/5/19								
Intended market *	🔀 Global 🔀 Europe 🛛 Asia, Pacific & Japan 🔀 Americas 🗌 Other								
Additional information									

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control F	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	$\boxtimes$	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality contro such as organized by IT-Företagen (see www.itecodeclaration.org).	I 🔀	

Model number *	80V5, 80U0		
Issue date *	2016/5/19	Logo	Lenovo

Product	environmental attributes - Legal requirements	Require	ment	met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	$\boxtimes$		
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			$\boxtimes$
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			$\boxtimes$
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference).			$\square$
P1.9*	Comment: Legal reference has no maximum concentration values. Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://www.lenovo.com/social_responsibility/us/en/materials.html	$\square$		
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)			
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	$\boxtimes$		
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\boxtimes$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	$\overline{\times}$		
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	$\mathbf{X}$		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			$\boxtimes$
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			$\boxtimes$
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.			
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	$\square$		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model n	umber *	80V5, 80U0				
Issue da	ite *	2016/5/19	Logo	Lend	DVO.	
		mental attributes - Market requirements - Environmental conscious d	esign F	Require		
Item P6		atory to fill in. Additional information regarding each item may be found under P14. nt information		Yes	No	n.a.
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		$\square$		
P7	Design					
		mbly, recycling				
P7.1*		t have to be treated separately are easily separable				<u> </u>
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*	•	arts >100g consist of one material or of easily separable materials.			<u>Ц</u>	
P7.4*		arts >25g have material codes according to ISO 11469 referring ISO 1043.				
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$		
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9.	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type:	t			
P7.12		type: Bayer FR3008 Material type: LG ER5001RFA Material I cable insulation materials of power cables are PVC free.	type:		$\square$	_
P7.12		I cable insulation materials of signal cables are PVC free		<u> </u>		╞
P7.13		/housing plastic parts >25g are free from chlorine and bromine.				╞
P7.14			1240 2 21 (500			╞
	Note B2		1249-2-21. (See			
P7.16	Marking:	tarded plastic parts >25g in covers / housings are marked according ISO 1043-4:				
P7.17		I specifications of flame retardants in printed circuit boards >25g (without componer additive) , TBBPA (reactive) , Other; chemical name: , CAS #: <b>79-94-7</b>				
		I specifications of flame retardants in printed circuit boards (without components) >2 3-4: <b>FR16</b>	25g according			
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances/ ations above 0.1%: ent: No legal limits exist, this is a market requirement.	preparations in			
	1. Chem 2. Chem	ical name: , CAS #: ical name: , CAS #: ical name: , CAS #:				
	FR40	I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19		arts >25g are free from flame retardant substances/ preparations above 0.1% classi 6, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	fied as R45,			
P7.20		lastic parts' weight >25g, recycled material content is 2.28%.				
P7.21		plastic parts' weight >25g, biobased material content is <b>0%</b> .				
P7.22	If mercur	rces are free from mercury y is used specify: Number of lamps: and max. mercury content per lamp:	mg			
<b>P8</b> P8.1*	Batterie	s hemical composition: <i>Li-ion Polymer</i>				_
						╞
P8.2	Datteries	meet the requirements of the following voluntary program/s: US RBRC				

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	80V5,	80U0				
Issue date *	2016/5/19				Logo	enovo.
Product environ	mental attri	butes - Market ı	requirements (c	continued)	F	Requirement met
Item						Yes No n.a.
;	consumptio			umptions are re-	aartadi Saa D11	
	-	blowing power level		-		adaa and taat
Energy mode *		Power level at <b>100</b> V AC	115 V AC	230 V AC	Reference / Standard for energy m method *	
Peak (On-max)		0.05 W	0.057 W	0.144 W	Full load	
Category I1						
Short Idle State - V	VOL Disable	d 5.99 W	6.01 W	6.46 W	Use for ENERGY STAR V6 regist	ration (P <sub>idle</sub> )
Long Idle State - W	OL Disabled	1 2.63 W	2.77 W	2.80 W	Use for ENERGY STAR V6 regist	ration (P <sub>idle</sub> )
Sleep (S3) - WOL E	Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 regist	ration(P <sub>sleep</sub> )
Sleep (S3) - WOL I	Disabled	0.39 W	0.40 W	0.49 W	Reference	
Off (S5) - WOL Ena	abled	NA W	NA W	NA W	Use for ENERGY STAR V6 regist	ration(P <sub>off</sub> )
Off (S5) - WOL Dis	abled	0.20 W	0.20 W	0.29 W	Use for EuP	
Category I2		<b>I</b>	I			
Short Idle State - V	VOL Disable	d 6.62 W	6.68 W	7.13 W	Use for ENERGY STAR V6 regist	ration(P <sub>idle</sub> )
Long Idle State - M	/OL Disabled	1 2.44 W	2.43 W	2.45 W	Use for ENERGY STAR V6 regist	ration(P <sub>idle</sub> )
Sleep (S3) - WOL E	Enabled	NA W	NA W	NA W	Use for ENERGY STAR V6 regist	ration (P <sub>sleep</sub> )
Sleep (S3) - WOL I		0.48 W	0.49 W	0.55 W	Reference	
Off (S5) - WOL Ena		NAW	NAW	NA W	Use for ENERGY STAR V6 regist	ration(P <sub>off</sub> )
Off (S5) - WOL Dis		0.27 W	0.27 W	0.33 W	Use for EuP	
EPS No-load		W	W	W		
(External power sup plugged in the wall o disconnected from t	outlet but					
PTEC * Typical Energy Con	sumption	W	W	W		
TEC * Typical Energy Con	sumption	kWh/week	kWh/week	kWh/week		
ETEC * Annual Energy Con	sumption	<b>19.75/21.59</b> kWh/year	<b>19.88/21.77</b> kWh/year	<b>21.58/23.30</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{long_ldle} \times 0.10 + P_{short_ldle} \times 0.30)$	P <sub>sleep</sub> x 0.35
		R : Off Modo/St	5) WOL Enablad:	P : Sloop Modo	(S3) - WOL Enabled; P <sub>idle</sub> : Idle State - W	VOL Enabled
Display resolution*	: 3840*2160		) - WOL Enabled, 1	sleep. Sleep Mode	33) - WOL Enabled, Fidle. Idle State - W	
Print Speed *	: Imac	ges per minute				
Default time to ente			•			
		energy save funct		th the product.		
	SY STAR® ve	ne energy requirem rsion: Version 6.0			gram/s: Product category: <mark>/1,/2</mark>	
P10 Emissio						
Noise e		eclared according t	o ISO 9296	Declary	Deale of A. 1994	
P10.1 Mode	MO	de description		Declared A-weighted sound power level $L_{WAd}$ (	B) Operator position Bystan Desktop (only if	Am (dB) nder positions product is not
Idle	*	HDD:Idle		* 2.6	opera	ator attended)
Operatio		HDD:Idle HDD: Operating		* 4.4	33.7	⊢
Other m						<sup>_</sup>
Measur	ed according	to: 🔀 ISO7779 📐	ECMA-74	<u>.</u>		
		Other			with L <sub>pAm</sub> measurement distance	)
P10.2 The pro	duct meets th	e acoustic noise re	equirements of the	tollowing volunt	ary program/s:	

1		80V															
Issue dat	te *	2016/5	19									Log	D	<u> </u>	eno	<b>VO</b> .	
	environn	nental a	ttribut	es - Ma	rket req	luiren	nents	(contin	ued)					Re	equire		
Item															Yes	No	n.a.
<b>B</b> 40.0*	Chemica																
P10.3*	Test perf						28360	) standa	ırd 🔄,	other sp	ecify:						
P10.4	Typical e			•		,											$\boxtimes$
<b>B</b> / 0 <b>F</b>		Dust		one		rene		Benzene		TVOC							
P10.5	Chemica				_	-		ry progr			e met fo						$\bowtie$
		)ust		Ozone		Styren			Benze	ene 🔄		TVO					
P10.6	Electron Compute				ement fr	or low f	reques	cv elect	romagn	etic field	ls of the	following	volunta	arv			
1 10.0	program/		meets	ine requi	Chieffent		requen		omagn			lonowing	volunte	ar y			
P11	Consum		terials	for printi	ng prod	ucts											
P11.1*	A Safety	Data Sh	eet (SD	S) is avai	lable for	the ink	/toner	preparat	ion, eve	en if not	legally r	equired (	see P4.	3).			$\boxtimes$
P11.2*	Paper co EN12281		post-c	onsumer	recycled	fibers	s can b	e used	provid	ed that	it meet	s the rea	quireme	nts of			$\boxtimes$
P11.3*	2-sided (	duplex) i	orinting/	copying i	s an integ	grated	produc	t functio	n.								$\square$
P12	Ergonon																
P12.1*	The disp	ay meet	s the er	gonomic	requirem	ents of	f ISO 9	241-307	for visu	al displ	ay techn	ologies.			$\boxtimes$		
P12.2*	The phys	ical inpu	t device	meets th	ne require	ements	s of ISC	) 9995 a	nd ISO	9241-4	10.					$\boxtimes$	
P13	Packagi																
P13.1*	Product p Product p Product p	backagin	g mater	ial type(s	): <b>EPE</b>	2	weigh	nt (kg): nt (kg): 0 nt (kg): 0	.07KG								
P13.2*	Product p	blastic pa	ckagin	g is free f	om PVC	<i>.</i>									$\times$		
P13.3*	Specify n Electroni	nedia for c 🔀. Pi	user ar	d produc	t docum	entatio	n (tick l	box):									
P13.4*	For pape fiber: 80	r user ar				, pleas	e spec	ify conta	ined pe	rcentag	e of pos	t-consum	er recyc	cled			
P14	Addition	al inform															
	NOTE: S information knowledg provided information	on conta ge availa here is a	ined in t ble at th	his docui le time of	nent. All complet	inform ion, an	ation p d supp	rovided lier shal	by supp have n	lier in th o obliga	is docur tion to u	nent is p pdate su	rovided ch infori	based of mation.	on supp The inf	olier's format	ion
											ormatio						

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19

## Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

## Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo YOGA 710-15IKB	Logo
Model Number Issue Date	80V5, 80U0 2016/5/19	Lenovo
Additional information		•

P7.1.1	Product environmental attributes	
(d)	year of manufacture:	2016
(e)	<b>E TEC value</b> (kWh) per ErP Lot 3 Category and capability adjustments applied when <b>all discrete graphics ca disabled</b> and if the system is tested with switchable graphics mode with UMA driving the display:	ards (dGfx) are
	Category (according to ErP Lot 3): A Etec: 9.29	
(f)	E TEC value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics ca enabled:	rds (dGfx) are
	Category (according to ErP Lot 3): <i>B</i> Etec: 9.34	
(g)	idle state power demand (Watts);	A: 2.76 B: 2.80
(h)	sleep mode power demand (Watts);	A: 0.55 B: 0.49
(i)	sleep mode with WOL enabled power demand (Watts) (where enabled);	NA
(j)	off mode power demand (Watts);	A: 0.33 B: 0.29
(k)	off mode with WOL enabled power demand (Watts) (where enabled);	NA
(I)	internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable): 10% 20% 50% 100% Average	
(m)	external power supply efficiency (if applicable): Average*: 45W:88.40%;88.64%;88.53%;65W : 89.23%,89.31%,88.93% *internal note: show values for all available external power supplies	
(0)	the minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):	300 cycles
(p-1)	the measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:	
(p-2)	the measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:	
	Energy-star requirement	

(p-3)	the measu batteries:	irement methodolog	gy used	to determine information mentioned in points (o) - loadingcycles	
			IEC	61960 measurement methodology	
(p-4)				determine information mentioned in maximum, idle, sleep, off mode roduct IT Eco Declaration:	
		IEC 62	623 / IE	C EN50564:2011 measurement methodology	
(q)	sequence	of steps for achieving	g a stabl	e condition with respect to power demand::	
		IEC 62	623 / IE	C EN50564:2011 measurement methodology	
(r)	description	of how sleep and/or	r off moo	le was selected or programmed:	
				Based on user manual	
(s)	sequence of off mode:	of events required to	reach tl	ne mode where the equipment automatically changes to sleep and/or	
				Based on user manual	
(t)				efore the computer automatically reaches sleep mode, or another oplicable power demand requirements for sleep mode (in minutes):	30
(u)				eer inactivity in which the computer automatically reaches a demand requirement than sleep mode (in minutes):	NA
(v)	the length	of time before the	display	sleep mode is set to activate after user inactivity (in minutes):	10
(w)	information	on the energy-savi	ng poten	tial of power management functionality:	
				Based on user manual	
(x)	user inform	nation on how to ena	ble the p	power management functionality:	
				Based on user manual	
(z)		supply system, — inf		test voltage in V and frequency in Hz, — total harmonic distortion of the n and documentation on the instrumentation, set-up and circuits used	
			230V/5	0Hz, Total Harmonic Distortion <2 %	
Addition	Notebook Ba	attery Information:			
Yes		No	n/a	This notebook computer is operated by battery/ies that cannot be accessed by a non-professional user.	and replaced
(Battery replaceab	not user le)	(Battery user replaceable)		The battery[ies] in this product cannot be easily replaced	l by users
. opiaceas	,			themselves	2
		$\boxtimes$			
Additiona	l informatio	n			