

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs	7	Lenovo
e-mail address	Alvin L Carter		LEI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statements given in this declaration.					
Type of product *	All in One Computer				
Commercial name *	IdeaCentre AIO 5 24IAH7				
Model number *	FOGR				
Issue date *	2022.3.29				
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other				
Additional information	Low blue light;Flicker Free				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	F0GR	Logo	Long		
Issue dat	e *	2022.3.29		Leng)
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		• ·		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):	\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal	\square		
P2.2*	Batteries referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See legal	\boxtimes		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec for EU a	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at: <i>https://www.lenovo.com/us/en/comp</i> and www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The proc	duct complies with the Eco design requirements for energy-related products,		\boxtimes		
		al reference).				
	Required	1 information is;		\boxtimes		
		available at: https://www.lenovo.com/us/en/complian	ce/eco-			
	declara					
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium an	d 🔀		
P5.2*	The pac	ent chromium by weight of these together. kaging materials are marked with abbreviations and numbers indicating the nature of e legal reference).	of the material(s	;) 🔀		
P5.3*		uct packaging material is free from ozone depleting substances as specified in the N		ol 🔀		
	(see lega	al reference). t: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	F0GR Logo	00	0.10	
Issue da	te *	2022.3.29	-en	ove	2
Product	t environ	mental attributes - Market requirements (See General NOTE GN below)			
			equire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7		Disassembly, recycling			
P7.1*		t have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			
P7.3*	•	arts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square		
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
	Product				
P7.7*	10	g can be done e.g. with processor, memory, cards or drives			
P7.8*		g can be done using commonly available tools	\square		
P7.9	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
		type: ABS Material type: PC Material type: PC+ABS type: SGCC Material type: SUS304			
P7.12		n materials of external electrical cables are PVC free.		\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.	H		\dashv
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Ħ	
	weight (*	1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
P7.15		n 25% post-consumer recycled content. ircuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen		\boxtimes	
		ed in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame re	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	\square		
D7.47	Marking:	>FR(40)<			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):	\boxtimes		
		A (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:			
		memical specifications of flame retardants in printed circuit boards (without components) > 25 g			
		g ISO 1043-4: <i>FR(16)</i>			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in ations above 0.1% :			
		ical name: , CAS #: (See NOTE B4)			
		ical name: , CAS #: "			
	3. Chem	ical name: , CAS #: "			
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned	I the following Risk phrases; and Hazard statements:			_
		ce(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES: a	t least one of the two alternatives below shall be answered;			
	Of total p	plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a			
		ge of total plastic by weight) is 8.57%.			
	b) The	weight of recycled material is 96.5 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	F0GR	Logo	Lenovo		
Issue date *	2022.3.29		Lenovo.		
Product environmental attributes - Market requirements (continued) Requirement met					

Item

Requirement metYesNon.a.

	Material and sul	bstance requirements	(continued)			
P7.21*			d in the product (See N	OTE B7):		
	If YES: at least o	ne of the two alternative	es below shall be answe	ered:		_
					ated as a percentage of	
		by weight) is %.	· ·	,	1 5	
	or					
57.00		of the biobased plastic				
P7.22*		e free from mercury, i.e. d specify: Number of la		um moroury contant n		
P8	Batteries	a specily. Number of lai	mps. and maxim	um mercury content p	er lamp: mg	
P8.1*		composition: Lithium I	Manganese Dioxide			
P9	•	ption (See NOTE B8)				
P9.1			ls or energy consumption	ons are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
55		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	W	W	W	Full load	
Categor	v2					
	State - WOL	20.05 W	20.08 W	19.78 W	ENERGY STAR Computers	
Enabled					V8.0	
Long Idle	State - WOL	3.6 W	3.6 W	3.5 W	ENERGY STAR Computers	
Enabled					V8.0	
Sleep (S3)	- WOL Enabled	3.6 W	3.6 W	3.5 W	ENERGY STAR Computers	
					V8.0	
Off (S5) - I	NOL Enabled	1.1 W	1.1 W	1.1 W	ENERGY STAR Computers	
					V8.0	
EPS No-lo	ad	W	w	W		\boxtimes
	supply / charger plugged in the connected from the product.)					
wall outlet but dis	connected from the product.)	W	W	W		
	ergy Consumption					
ETEC *		71.49 kWh/year	71.51 kWh/year	71.49 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.15)$	
Annual En	ergy Consumption			,	+ P _{sleep} x 0.45 + P _{long_ldle} x 0.10+	
					P _{short_Idle} x 0.30)	
External D	ower Supply Efficie		<u>\$5) - WOL Enabled; P_{sleep} Il Efficiency Marking Pro</u>		L Enabled; P _{idle} : Idle State - WOL Enabled	
	,	, (I Enciency Marking Pro			
	solution * : 2.07 me	• ·				<u> </u>
		save mode: 10 minutes				
P9.2*		87	ion is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				\boxtimes
P10	Emissions					
			o ISO 9296 (See NOTE			
P10.1	Mode	Mode description			hit A-weighted sound power level, $L_{WA,c}$	(B)
	Idle	* HDD:Idle		* 2.9		
	Operation	* HDD: Operating		* 2.9		
	Other mode	Declared A-weighted soun	nd pressure level (dB) $L_{p m Am}$	20 (operator positi	on desktop – idle)	
	Other mode	Declared A-weighted sour	nd pressure level (dB) $L_{p{ m Arr}}$	20 (operator positi	on desktop – operating)	
	Measured accord	ding to: 🔀 ISO 7779	ECMA-74	1		
		Other	(only if not covered by	FCMA-74)		
	1		Comy in flot covered by			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	imber *	F0GR			Logo	Long		
Issue dat	te *	2022.3.29				Lend		я
	environ	nental attributes	- Market requiremen	ts (continued)		Require		met
Item						Yes	No	n.a.
		magnetic emission						
P10.4	program	(s): CE,FCC,VCCI,		uency electromagnetic	c fields of the following v	oluntary 🔀		
P12		mics for computing						
P12.1*		•	omic requirements of ISC				\square	
P12.2*	The phy	sical input device m	eets the requirements of	ISO 9995 and ISO 92	41-410.		\boxtimes	
P13		ing and documenta						
P13.1*	Product	packaging material	type(s): <i>Paper -Corrugat</i> type(s): <i>Plastic - Solid E</i> type(s): <i>Plastic - HDPE (</i>	PE (solid Expanded	polyethylene) weight	(kg): 1.133 (kg):		
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*		duct primary corruge er recovered fiber co	ated fiberboard packagir ontent: 80 %	ng, specify the contai	ned percentage of min			
P13.4*	Specify	media for user and p	product documentation (ti Other	ck box):				
P13.5	Ùser an		em if paper documentatic ation on paper media is c					
	Totally o	hlorine-free				\boxtimes		
		al chlorine-free				E E		
	Process	ed chlorine-free				П		
P14	Volunta	ry programs						
P14.1			rements of the following	voluntary program(s):				
		Y STAR® el: <i>Low blue light</i>	Criteria version: Criteria version:	Date: Date:	Product categor Product categor			
	Eco-lab	el: Flicker Free	Criteria version:	Date:	Product categor	ľ		
P15		nal information (Se		Dute.	T Toddor oarogor	y.		
P9	Energy	consumption of sp	ecific configuration ma 2500H, I5-12450H ; GPU	y vary; description (: DG2 ; RAM : 8+8G	of the tested product c ; Storage : 1TB SSD ;	onfiguration: OS :WIN11		
P9	the info supplie informa	rmation contained r's knowledge avai tion. The informati	representations, guara in this document. All in lable at the time of com on provided here is app or more information.	formation provided pletion, and supplie	by supplier in this doc r shall have no obligat	ument is provided ion to update such	based	lon

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaCentre AIO 5 24IAH7	Logo		
Model Number	F0GR		Lonovo	
Issue Date	2022.3.29]	Lenovo.	
Additional information	Low blue light;Flicker Free			

(d)	Product environmental attributes year of manufacture:						
	,						
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
(f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3		
	Memory over base [GB]				16		
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
adjustm ring tes	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
capability adjustments applied during testing	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	No (Yes / No)		
cap: app	Discrete graphics Card(s) [number / #]	# <u>:</u> (Yes / No)	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)		
	Category of discrete graphics Card(s)				G3		
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				30.33		
(g)	Idle state power demand (Watts);				6.765		
(h)	Sleep mode power demand (Watts);				3.4		
(i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);				
(j)	Off mode power demand (Watts);				<u>3.064</u> 1		
(k)	Off mode with WOL enabled power dem	nand (Watts) (where en	abled);		1.097		
(1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	1.007		
	10% 86.80% 20% 90.92% 50% 92.	67% 100% 92.22%	Average 90.65%				
(m)	External power supply efficiency (if appl	icable)*:					
	Average active efficiency:						
<i>·</i> · ·	*internal note: show values for all available external p						
(o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	otebook computers):	N/A		
(p-1)	Measurement methodology used to de	termine information m	entioned in points (I)	 internal PSU 			
	efficiency:	N/A					

 – external PSU <i>blies</i> – loading cycles dle, sleep, off of energy
– loading cycles dle, sleep, off
– loading cycles dle, sleep, off
dle, sleep, off
of energy
on
xample, by press
ernation mode.
changes to
estore default
ep mode, or s for sleep 10
cally reaches a N/A nutes):
vity (in minutes): 10
n your computers
r saving:
r saving:

(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:							
	Test voltage in V and frequency in Hz: 230V/50Hz						
		Total harmonic distortion of the electricity su	upply system:	<u>≤2%</u>			
	Instrument	Range Used		Make and Model **			
	Туре	Or ***					
AC Power Source		e 230V;50Hz	EXT	ECH;6810;SN:1450172			
	Power Meter	0~200V;0~20A	YOKOG	AWA;WT210;SN:91H427511			
	Hygrothermograp			SEKONIC;ST-50			
	Light Measuring	1° ; 0.01 to 999,900 cd/m2	ĸ	ionica Minolta;LS-150			
Additiona	I Notebook Batter			I			
		Battery[ies] not user replaceab	le	Battery[ies] user replaceal	ole n/a		
		The battery[ies] in this product cannot replaced by users themselves. ¹⁾	ot be easily				
Internal/bu	ilt-in Battery						
External/de	etachable Battery						
Bios Backı	up Battery						
Other:							
Additional	information						
) he battery[ies] in this product cannot be easily replaced by users themselves. xywynarophara[µrre] Garepus[µ] a rosu npozyst ne woke ga ca sawenu[µtr] necho or cawure norpeбители. as baterias de sels producto no pueden se sustituidas faci ces sawenu[µtr] necho or cawure norpeбители. as baterias de sels producto no pueden ser sustituidas facilimente por los propios usuarios. yménu baterie/baterii v tornto výrobku by neměli provádět sami uživatelé. rugeren kani kke uden videre udskifte batterie/batterierie/batterierne i dette produkt. ter Atku/die Atkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. asutajad ei sas aelle toric aku/takusi i se produit ne peuvent étre facilement remplacée(s) par les utilisateurs eux-mêmes. orisnik ne moče lako zamijeniti Bateriju sam u ovom proizvodu. a batteride présente(s) dans ce produit ne peuvent étre facilement remplacée(s) par les utilisateurs eux-mêmes. orisnik ne moče lako zamijeniti Bateriju sa u ovom proizvodu. a batteriale batterie in questo prodoto no nucipopossono essere facilmente sostituitale dall'utente. letotaji paš nevar nomaint ša ražojuma akumulatoru(-us). io gamino baterijos [bateriju] pats vartotojas negali lengvai pakeisti. termék akkumulátorati atkumulátoru (juj) gu sostitvital mili-utenti stess. atteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. te batterijen) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. ZytKownik nie može sam w latwy sposób wymienić baterii w tym produkcie. ou as bateria deste produkto náo podem ser facilmente substituídas pelos próprios utilizadores. ateria (lebterii) din acest produ na poate (pot j fusor inhocuita (Inhocuite) de utilizatori înșisi. ateri/u-lei v tem zidelku uporabniki sami ne morejo zlahka zamenjati. ämän tuotene nemže vymiendar použivatel. u trindeki batarya(lar) kullancilar tarafından kolaylıkla değiştirilemez.							