



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo	1 . <u> </u>			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	IdeaPad 1 14ADA7					
Model number *	82R0					
Issue date *	2021/9/30					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82R0	Logo	Long		
Issue date *		2021/9/30		Lend	JVC	) <sub>TH</sub>
Product enviror		mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		$\square$	$\overline{}$			
1 1.0	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated biphenyl	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above ( al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀		
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail rww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See lega	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		$\square$		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	iuct is CE-marked to show conformance with applicable legal requirements (see legal requirements):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity can be requested at (add link or e-mail address):  iaration of Conformity	gal reference).			
P3.2*	The prod	uct complies with the Eco design requirements for energy-related products, al reference).				
	Required	I information is; given in item P15 or added to this document, available at (add URL):				
P5		www.lenovo.com/us/en/compliance/eco-declaration				_
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium a	nd 🔀		
	hexavale	nt chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).		,	Ш	Ш
P5.3*	(see lega	uct packaging material is free from ozone depleting substances as specified in the Nal reference).  It: Legal reference has no maximum concentration values.	Montreal Protoc	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82R0	Logo	Lend	21/0	
Issue dat	te *	2021/9/30		Len		тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	onmental conscious design	,	Require	ment r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling  It have to be treated separately are easily separable				
P7.1*						Щ.
P7.2*		naterials in covers/housing have no surface coating.				Щ.
P7.3*		arts > 100 g consist of one material or of easily separable materials.  arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u>Ц</u>	<u>Ц</u>
P7.4*		$\boxtimes$				
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		<u>Ц</u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product			<u> </u>		
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	Щ.
P7.8*		ng can be done using commonly available tools				ᆜ
P7.9		arts are available after end of production for: 5 years				<u></u>
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements				
P7.11"			al type: Cover			
P7.12	Insulation	n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.				$\overline{\Box}$
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, a	and		
P7.15	as define	ercuit boards, PCBs (without components) are low halogen: all  PCBs > 25 g d in IEC 61249-2-21. (See 1NOTE B2)	are low halog	gen 🗌		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	omponents):			
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:				
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " ical name: , CAS #: "	s/preparations	s in		
	TD15FR	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043 (40)<		- 🖂		
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:  are (s) for these classifications is/are found at (add URL(s)):  (S)	have been ee note B5)			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			$\square$	$\Box$
	a) Of t a pe or	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0%.  • weight of recycled material is 0 g.	t (calculated a	s	<u>~~</u> X	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82R0	Logo	Lend	21/0	
Issue date *	2021/9/30		Len		тн
Product environmental attributes - Market requirements (continued)  Requirement me					
Item			Yes	No	n.a.

	Material and subs	tance requirements	(continued)				١		
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):								
	If VES: at least one	of the two alternative	es below shall be answ	rered:					
	,			,	ated as a percentage of				
		y weight) is 0%.			g				
	or								
		the biobased plastic i							
P7.22*			less than 0,1 mg/lamp		× ×				
Do	Batteries	f mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8.1*		omposition: <i>Li-polym</i>	or.						
			<del>51</del>						
P9 1		tion (See NOTE B8)	la au aire	ana ara ranariad.					
P9.1 Energy mod		Power level at	s or energy consumpti Power level at	Power level at	Reference/Standard for energy		-		
Lifelgy mod	u <del>c</del>	100 V AC	115 V AC	230 V AC	modes and test method *				
Peak (On-ri	nax)	65W W	65W W	65W W	Full load		-		
Category	<u>/ -2</u>								
Short Idlo	State - WOL	6.01 W	6.0 W	6.46 W	Use for ENERGY STAR V8		-		
Enabled	State - WOL	0.07 **	0.0 VV	0.40 VV	registration (P <sub>idle</sub> )				
	State - WOL	4.22 W	4.37 W	4.38 W	Use for ENERGY STAR V8				
Enabled					registration (P <sub>idle</sub> )				
Cloop (C2)	- WOL Enabled /	0.3 W	0.30 W	0.33 W	Use for ENERGY STAR V8		_		
Disabled	- WOL Ellableu /	0.3 W	0.30 VV	0.33 VV	registration(P <sub>sleep</sub> )				
	VOL Enabled /	<b>0.32</b> W	<b>0.32</b> W	<b>0.37</b> W	Use for ENERGY STAR V8				
Disabled					registration, ErP(P <sub>off</sub> )				
Category	<u>/ -1</u>								
Short Idle	State - WOL	5.13 W	5.17 W	5.13 W	Use for ENERGY STAR V8		-		
Enabled	J. 1.02	5.70 11	<b></b>	0.70 11	registration (P <sub>idle</sub> )				
			2 2 4 1 1 4	0.0014			-		
Long Idle S	State - WOL	3.28 W	3.21 W	3.20 W	Use for ENERGY STAR V8				
Enabled					registration (P <sub>idle</sub> )				
Sleen (S3)	- WOL Enabled	0.24 W	0.24 W	0.29 W	Use for ENERGY STAR V8		-		
0.00p (00)	WOL LINGBIOG	0.24	0.24 11	0.20 11	registration(P <sub>sleep</sub> )				
055 (05) 14	VOL 5	0.44304	0.44104	0.40144			-		
Oπ (S5) - V	VOL Enabled	0.11 W	<b>0.11</b> W	0.16 W	Use for ENERGY STAR V8				
					registration, Erp(P <sub>off</sub> )				
EPS No-loa		0.09 W	0.09 W	0.15 W					
(External power su wall outlet but disc	upply / charger plugged in the connected from the product.)								
PTEC *	' '	NA W	NA W	NA W		$\boxtimes$			
	ergy Consumption								
ETEC *		Cat2:21.16;	Cat2:21.22;	Cat2:22.64;	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$				
Annual Ene	ergy Consumption	Cat1:17.33	Cat1:17.38	Cat1: 17.52	+ P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+				
		kWh/year	kWh/year	kWh/year	P <sub>short Idle</sub> x 0.30)		_		
External Da	wer Supply Efficien		I Efficiency Marking Pr		ed; P <sub>idle</sub> : Idle State - WOL Enabled		-		
		` `	Linciency Marking Pr	olocolj . VI	<del></del>	<u></u>	_		
<u> </u>	Display resolution *: 1920*1080 megapixels						_		
		ve mode: 20 minutes			<u></u>	Щ.			
P9.2*			on is provided with the	product.					
P9 3	Energy efficiency of	lass (monitors only).							

NOTE B8 A Guidance document on Energy Efficiency is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

P10	Emissions							
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, L <sub>WA,c</sub> (B)					
1	Idle	* idle	* 2.7					
	Operation	* CPU Operating	* 3.2					
1	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$						
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$	28.8 (operator position desktop – operating)					
	Measured acco	Measured according to: ☐ ISO 7779 ☐ ECMA-74						
	Other (only if not covered by ECMA-74)							

Model number *	82R0				Logo	Long	\/O	
Issue date *	2021/9/30					Leno	VO.	
Product environr	nental attributes	- Market requireme	ents (con	tinued)		Require	ment	met
Item		-	·			Yes	No	n.a.
Electron	nagnetic emission	S						
P10.4 Compute program		requirement for low fre	equency el	ectromagnetic field	s of the following voluntary	/		
	nics for computing							
P12.1* The disp	lay meets the ergon	omic requirements of I	SO 9241-3	307 for visual displa	y technologies.		$\boxtimes$	
P12.2* The phys	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.							
P13 Packagi	ng and documenta	tion						
Product Product	packaging material i packaging material i packaging material i	type(s): <i>EPE</i> type(s): <i>PET</i>	weight (kg weight (kg weight (kg	): <b>0.087</b>				
P13.2* Product	plastic primary pack	aging is free from PVC	;.			$\boxtimes$		
	luct primary corrugater recovered fiber co		ging, spec	ify the contained	percentage of minimum p	ost-		
	media for user and pronic, Paper,	product documentation Other	(tick box):					
Ùser and		em if paper documenta ation on paper media is						
Element	hlorine-free al chlorine-free							
	ed chlorine-free							
	ry programs							
P14.1 The prod	duct meets the requi	rements of the followin	ig voluntary	/ program(s):				
ENERG` Eco-labe Eco-labe		Criteria version: <b>8.0</b> Criteria version: Criteria version:		Date: <b>2021/9/30</b> Date: Date:	Product category: <b>1&amp;2</b> Product category: Product category:			
	nal information (Se							
					tested product configur			
informat knowled	on contained in this ge available at the ti here is approximate	document. All informatime of completion, and	tion provide supplier sl	ed by supplier in th nall have no obliga	es whether express or implies document is provided by tion to update such information a Lenovo Account Repres	ased on suppation. The inf	olier's ormati	on
		otebooks & Tablet Con dex.cfm?fuseaction=fir						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 1 14ADA7	Logo	
Model Number	82R0		Lonovo
Issue Date	2021/9/30		Lenovo.
Additional information			

d)	Year of manufacture:				
e) f)	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with  Etec value (kWh) per ErP Lot 3 Categordisabled	n switchable graphics r	node with UMA driving	g the display.	. ,
	enable	Category A	Category B	Category C	Category D
	Memory over base [GB]	(according to ErP Lot 3) 12	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
djustm ing tes	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.78			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	NA			
g)	Idle state power demand (Watts);	1	l		2.91
n)	Sleep mode power demand (Watts);				0.31
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.31
)	Off mode power demand (Watts);				0.16
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.16
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 65W: 89.24%	%, 88.33%, 88.96%			
	*internal note: show values for all available external p		tand (annline anh) to m	atabaak aamanitana).	
0)	Minimum number of loading cycles that	me pattenes can withs	tand (applies only to n	iotenook computers):	
o-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	
o-2)	Measurement methodology used to dete		ntioned in points (m) -	external PSU efficiend	cy:

(p-3)	Measurement metho	dology used to determine information mentioned in p  EN 61960 measurement methodology			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
		EN 61960 measurement methodolog	gy		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
		EN 61960 measurement methodolog	gy		
(r)	Description of how s	eep and/or off mode was selected or programmed:			
		Begin menu -> Power -> Select sleep or o	ff mode		
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
		base on User Guide			
(t)		te condition before the computer automatically resont exceed the applicable power demand requirement		10min	
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA	
(v)	Length of time before	re the display sleep mode is set to activate after	user inactivity (in minutes):	10min	
(w)	Information on the er	nergy-saving potential of power management function	nality:		
		Refer to User Guide			
(x)	User information on	how to enable the power management functionality:			
		Refer to User Guide			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:			
		230V, 50Hz, Total Haemonic Distortion	<2%		
Additio	nal Notebook Batter	y Information:			
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/	built-in Battery				
External	l/detachable Battery				
Bios Ba	ckup Battery				
Other:	Other:				
Addition	al information				
)					
he battery[ie:	s] in this product cannot be e	asily replaced by users themselves.			

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.