



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statemen	nts given in this declaration.			
Type of product *	NB			
Commercial name *	IdeaPad 1 15ADA7			
Model number *	82R1			
Issue date *	2021/9/30			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82R1	Logo	Long		
Issue date *		2021/9/30		Lend	JVC) _{th}
Product environmental attributes - Legal requirement		mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference). ht: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		
1 1.0	hydrobro trichloroe concentr	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.	naximum			
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀		
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	k 🔀		
P1.7*	REACH.	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadnet	nium. (See lega	al 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proc The Dec https://w	luct is CE-marked to show conformance with applicable legal requirements (see legal requirements) laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	I information is; ⊠ given in item P15 or added to this document, ⊠ available at (add URL):				
P5		www.lenovo.com/us/en/compliance/eco-declaration packaging				
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercur	v cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature e legal reference).		,	Ш	
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference). It Legal reference has no maximum concentration values.	Montreal Protoc	ol 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	82R1	Logo	Leno	10
Issue dat	te *	2021/9/30		Lello	VO _m
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)		
	- Enviro	onmental conscious design	,	Requireme	nt met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes N	lo n.a.
P7		Disassembly, recycling			
P7.1*		at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>
P7.3*		arts > 100 g consist of one material or of easily separable materials.			
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			
P7.5	•	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			
D7 7*	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools			<u></u> _
P7.9		arts are available after end of production for: 5 years			<u> </u>
P7.10		s available after end of production for: 5 years			
D7 44*		and substance requirements			
P7.11*			al type: Covert 1/KingFa JH9		
P7.12	Insulation	n materials of external electrical cables are PVC free.			
P7.13	Insulation	n materials of internal electrical cables are PVC free.			1
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, a	and	
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🧰 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halog	jen 🗌 🛭	
P7.16	Marking:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	,		
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations	s in	
	TD15FR	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043 (40)<		- 🛛	
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: and Hazard statements: and Hazard statements: (S	have been ee note B5)		
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):	20,		1
	a) Of t a pe or	at least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 0%. • weight of recycled material is 0 g.	t (calculated a	s	

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82R1	Logo	Len	01/0	
Issue date *	2021/9/30		Leii		TH.
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

	tance requirements						
P7.21* Biobased plastic m	aterial content is used	in the product (See No	OTE B7):				
If YES; at least one	of the two alternative	s below shall be answe	ered;				
		the biobased plastic m	aterial content (calculate	ed as a percentage of			
, ,	/ weight) is 0%.						
or	the biobased plactic p	notorial in Oa					
	the biobased plastic n	less than 0,1 mg/lamp.					
	specify: Number of lan		um mercury content per	lamp: mg	Ш		
P8 Batteries	speerly. Humber of lan	ipo. ana maxim	anninordary deritent per	iding.			
	omposition: Li-polyme	er					
P9 Energy consumpt	tion (See NOTE B8)						
0,2		s or energy consumption	ons are reported:				
Energy mode *	Power level at	Power level at	Power level at	Reference/Standard for energy			
	100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-max)	65W W	65W W	65 W W	Full load			
Category -2							
Short Idle State - WOL	5.32 W	5.14 W	5.23 W	Energy Star Computers V8			
Enabled		• • • • • • • • • • • • • • • • • • • •	0.20	(P _{idle})			
1 1-11- 04-4- 14/01	0.0014/	0.0014/	0.0514/	5			
Long Idle State - WOL Enabled	3.26 W	3.03 W	3.05 W	Energy Star Computers V8 (P _{idle})			
Lilabled				(Fidle)			
Sleep (S3) - WOL Enabled	0.26 W	0.26 W	0.3 W	Energy Star Computers			
				V8(P _{sleep})			
Off (S5) - WOL Enabled	0.11 W	0.11 W	0.14 W	Energy Star Computers V8(Poff)			
On (30) - WOL Enabled	0.11 VV	0.11 VV	0.74 **	Lifergy Star Computers VO(1 off)			
Category -1							
Short Idle State - WOL	5.50 W	5.67 W	5.59 W	Energy Star Computers V8			
Enabled							
Long Idle State - WOL	3.43 W	3.53 W	3.50 W	Energy Star Computers V8			
Enabled			0.00				
Sleep (S3) - WOL Enabled	0.24 W	0.24 W	0.27 W	Energy Star Computers V8			
Off (S5) - WOL Enabled	0.11 W	0.11 W	0.14 W	Energy Star Computers V8			
EPS No-load	0.09 W	0.09 W	0.15 W				
(External power supply / charger plugged in the wall outlet but disconnected from the product.)							
PTEC *	NA W	NA W	NA W				
Typical Energy Consumption	, NA **	WA VV	NA VV				
ETEC *	Cat2:17.87;	Cat2:17.20;	Cat2:17.64;	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
Annual Energy Consumption	Cat1:18.40	Cat1:18.97	Cat1:18.89 kWh/year	$+ P_{Sleep} \times 0.35 + P_{long_Idle} \times 0.10 +$			
	kWh/year	kWh/year		P _{short Idle} x 0.30)			
P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled							
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI							
Display resolution *: 1920*108							
Default time to enter energy sa	ve mode: 20 minutes						
P9.2* Information about t	he energy save function	on is provided with the	product.				
P9.3 Energy efficiency of	lass (monitors only):				$\overline{\mathbf{X}}$		

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \ \underline{http://www.ecma-international.org/publications/standards/Ecma-370.htm}$

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions						
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	* idle	* 2.7				
1	Operation	* CPU Operating	* 3.2				
	Other mode	Declared A-weighted sound pressure level (dB) L_{pAm}	21.3 (operator position desktop – idle)				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p \text{Am}}$	28.8 (operator position desktop – operating)				
	Measured acc	Measured according to: ISO 7779 ECMA-74					
		Other (only if not covered b	y ECMA-74)				

Model number *	82R1			Logo	Lono	V/0	
Issue date *	2021/9/30				Leno	VO.	
Product environ	nental attributes -	Market requirements (cor	ntinued)		Require	ment	met
Item		•	•		Yes	No	n.a.
	nagnetic emissions						
P10.4 Compute program		equirement for low frequency e	lectromagnetic field	s of the following voluntary			
	nics for computing						
		mic requirements of ISO 9241-				\boxtimes	
	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.						
P13 Packag	ng and documentati	ion					
Product Product	packaging material ty packaging material ty packaging material ty		j): 0.102	g): 0.35			
P13.2* Product	plastic primary packa	ging is free from PVC.			\boxtimes		
	media for user and pr ronic, ⊠Paper, ⊡O	oduct documentation (tick box): other					
Ùser an		m if paper documentation used ion on paper media is chlorine-					
Element	hlorine-free al chlorine-free ed chlorine-free						
	ry programs	ements of the following voluntar	u program(a):				
'	Y STAR® el:	Criteria version: 8.0 Criteria version: Criteria version: Criteria version:	Date: 2021/9/30 Date: Date:	Product category: 1&2 Product category: Product category:			
	nal information (See						
		cific configuration may vary;					
informat knowled	on contained in this on ge available at the time here is approximate	presentations, guarantees, assu- locument. All information provice ne of completion, and supplier se and provided for informational	led by supplier in thi shall have no obligat	is document is provided bas ion to update such informat	ed on suppion. The inf	olier's formati	ion
		tebooks & Tablet Computers fo ex.cfm?fuseaction=find_a_proc			-		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 1 15ADA7	Logo	
Model Number	82R1		Lonovo
Issue Date	2021/9/30		Lenovo.
Additional information			

(d)	Year of manufacture:				
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	Ill discrete graphics o	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	9.13			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	NA			
g)	Idle state power demand (Watts);	ı			2.97
h)	Sleep mode power demand (Watts);				0.34
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.34
i)	Off mode power demand (Watts);	. , , ,	•		0.19
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled).		
T)	Internal power supply efficiency at 10 %			er (if applicable):	0.19
,	10% 20% 50%	100% Avera		o. (appcas.o).	
m)	External power supply efficiency (if appli				
,	Average active efficiency: 65W: 89.24%				
	*internal note: show values for all available external p				
(o)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	:
(p-2)	Measurement methodology used to dete	ermine information mer		external PSU efficience	cy:

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology			
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode		
		EN 61960 measurement methodolog	gy		
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::		
		EN 61960 measurement methodolog	gy		
(r)	Description of how s	eep and/or off mode was selected or programmed:			
		Begin menu -> Power -> Select sleep or o	ff mode		
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
		base on User Guide			
(t)		te condition before the computer automatically resont exceed the applicable power demand requirement		10min	
(u)					
(v)				10min	
(w)	(w) Information on the energy-saving potential of power management functionality:				
		Refer to User Guide			
(x)	User information on	how to enable the power management functionality:			
		Refer to User Guide			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:			
		230V, 50Hz, Total Haemonic Distortion	<2%		
Additio	nal Notebook Batter	y Information:			
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/	built-in Battery				
External	l/detachable Battery				
Bios Ba	ckup Battery				
Other:	Other:				
Additional information					
)					
he battery[ie:	s] in this product cannot be e	asily replaced by users themselves.			

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.