

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo.				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	IdeaPad 3 17ABA					
Model number *	82RQ					
Issue date *	2022-1-9					
Intended market *	🛛 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82RQ Logo	Long		
Issue dat	e *	2022-1-9	Leng		D _m
Product	environ	mental attributes - Legal requirements	Require	men	t met
Item		X	Yes	No	n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	K 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	I 🛛		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Conform	nity verification & Eco design (ErP)			
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). leclaration of Conformity can be requested at (add link or e-mail address www.lenovo.com/us/en/compliance/eu-doc for EU	s):		
	https://v	www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	\boxtimes		
	•	d information is; given in item P15 or added to this document, a available at (add URL):	\square		
	https://v	www.lenovo.com/us/en/compliance/eco-declaration			
P5		packaging			
P5.1*	0	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.	id 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the material(ee legal reference).	s) 🔀		
P5.3*	The proc (see lega	Juct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82RQ	Logo							
Issue dat	te *	2022-1-9		Leno	JVO [®]					
Product	Product environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design Requirement met									
Item	*=manda	Yes	No	n.a.						
P7		Disassembly, recycling								
P7.1*	Parts that	at have to be treated separately are easily separable		\boxtimes						
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\square					
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.								
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.								
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.							
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).								
	Product	tlifetime								
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes						
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes						
P7.9	Spare pa	arts are available after end of production for: 3 years								
P7.10	Service i	is available after end of production for: 5 years								
		and substance requirements								
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):								
		type: PC+ABS Material type: Steel								
P7.12		n materials of external electrical cables are PVC free.				_Ц				
P7.13		n materials of internal electrical cables are PVC free.								
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine an 25% post-consumer recycled content.	ne retardants, ar	nd 📃						
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g [ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	en 🗌	\boxtimes					
P7.16		etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4	:	\square						
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>Brominated Epoxy</i> 8-7		± 🛛						
		hemical specifications of flame retardants in printed circuit boards (without compor g ISO 1043-4:	nents) > 25 g							
P7.18		retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	es/preparations	in 🔀						
	1. Chem 2. Chem Alt. 2	ent: No legal limits exist, this is a market requirement. ical name: <i>Oligomeric phosphorous compound</i> CAS #: ical name: CAS #:								
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:								
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used whic d the following Risk phrases; and Hazard statements: H411;H413 rce(s) for these classifications is/are found at (add URL(s)): European Court EEC , (See note B5)								
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):			\square					
	a) Of t a p or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 0%. we weight of recycled material is g.	nt (calculated as	i						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	82RQ				Logo			
Issue date	• *	2022-1-9)				Lend	DVC	т
Product	environm	ental at	ttributes - Market r	equirements (conti	nued)		Require	emen	t met
Item				- - ,	/		Yes	No	n.a.
r	Matorial	and cube	stance requirements	(continued)					
P7.21*				d in the product (See N	OTE B7) [.]				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of								
	total plastic by weight) is 0 %.								
	or	•							
			the biobased plastic						
P7.22*			ree from mercury, i.e. specify: Number of la	less than 0,1 mg/lamp	Jum mercury content p	or lomp: ma			
P8	Batteries		specity. Number of la	nps. anu maxin	ium mercury content p	er lamp: mg			
P8.1*			omposition: LI-ION P	olymer battery and lit	hium-metal battery				
P9	-		tion (See NOTE B8)						
P9.1				ls or energy consumpti	ons are reported:				
Energy mo	de *		Power level at	Power level at	Power level at	Reference/Stan		ergy	\boxtimes
			100 V AC	115 V AC	230 V AC	modes and test	method *		
Peak (On-I	max)		65 W	65 W	65 W	Full load			
Category	y 2								
Short Idle	State M/	<u>, </u>	6.22 W	6.17 W	6.71 W	ENERGY STAP	Computors	1/9	
Enabled	State - WC		0.22 VV	0.77 VV	0.77 VV	ENERGISIA	Computers	vo	
Long Idle 3 Enabled	State - WO		3.49 W	3.56 W	3.51 W	ENERGY STAP	<i>Computers</i>	V8	
Lilableu									
Sleep (S3)	- WOL En	abled /	0.46 W	0.46 W	0.49 W	ENERGY STAF	R Computers	V8	
Disabled									
Off (S5) - V	VOL Enab	led /	0.28 W	0.28 W	0.32 W	ENERGY STAF	R Computers	V8	
Disabled									
EPS No-loa	ad		0.108 W	0.108 W	0.108 W				
(External power s wall outlet but disc		lugged in the							
PTEC *	connected from tr	ne product.)	W	W	W				\boxtimes
Typical Ene	ergy Consu	Imption							
ETEC *			21.41 kWh/year	21.35 kWh/year	22.91 kWh/year	$E_{TEC} = (8760/10)$			
Annual Ene	ergy Consu	mption				+ P _{sleep} x 0.35 + P _{short_Idle} x 0.30)		0+	
}			Poff: Off Mode(S5) - W	I OL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enabl	led; P _{idle} : Idle State	WOL Enabled		
External Po	ower Suppl	y Efficien	cy Level (Internationa	I Efficiency Marking Pro	otocol) * : VI				
Display res	olution * :	2.07 meg	japixels						Ē
Default time	e to enter e	energy sa	ve mode: 10 minutes						Ē
P9.2*	Informatio	on about	the energy save functi	on is provided with the	product.		\boxtimes		Ē
P9.3			class (monitors only):	•	•			<u> </u>	
P10	Emission								
	Noise em	nission –	Declared according to	o ISO 9296 (See NOTE	E B9)				
P10.1	Mode		Node description		Statistical upper lin	nit A-weighted sour	nd power level,	L _{WA,c}	(B)
ļ	Idle		Idle		* 2.7				
Operation * HDD: Operation * 2.8									
	Other mo	de la	CPU:Operation Declared A-weighted sour	d pressure level (dB) L _{pArr}	4.5	ition desktop – idle)			
ļ	Other mo	ae	veciared A-weighted soun	d pressure level (dB) L_{pArr}	34.5 (operator pos	ition desktop – oper	ating)		
	Measured	l accordir	ng to: 🔀 ISO 7779 🛛	ECMA-74					
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	82RQ			Logo	Long		
lssue dat	:e *	2022-1-9				Leno		тн
Product	environr	nental attribut	es - Market requirements (continued)		Require	ment	me
Item						Yes	No	n.a
		nagnetic emissi						
P10.4	program	(s): MPR-II(3 pir	the requirement for low frequent AC adapter only)	cy electromagnetic field	s of the following volunta	iry 🔀		
P12		mics for compu						
P12.1*	-	•	gonomic requirements of ISO 92			\square		
P12.2*	The phy	sical input device	e meets the requirements of ISO	9995 and ISO 9241-41	0.	\boxtimes		
P13	Packaging and documentation							
P13.1*	Product Product Product	packaging mater packaging mater packaging mater		t (kg): 0.048 t (kg): 0.112 16				
P13.2*	Product	plastic primary p	ackaging is free from PVC.			\square		
P13.3*	For proc	luct primary cor	rugated fiberboard packaging, r content: 89.32 %	specify the contained p	percentage of minimum			
P13.4*		media for user ar ic 🔀, Paper 🔀	nd product documentation (tick b , Other	pox):				
P13.5	Ùser and		is item if paper documentation u entation on paper media is chlor					
	Totally c	hlorine-free				\bowtie		
	Element	al chlorine-free				$\overline{\boxtimes}$		
	Process	ed chlorine-free				E E		
P14	Volunta	ry programs						
P14.1			equirements of the following volu	ntary program(s):				
	ENERG Eco-labe Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/7/15 Date: Date:	Product category: 2 Product category: Product category:			
P15	Additio	nal information	(See NOTE B10)		<u> </u>			
P9			f specific configuration may v	ary; description of the	tested product configu	iration:		
	NOTE: S informat knowled	Supplier makes n ion contained in t ge available at th here is approxir	o representations, guarantees, a this document. All information pr le time of completion, and suppl nate and provided for informatio	assurances or warrantie ovided by supplier in th ier shall have no obligat	s whether express or im is document is provided tion to update such inforr	plied, regardin based on supp mation. The inf	olier's format	ion
P9	See Ene http://ww	ergy Star Qualifie /w.energystar.go	d Notebooks & Tablet Compute v/index.cfm?fuseaction=find_a	rs for the latest informat product.showProductGi	ion: roup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 3 17ABA7	Logo
Model number *	82RQ	
Issue date *	2022-1-9	Lenovo
Additional information		

d)	Year of manufacture:				2022				
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.								
)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable								
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)				
	Memory over base [GB]	16							
ents sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)				
capa appl	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)				
	Category of discrete graphics Card(s)								
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.34							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled								
g)	Idle state power demand (Watts);		I		3.51				
ו)	Sleep mode power demand (Watts);				0.49				
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.49				
)	Off mode power demand (Watts);				0.32				
x)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.32				
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):					
	10% 20% 50%	100% Avera	age						
n)	External power supply efficiency (if appli	cable)*:							
	Average active efficiency: 88.20%; 89.1	18%;89.37%							
	*internal note: show values for all available external p								
))	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES				
o-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – i	nternal PSU efficiency	:				
o-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:				

(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology							
	odology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode						
	EN 62623:2013 measurement methodology							
(q) Sequence of steps f	Sequence of steps for achieving a stable condition with respect to power demand::							
	EN 62623:2013 measurement methodology							
(r) Description of how s	leep and/or off mode was selected or programmed:							
	EN 62623:2013 measurement methodo	blogy						
	required to reach the mode where the equipment au ower management, 30mins automatically reaches							
	te condition before the computer automatically rong s not exceed the applicable power demand requirements		30					
(u) Length of time after	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	r automatically reaches a power	NA					
(v) Length of time before	ore the display sleep mode is set to activate after	user inactivity (in minutes):	10					
(w) Information on the e	nergy-saving potential of power management functio	nality:						
User information	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all						
(x) User information on	how to enable the power management functionality:							
User information	n described in User Guide and Power Manager un	der Lenovo Vantage menu in all						
	programs							
	measurements: — test voltage in V and frequency in v system, — information and documentation on the in sting:							
	230V, 50GHz, Total Harmonic Distortion	1 <2 %						
Additional Notebook Batte	ry Information:							
	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a					
	The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{^{1)}}$							
Internal/built-in Battery								
External/detachable Battery								
Bios Backup Battery								
Other:								
Additional information								
) The battery[ies] in this product cannot be e	easily replaced by users themselves.							
кумулаторната[ите] батерия[и] в този г	продукт не може да се замени[ят] лесно от самите потребител ser sustituidas fácilmente por los propios usuarios.	и.						
/ýměnu baterie/baterií v tomto výrobku by	neměli provádět sami uživatelé.							
	können nicht ohne weiteres vom Benutzer selbst ausgetauscht w	verden.						
	οούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες							
.a/les batterie(s présente(s) dans ce prod Korisnik ne može lako zamijeniti Bateriju s	uit ne peuvent être facilement remplacée(s) par les utilisateurs eu am u ovom proizvodu.	ix-mêmes.						
	on può/possono essere facilmente sostituita/e dall'utente.							
Sio gaminio baterijos [baterijų] pats vartoto	ojas negali lengvai pakeisti.							
I-batterija/batteriji f'dan il-prodott ma tistax	elhasználó nem tudja egyedül egyszerűen kicserélni. /jistghux tiģi/jiģu sostitwita/i mill-utenti stess.							
	atteriet[ene] i dette produktet kan ikke lett erstattes av brukerne selv. e batterii(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.							
Jżytkownik nie może sam w łatwy sposób								
Bateria (bateriile) din acest produs nu poa	te (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.							
3atériu(-ie) v tomto výrobku nemôže vymie 3aterij/baterije v tem izdelku uporabniki sa	mi ne morejo zlahka zamenjati.							
Γämän≀tuotteen akku [akut] ei[vät] ole help Det är inte enkelt för kunden att själv byta	oosti käyttäjän vaihdettavissa.							
Bu üründeki batarya(lar) kullanıcılar tarafı								