



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html		
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Tablet Computer w/ Keyboard			
Commercial name *	IdeaPad Duet 5 12IAU7			
Model number *	82TQ			
Issue date *	2022-4-12			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		nber* 82TQ Logo		Lend)V()	
Issue date	e *	2022-4-12-		Leik		тн
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). tt: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
F1.3		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	\boxtimes	Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
D4.5*		I (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	he 🔀	Ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above (),5 μg/cm²/wee	ek 🔀		
		al reference).				
		t: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail	contact):	\boxtimes		
	•	/ww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure				
P2	Batteries					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with information on proper disposal is provided in user manual. (See legal reference)	the disposal			
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	al 🔀		
DO O*	reference	/			_	
P2.3*		and accumulators are readily removable. (See legal reference)		\boxtimes	Ш	Ш
P3		nity verification & Eco design (ErP)				
P3.1*		uct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
		laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU				
		/ww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		uct complies with the Eco design requirements for energy-related products,		\square	П	\Box
		al reference).			ш	ш
	Required	I information is; given in item P15 or added to this document,				
		available at (add URL):				
	https://v	/ww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercur nt chromium by weight of these together.	y, cadmium a	nd 🔀		
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature	of the material	(s) X		
	used (se	e legal reference).		. , _]]
P5.3*		uct packaging material is free from ozone depleting substances as specified in the N	/lontreal Proto	col 🔀		
		al reference).				
P6		nt: Legal reference has no maximum concentration values.				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
۲0. I	miormati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82TQ	Logo	lon	01/0	
Issue dat	te *	2022-4-12-		Len		TH .
Product		mental attributes - Market requirements (See General NOTE GN lonmental conscious design		Require	ment i	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7	Design,	Disassembly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.		\boxtimes		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	l type: Fabric			
P7.12		type: Mg-AL Material type: Plastic Materia n materials of external electrical cables are PVC free.	ıl type: <i>Fabric</i>		$\overline{\Box}$	
P7.13		n materials of internal electrical cables are PVC free.			+	+
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi	romine and 0.1%		H	+
7.14	weight (* polyvinyl	phasic cashing cover page 25 g contain to more than 6,1% weight (1000 ppm) of 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, and	_		
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co]
	TBBF 85-7	PA (additive), TBBPA (reactive) (See NOTE B3), , Other: <i>Diphenyl phosphal</i>	te, CAS #: 838-		Ш	
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)		\boxtimes	Ш	
		ical name: , CAS #: "GEC NOTE BT)				
		ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: FR(40)	\boxtimes		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>Confidential</i> and Hazard statements: <i>Confidential</i>	have been			
		rce(s) for these classifications is/are found at (add URL(s)): European Council				
		(See note B5)	•			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):				
	a) Of t	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is %.	t (calculated as			
		weight of recycled material is 14.7 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82TQ	Logo	Lenovo
Issue date *	2022-4-12-		LEI IOVO.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

Material an	d eube	tance requirements	(continued)					
			in the product (See N	IOTE B7):				
a) Of tota total pl	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %. or							
	p) The weight of the biobased plastic material is g.							
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg							
P8 Batteries								
P8.1* Battery che	Battery chemical composition: LI-ION Polymer							
		tion (See NOTE B8)						
	luct the		s or energy consumpt					
Energy mode *		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *			
Peak (On-max)		W	W	W	Full load			
Category 1								
Short Idle State - WOL Enabled		7.11 W	6.98 W	7.04 W	ENERGY STAR Computers V8 (P _{idle})			
Long Idle State - WOL Enabled		0.66 W	0.68 W	0.72 W	ENERGY STAR Computers V8 (P _{idle})			
Sleep (S3) - WOL Disa	bled	0.66 W	0.68 W	0.72 W	ENERGY STAR Computers V8			
Off (S5) - WOL Disable	d	0.32 W	0.32 W	0.34 W	ENERGY STAR Computers V8			
Category 2								
Short Idle State - WOL Enabled		7.08 W	7.08 W	7.3 W	ENERGY STAR Computers V8 (P _{idle})			
Long Idle State - WOL Enabled		0.63 W	0.62 W	0.66 W	ENERGY STAR Computers V8 (P _{idle})			
Sleep (S3) - WOL Disa	bled	0.63 W	0.61 W	0.65 W	ENERGY STAR Computers V8			
Off (S5) - WOL Disable	d	0.36 W	0.36 W	0.39 W	ENERGY STAR Computers V8			
EPS No-load (External power supply / charger plugg wall outlet but disconnected from the p	ged in the roduct.)	0.098 W	0.098 W	0.098 W				
ETEC * Annual Energy Consum		1: 21.99 kWh/year	1: 21.72 kWh/year	1: 22.08 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short Idle} x 0.30)			
ETEC * Annual Energy Consumption		2:21.88 kWh/year	2:21.83 kWh/year	2:22.61 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)			
	Poff: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled							
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI								
Display resolution * : 4.	1 mega	pixels						
Default time to enter energy save mode: 10 minutes								
P9.2* Information about the energy save function is provided with the product.								
P9.3 Energy effic	29.3 Energy efficiency class (monitors only):							

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions						
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	* System Idle	* 2.5				
İ	Operation	*CPU;Operation	* 2.9				
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$					
	Other mode	Declared A-weighted sound pressure level (dB) ${\cal L}_{p{\rm Am}}$	28.7 (operator position desktop – operating)				
	Measured acco	ording to: ISO 7779 ECMA-74					
		Other (only if not covered by E	ECMA-74)				

Model number *		82TQ	Logo	Long	M	
Issue date	*	2022-4-12-		Leno	VO.	·
Product	environn	mental attributes - Market requirements (continued)		Require	ment	met
Item		•		Yes	No	n.a.
	Electron	magnetic emissions				
P10.4	program	er display meets the requirement for low frequency electromagnetic fields of the foll (s): MPR-II	owing voluntary	′ 🔲		
P12	Ergonor	mics for computing products				
P12.1*		play meets the ergonomic requirements of ISO 9241-307 for visual display technology	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the requirements of ISO 9995 and ISO 9241-410.		\boxtimes		
P13		ing and documentation				
P13.1*	Product Product Product Product	packaging material type(s): cardboard packaging material type(s): corrugated packaging material type(s): paper weight (kg): 0.015 packaging material type(s): corner paper weight (kg): 0.0667 packaging material type(s): EPE weight (kg): 0.08 packaging material type(s): PET weight (kg): 0.008				
P13.2*	Product	plastic primary packaging is free from PVC.		\boxtimes		
P13.3*	consume	duct primary corrugated fiberboard packaging, specify the contained percentage er recovered fiber content: $90\ \%$	of minimum p	ost-		
P13.4*		media for user and product documentation (tick box): ronic, Paper, Other				
P13.5	Ùser and	only complete this item if paper documentation used) d product documentation on paper media is chlorine-free: lease specify:				
	Element	hlorine-free al chlorine-free ed chlorine-free				
P14						
P14.1		ry programs duct meets the requirements of the following voluntary program(s):				
	ENERGY Eco-labe Eco-labe	Y STAR® Criteria version: 8.0 Date: 2022/4/8 Product of the control of the contro				
P15		nal information (See NOTE B10)				
P9		consumption of specific configuration may vary; description of the tested pro				
	the information	Supplier makes no representations, guarantees, assurances or warranties wh rmation contained in this document. All information provided by supplier in the r's knowledge available at the time of completion, and supplier shall have no tion. The information provided here is approximate and provided for informat t Representative for more information.	his document i obligation to u	is provided pdate such	based	on
P9		ergy Star Qualified Notebooks & Tablet Computers for the latest information: ww.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup	o&pgw_code=0	co		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Duet 5 12IAU7	Logo	
Model Number	82TQ		Lenovo
Issue Date	2022-4-12		Leliovo.
Additional information			

(d)	Year of manufacture:				2022		
(e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
f)	cards (dGfx) are						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	12					
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	No					
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	4.73					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	NA					
g)	Idle state power demand (Watts);				0.72		
h)	Sleep mode power demand (Watts);				0.72		
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		N/A		
)	Off mode power demand (Watts);				0.42		
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		N/A		
1)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	ige				
m)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 90.40%						
	*internal note: show values for all available external p						
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300		
p-1)	Measurement methodology used to dete	ermine information mer	tioned in points (I) - in	nternal PSU efficiency			
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:		

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology				
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode		
	IEC 62623				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::				
		Power on -> Wait 5 minutes -> Stable con	ndition		
(r)	Description of how s	eep and/or off mode was selected or programmed:			
		Win key -> Power -> Select sleep or off	mode		
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or		
	refe	er to power management, 10mins automatically re	eaches sleep mode		
(t)		te condition before the computer automatically renamed in the computer automatically renamed in the computer automatically renamed in the computer automatically requirements.		10	
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA	
(v)		re the display sleep mode is set to activate after		10	
(w)	Information on the er	nergy-saving potential of power management function	nality:		
		refer to user manual			
(x)	User information on	now to enable the power management functionality:			
		refer to user manual			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the insting:			
		230V, 50GHz, Total Harmonic Distortion	1 <2 %		
Addition	al Notebook Batter	y Information:			
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/b	uilt-in Battery				
External/	detachable Battery				
Bios Bacl	kup Battery				
Other:	Other:				
Additiona	l information				
) he batten/lies]	in this product connet ha o	poils replaced by upon the meeting			

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterii/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.