



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo	1 . <u> </u>				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo				
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Notebook					
Commercial name *	IdeaPad Flex 5 16IAU7					
Model number *	82R8					
Issue date *	2022/02/14					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	82R8	Logo	Lenc	WO		
Issue date *	2022/02/14		Lenc			
Product environmental attributes - Legal requirements				ment m	net	
Item			Yes	No n	.a.	
	ous substances and preparations					
	s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)				
	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.					
	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$			
	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		ш		
	ethane, methyl bromide (see legal reference). Comment: Legal reference has no n					
	ration values.					
	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych yl (PCT) in preparations (see legal reference).	lorinated				
	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car	bon atoms in t	the 🔀			
	ontaining at least 48% per mass of chlorine in the SCCP (see legal reference).	borr atorno in				
	th direct and prolonged skin contact do not release nickel in concentrations above (	),5 μg/cm²/we	ek 🔀			
	al reference).					
	nt: Max limit in legal reference when tested according to EN1811:2011-5.					
	Article 33 information about substances in articles is available at (add URL or mail <a href="https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure">www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</a>	contact):				
P2 Batterio						
	oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal				
	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn	nium. (See leg	gal 🔀			
	s and accumulators are readily removable. (See legal reference)		$\square$		$\neg$	
	mity verification & Eco design (ErP)					
	duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference)	. 🛛		$\neg$	
	The Declaration of Conformity can be requested at (add link or e-mail address):				_	
https://	www.lenovo.com/us/en/compliance/eu-doc for EU;					
	www.lenovo.com/us/en/compliance/uk-doc for UK					
	duct complies with the Eco design requirements for energy-related products, al reference).					
	d information is; given in item P15 or added to this document,				$\neg$	
	available at (add URL):					
https://	www.lenovo.com/us/en/compliance/eco-declaration					
	t packaging					
	ng and packaging components do not contain more than 0,01% lead, mercur	y, cadmium a	and 🔀			
	ent chromium by weight of these together.	·				
	kaging materials are marked with abbreviations and numbers indicating the nature ee legal reference).	of the materia	l(s)	ШΙ	┛╽	
	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).					
Comme	nt: Legal reference has no maximum concentration values.					
	ent information					
P6.1* Informati	ion for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	82R8	Logo	Lanova
Issue date *	2022/02/14		Lei IOVO.

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
		Require		
Item P7	*=mandatory to fill in. Additional information regarding each item may be found under P14.  Design, Disassembly, recycling	Yes	No	n.a.
P7.1*	Parts that have to be treated separately are easily separable		$\overline{}$	$\overline{}$
P7.2*	Plastic materials in covers/housing have no surface coating.	$- \stackrel{\triangle}{\vdash}$		╫
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			+
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	$\overline{X}$	+	$\vdash$
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		+	$\vdash$
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).		╫	+
17.0	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools		$\dashv$	╁
P7.9	Spare parts are available after end of production for: 5 years			+
P7.10	Service is available after end of production for: 5 years			+
17.10	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC+GF Material type: ABS+PC Material type: Aluminu	m		
P7.12	Insulation materials of external electrical cables are PVC free.	$\boxtimes$		
P7.13	Insulation materials of internal electrical cables are PVC free.	$\boxtimes$		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%			
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	J		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen	n 🛛		
	as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:	$\boxtimes$		
P7.17	Marking: <i>FR(40)</i> <u>Alt. 1:</u> Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
P1.11	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO, CAS #:	$\boxtimes$		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g		ш	
	according ISO 1043-4:			
D7.40				
P7.18	<u>Alt. 1:</u> Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0.1%:	)		
	1. Chemical name: , CAS #: (See NOTE B4)		ш	ш
	2. Chemical name: , CAS #: "			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)	$\boxtimes$		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	$\boxtimes$		
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 0.12%.			
	or b) The weight of recycled material is 2.7 g.			
	2, g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82R8	Logo	Lanova
Issue date *	2022/02/14		LEI IOVO

Product environmental attributes - Market requirements (continued)	Requir	remen	t met
Item	Yes	No	n.a.

		stance requirements			
P7.21*	Biobased plastic m	aterial content is used	d in the product (See N	NOTE B7):	
	a) Of total plastic	c parts' weight > 25 g,	es below shall be answ the biobased plastic n	vered; naterial content (calcula	ted as a percentage of
	total plastic by	y weight) is %.			
		the biobased plastic r	material is g.		
P7.22*			less than 0,1 mg/lamp	).	
	If mercury is used	specify: Number of lar		num mercury content pe	er lamp: mg
P8	Batteries				
P8.1*			on/Lithium Manganes	se Dioxide	
P9		tion (See NOTE B8)			
P9.1	For the product the	e following power level  Power level at	ls or energy consumpti Power level at	ons are reported:  Power level at	Defense of Ctandard for angular
Energy m	ode	100 V AC	115 V AC	230 V AC	Reference/Standard for energy modes and test method *
Peak (On	-max)	65 W	65 W	65 W	Full load
Catego	<u>ry 1</u>				
Short Idle Enabled	e State - WOL	6.84 W	7.092 W	7.20 W	ENERGYSTAR Computers V8 (P <sub>idle</sub> )
Long Idle Enabled	State - WOL	0.468 W	0.48 W	0.528 W	ENERGYSTAR Computers V8 (P <sub>idle</sub> )
Sleep (S3	B) - WOL Disabled	0.0468 W	0.48 W	0.528 W	ENERGYSTAR Computers V8
Off (S5) -	WOL Disabled	0.336 W	0.384 W	0.408 W	ENERGYSTAR Computers V8
Catego	<u>ry 2</u>				
Short Idle Enabled	e State - WOL	4.584 W	4.608 W	4.98 W	ENERGYSTAR Computers V8 (P <sub>idle</sub> )
Long Idle Enabled	e State - WOL	0.396 W	0.396 W	0.444 W	ENERGYSTAR Computers V8 (P <sub>idle</sub> )
Sleep (S3	B) - WOL Disabled	0.396 W	0.396 W	0.444 W	ENERGYSTAR Computers V8
Off (S5) -	WOL Disabled	0.336 W	0.336 W	0.384 W	ENERGYSTAR Computers V8
EPS No-Io (External power wall outlet but d	oad r supply / charger plugged in the lisconnected from the product.)	0.098 W	0.09 W	0.09 W	
ETEC *(2)	nergy Consumption	1:20.56 kWh/year 2:14.34 kWh/year	1:21.37 kWh/year 2:14.41 kWh/year	1:21.90 kWh/year 2:15.68 kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.25 + P <sub>sleep</sub> x 0.35 + P <sub>long_Idle</sub> x 0.10+ P <sub>short_Idle</sub> x 0.30)
_	•				ed; P <sub>idle</sub> : Idle State - WOL Enabled
External F	Power Supply Efficien	cy Level (Internationa	l Efficiency Marking Pr	rotocol) *: VI	
Display re	esolution * : 2.304 me	gapixels			
Default tin	ne to enter energy sa	ve mode: 10 minutes			
P9.2*	Information about t	the energy save functi	on is provided with the	product.	
P9.3	Energy efficiency of	class (monitors only):			

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$ 

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

P10	Emissions								
	Noise emission	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)						
Ì	Idle	* Idle mode	* 1.8						
ĺ	Operation	* Operating (CPU)	* 3.3						
[	Other mode	Declared A-weighted sound pressure level (dB) $L_{p  m Am}$							
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$	34.6 (operator position desktop – operating)						
Measured according to: ☐ ISO 7779 ☐ ECMA-74									
	Other (only if not covered by ECMA-74)								

Model nur	nber *	82R8			Logo	Long		
Issue date	*	2022/02/14				Lenc	VO.	
Product	environr	nental attributes	- Market requirements	(continued)		Require	ment	met
Item						Yes	No	n.a.
		magnetic emission						
P10.4		er display meets the (s): <b>MPR-II(3 pin A</b>		ncy electromagnet	tic fields of the following voluntary			
P12		mics for computin						
P12.1*	The disp	play meets the ergor	nomic requirements of ISO 9	241-307 for visua	ıl display technologies.	$\boxtimes$		
P12.2*	The phys	sical input device m	eets the requirements of ISC	0 9995 and ISO 9	241-410.	$\boxtimes$		
P13	Packagi	ing and document	ation					
P13.1*			type(s): Cardboard		weight (kg): 0.328			
			type(s): Corrugated weig		waimht (km), 0.000			
		packaging material	type(s): Corrugated Double	e waii	weight (kg): <b>0.098</b> weight (kg): <b>0.018</b>			
P13.2*			aging is free from PVC.		weight (kg). Grove	$\boxtimes$	П	$\Box$
P13.3*			<u> </u>	specify the conta	ained percentage of minimum po			Ħ
	consume	er recovered fiber co	ontent: 80 %					
P13.4*			product documentation (tick	box):				
		ronic, 🔀 Paper, 🗌						
P13.5			tem if paper documentation					
		d product document lease specify:	ation on paper media is chlo	rine-free:			Ш	
	-	hlorine-free						
		al chlorine-free						
		ed chlorine-free						
P14		ry programs						
P14.1			irements of the following vol	untary program(s)	):			
		Y STAR®	Criteria version: V8	Date:	Product category: 2			
	Eco-labe	el: <b>PCGL</b>	Criteria version: V14 Criteria version:	Date: Date:	Product category: Product category:			
P15		nal information (Se		Date.	1 Toddet category.			
P9				ary; description	of the tested product configura	tion:		
	NOTE: S	Supplier makes no r	epresentations, quarantees,	assurances or wa	arranties whether express or implie	ed, regardin	g the	
	informat	ion contained in this	document. All information p	provided by suppli	er in this document is provided ba	sed on supp	olier's	
					obligation to update such informa y. See a Lenovo Account Represe			on
	informat	ion.	'		,	malive ioi i	nore	
P9			lotebooks & Tablet Compute					
	nttp://ww	ww.energystar.gov/ii	ndex.cfm?fuseaction=find_a	_product.snowPro	oductGroup&pgw_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Flex 5 16 IAU7	Logo	
Model Number	82R8		Longvo
Issue Date	2022/02/14		Lenovo.
Additional information			
•			

d)	year of manufacture:				2021		
:)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.						
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
capability adjustments applied during testing	Memory over base [GB]	16	16				
	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
caps	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: DG2 (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	N/A	N/A				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	14.66	N/A				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A	15.47				
g)	Idle state power demand (Watts);				4.98		
1)	Sleep mode power demand (Watts);				0.44		
)	Sleep mode with WOL enabled power demand (Watts) (where enabled);				n/a		
)	Off mode power demand (Watts);				0.38		
()	Off mode with WOL enabled power demand (Watts) (where enabled);						
)	Internal power supply efficiency at 10 %, 20 %, 50 % and 100 % of rated output power (if applicable):						
,	10% 20% 50% 100% Average						
n)	external power supply efficiency (if applicable)*:						
	Average active efficiency: 84.97%	84.88% 84.07% 8	2.82%				
	*internal note: show values for all available external p						
o)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles						
o-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency:  NA						
o-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: <b>EN 61960 measurement methodology</b>								
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:								
	EN 62623:2013 measurement methodology								
(q)	Sequence of steps for achieving a stable condition with respect to power demand::								
	EN 62623:2013 measurement methodology								
(r)	Description of how sleep and/or off mode was selected or programmed:								
	Based on user manual								
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:								
Based on user manual									
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):								
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):  180 mins								
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):  10 mins								
(w)	Information on the energy-saving potential of power management functionality:								
Based on user manual									
(x)	user information on how to enable the power management functionality:								
Based on user manual									
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:								
230V, 50GHz, Total Harmonic Distortion <2 %									
Additional Notebook Battery Information:									
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)							
Internal/built-in Battery									
External/detachable Battery									
Bios Backup Battery		$\boxtimes$							
Other:									
Additional information									
) The batterviies] in this product cannot be easily replaced by users themselves.									

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.