

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter	Lenovo.				
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html				
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Notebook					
Commercial name *	Legion 5 15IAH7H					
Model number *	82RB					
Issue date *	2022-1-11					
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82RB Logo				
Issue dat	e *	2022-1-11	Lé	enc		Л
Product	environ	mental attributes - Legal requirements	Re	quire	men	t met
Item				Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)		\boxtimes		
P1.2*	Products Commer		\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1 ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	,1-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).		\boxtimes		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	in the	\boxtimes		
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm², al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	'week			
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure		\boxtimes		
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the dispose Information on proper disposal is provided in user manual. (See legal reference)	al	\boxtimes		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	legal	\square		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal referen	ce). dress):			
	https://w	www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	•	d information is; given in item P15 or added to this document, available at (add URL):		\square		
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	0	ng and packaging components do not contain more than 0,01% lead, mercury, cadmiun ent chromium by weight of these together.	n and	\boxtimes		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the mate ee legal reference).	erial(s)	\boxtimes		
P5.3*	The proc (see lega	Juct packaging material is free from ozone depleting substances as specified in the Montreal P al reference). nt: Legal reference has no maximum concentration values.	rotocol			
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82RB	Logo		~~~~	
Issue dat	te *	2022-1-11		Len		D _{TM}
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	· · ·	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	• •	Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable		\square		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.			Ħ	
P7.4*	-	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			H	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools		H	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			⊢⊢	
17.0	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			╞	H
P7.9		arts are available after end of production for: 3 years				
P7.10		s available after end of production for: 5 years				
F7.10						
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
1 7.11		type: PC+ABS Material type: Aluminum				
P7.12		n materials of external electrical cables are PVC free.			\boxtimes	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		<u> </u>		
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1%		Ħ	
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, and			
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containing			
P7.15		in 25% post-consumer recycled content.	1			
F7.13	as define	circuit boards, PCBs (without components) are low halogen: all	are low halogen			
P7.16	Marking:			\square		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (witho additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components):			
	<u>Alt. 2: </u> Cł	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 g	\square		
		g ISO 1043-4: <i>FR(16)</i>				
P7.18		etarded plastic parts >25g contain the following flame retardant substances	s/preparations in			
		ations above 0.1%:				
		ical name: CAS #: ical name: CAS #:				
		ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2			_	_	_
	Chemica	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plactic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	have been			
17.13	•	I the following Risk phrases; and Hazard statements: H411; H413	i nave been			
		rce(s) for these classifications is/are found at (add URL(s)): European Coun	cil Directive			
	67/548/E					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
		It least one of the two alternatives below shall be answered;				_
	,	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is	t (calculated as			
	or	ercentage of total plastic by weight is .				
		e weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82RB	Logo	Lenovo
Issue date *	2022-1-11		LEHOVO
Product environ	nental attributes - Market requirements (continued)	·	Requirement met

Item

Requirement metYesNon.a.

	Material and sub	stance requirements	(continued)					
P7.21*	Biobased plastic r	naterial content is use	d in the product (See N	OTE B7):				
	If YES at least or	e of the two alternative	es below shall be answ	ered:				
					ated as a percentage of			
	total plastic l	weight) is 0 %						
	or	f the bishesed plastic	un atoxialia a					
P7.22*		f the biobased plastic	less than 0,1 mg/lamp					
F1.22		specify: Number of la		um mercury content pe	er lamp: mg			
P8	Batteries							
P8.1*	Battery chemical	composition: LI-ION P	olymer battery and Lit	hium manganese Dic	oxide Battery			
P9	Energy consum	otion (See NOTE B8)						
P9.1	For the product the following power levels or energy consumptions are reported:							
Energy mo	ode *	Power level at	Power level at	Power level at	Reference/Standard for energy			
	,	100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	-max)	230 W	230 W	230 W	Full load			
Categor	ry 2							
	State - WOL	13.79 W	14.55 W	15.87 W	Energy Star Computers V8			
Enabled								
	State - WOL	13.77 W	14.02 W	17.17 W	Energy Star Computers V8			
Enabled								
01 (00		0.70.14/	0.04.14/	0.000.14/	Ensure Ofen Openanten 1/0			
Disabled) - WOL Enabled /	0.79 W	0.81 W	0.803 W	Energy Star Computers V8			
	WOL Enabled /	0.222 W	0.202 W	0.262 W	Energy Star Computers V8			
Disabled								
EPS No-lo	bad	0.008 W	0.008 W	0.008 W				
(External power	supply / charger plugged in the sconnected from the product.)							
PTEC *	sconnected from the product.	W	W	W				
	ergy Consumption							
ETEC *		51.22 kWh/year	53.45 kWh/year	59.78 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$			
Annual En	ergy Consumption				$+ P_{sleep} \times 0.35 + P_{long_{ldle}} \times 0.10 +$			
		R: Off Mode(S5) - W	OL Enabled: R : Sleer	Modo(S3) - WOL Enabl	P _{short Idle} x 0.30) ed; P _{idle} : Idle State - WOL Enabled			
External P	ower Supply Efficie		I Efficiency Marking Pro					
	solution * :2.074 me							
. ,		• •						
	0,	ave mode: 10 minutes						
	Intermetion about	the energy save funct	ion is provided with the	product.				
P9.2*		1 / 11						
P9.3	Energy efficiency	class (monitors only):						
	Energy efficiency Emissions							
P9.3 P10	Energy efficiency Emissions Noise emission	- Declared according t	o ISO 9296 (See NOTE					
P9.3	Energy efficiency Emissions Noise emission - Mode	- Declared according t Mode description	o ISO 9296 (See NOTE	Statistical upper lim	it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
P9.3 P10	Energy efficiency Emissions Noise emission Mode Idle	- Declared according t Mode description Idle (Operating)	o ISO 9296 (See NOTE	Statistical upper lim				
P9.3 P10	Energy efficiency Emissions Noise emission Mode Idle Operation	- Declared according t Mode description Idle (Operating)	o ISO 9296 (See NOTE	Statistical upper lim * 3.3 * NA(No HDD)				
P9.3 P10	Energy efficiency Emissions Noise emission Mode Idle Operation	- Declared according t Mode description I Idle (Operating) HDD:Operation CPU:Operation		Statistical upper lim * 3.3 * NA(No HDD) 5.3	it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
P9.3 P10	Energy efficiency Emissions Noise emission Mode Idle Operation Other mode	Declared according t Mode description Idle (Operating) HDD:Operation CPU:Operation Declared A-weighted sour	nd pressure level (dB) L _{pAm}	Statistical upper lim * 3.3 * NA(No HDD) 5.3 28.6 (operator position	it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
P9.3 P10	Energy efficiency Emissions Noise emission Mode Idle Operation Other mode	Declared according t Mode description Idle (Operating) HDD:Operation CPU:Operation Declared A-weighted sour		Statistical upper lim * 3.3 * NA(No HDD) 5.3 28.6 (operator position	it A-weighted sound power level, <i>L_{WA,c}</i> (B)			
P9.3 P10	Energy efficiency Emissions Noise emission Mode Idle Operation Other mode	- Declared according t Mode description Idle (Operating) HDD:Operation CPU:Operation Declared A-weighted sour	nd pressure level (dB) L _{pAm}	Statistical upper lim * 3.3 * NA(No HDD) 5.3 28.6 (operator position	it A-weighted sound power level, <i>L_{WA,c}</i> (B)			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	ımber *	82RB				Logo			
Issue dat	te *	2022-1-11					Lenc	ovo	тн
Product	environr	nental attribu	tes - Market requirement	s (continued)			Require	ment	t met
Item							Yes	No	n.a
		nagnetic emiss							
P10.4	program	(s): <i>MPR-II(3 pi</i>	the requirement for low frequ n AC adapter only)	ency electromagneti	c fields of the fol	owing volunt	ary 🔀		
P12		nics for compu							
P12.1*	The disp	lay meets the e	rgonomic requirements of ISC) 9241-307 for visual	display technolo	gies.	\square		
P12.2*	The phy	sical input devic	e meets the requirements of I	SO 9995 and ISO 92	241-410.		\square		
P13	Packaging and documentation								
P13.1*	Product packaging material type(s): Corrugated weight (kg): 0.398 Product packaging material type(s): paper(manual) weight (kg): 0.096 Product packaging material type(s): PP weight (kg): 0.016 Product packaging material type(s): PE weight (kg): 0.007 Product packaging material type(s): EPE weight (kg): 0.160								
P13.2*	Product	plastic primary p	packaging is free from PVC.				\boxtimes		
P13.3*			rrugated fiberboard packagin er content: 100 %	g, specify the conta	ined percentage	of minimum			
P13.4*	Specify		nd product documentation (tio	ck box):					
P13.5	Ùser and		nis item if paper documentatio nentation on paper media is cl				\boxtimes		
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The proc	luct meets the r	equirements of the following v	oluntary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15			(See NOTE B10)						
P9	NOTE: S informat knowled	Supplier makes r on contained in ge available at t here is approxi	of specific configuration may no representations, guarantee this document. All information he time of completion, and su mate and provided for informa	es, assurances or wa n provided by supplie pplier shall have no o	rranties whether r in this docume obligation to upda	express or in nt is provided ate such info	nplied, regardin I based on supp rmation. The in	olier's format	tion
P9	mormat	on.							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion 5 15IAH7H	Logo
Model number *	82RB	Lonovo
Issue date *	2022-1-11	Lenovo
Additional information		

d)	Product environmental attributes Year of manufacture:							
,					2022			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (d enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]			8				
ients sting	Additional internal storage	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
ability a ied du	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)			
capa appl	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)			G7				
esults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)							
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			47.20				
g)	Idle state power demand (Watts);	1	1		17.17			
ר)	Sleep mode power demand (Watts);				0.803			
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.803			
)	Off mode power demand (Watts);				0.262			
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.262			
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	ige					
n)	External power supply efficiency (if appl	icable)*:						
	Average active efficiency: 230W:92.84	%, 92.62%, 92.47% 30	00W: 93.33% 92.97%	i				
	*internal note: show values for all available external p							
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES			
o-1)	Measurement methodology used to dete	ermine information mer NA	itioned in points (I) – i	nternal PSU efficiency:				
o-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:			

(p-3) Measurement metho	odology used to determine information mentioned in p		
	EN 50563:2011 measurement methodo	blogy	
	odology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode	
	EN 62623:2013 measurement methodo	blogy	
(q) Sequence of steps f	or achieving a stable condition with respect to power	demand::	
	EN 62623:2013 measurement methodo	blogy	
(r) Description of how s	leep and/or off mode was selected or programmed:		
	EN 62623:2013 measurement methodo	blogy	
	required to reach the mode where the equipment au wer management, 30mins automatically reaches		
	te condition before the computer automatically re s not exceed the applicable power demand requirement		30min
(u) Length of time afte	r a period of user inactivity in which the compute wer power demand requirement than sleep mode (in	r automatically reaches a power	NA
	bre the display sleep mode is set to activate after		10min
	nergy-saving potential of power management functio		
User information	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all	
(x) User information on	how to enable the power management functionality:		
User information	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all	
(z) Test parameters for	measurements: — test voltage in V and frequency in	Hz. — total harmonic distortion of	
the electricity supply	system, - information and documentation on the in		
used for electrical te	sting: 230V, 50GHz, Total Harmonic Distortion	n <2 %	
Additional Notebook Batte	n Information		
Additional Notebook Batte	Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾		
Internal/built-in Battery			
External/detachable Battery			
Bios Backup Battery			
Other:			
Additional information			
)			
he battery[ies] in this product cannot be e	easily replaced by users themselves. продукт не може да се замени[ят] лесно от самите потребител	и	
as baterías de este producto no pueden s	ser sustituidas fácilmente por los propios usuarios.		
ľýměnu baterie/baterií v tomto výrobku by rugeren kan ikke uden videre udskifte ba	tteriet/batterierne i dette produkt.		
er Akku/die Akkus dieses Produkts kann, asutajad ei saa selle toote akut/akusid is	/können nicht ohne weiteres vom Benutzer selbst ausgetauscht w e hõlpsasti asendada.	verden.	
Ι μπαταρία[-ες] στο προϊόν αυτό δεν μποι	ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες		
orisnik ne može lako zamijeniti Bateriju s		x-memes.	
a batteria/le batterie in questo prodotto no ietotāji paši nevar nomainīt šā ražojuma a	on può/possono essere facilmente sostituita/e dall'utente. akumulatoru(-us).		
io gaminio baterijos [baterijų] pats vartoto			
-batterija/batteriji f'dan il-prodott ma tistax	/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.		
atteriet [ene] i dette produktet kan ikke le De batterij(en) in dit product is (zijn) door o	tt erstattes av brukerne selv. le gebruiker niet gemakkelijk vervangbaar.		

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuoteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.