



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Log	0			
Company name *	Lenovo		_			
Contact information * Lenovo Global Environmental Affairs			Lenovo			
e-mail address	ddress Alvin L Carter		LCIIOVO			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Monitor			
Commercial name *	Lenovo C32-40/D32-40/D32-45			
Model number *	63D9/66FC/67A0			
Issue date *	2022/07/28			
Intended market *	Global Europe Asia, Pacific & Japan Americas Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	63D9/66FC/67A0	Logo	Lonov				
Issue date * 2022/07/28			Lenov	O _M			
Product environmental attributes - Legal requirements			Requireme	nt met			
Item			Yes No	n.a.			
	1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)						
	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.						
	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),						
	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		l			
	ethane, methyl bromide (see legal reference). Comment: Legal reference has no m						
	ration values.						
	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /I (PCT) in preparations (see legal reference).	lorinated					
	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	bon atoms in	the 🔀				
	ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).			,			
	th direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/we	ek 🔀 🗌				
	al reference).						
	nt: Max limit in legal reference when tested according to EN1811:2011-5.						
	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):					
P2 Batterie							
	oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	the disposal					
P2.2* Batterie	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,						
	reference) * Batteries and accumulators are readily removable. (See legal reference)						
P3 Conformity verification & Eco design (ErP)							
	1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address):						
	https://www.lenovo.com/us/en/compliance/eu-doc for EU;						
	https://www.lenovo.com/us/en/compliance/uk-doc for UK						
P3.2* The pro	The product complies with the Eco design requirements for energy-related products,						
, ,	(see legal reference).						
Require	Required information is; given in item P15 or added to this document,						
	available at (add URL):						
	www.lenovo.com/us/en/compliance/eco-declaration						
	t packaging	dualism					
hexaval	ng and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together.						
	The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) used (see legal reference).						
P5.3* The pro	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol						
Comme	(see legal reference). Comment: Legal reference has no maximum concentration values.						
	Treatment information						
	Information for recyclers/treatment facilities is available (see legal reference).						

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Woderin	ımber *	03D9/00FC/07AU	Logo	Len			
Issue date *		2022/07/28		Len		714	
					equirement met		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.	
P7	Design Disasse	mbly, recycling					
P7.1*							
P7.2* Plastic materials in covers/housing have no surface coating.				Ħ	\blacksquare		
P7.3* Plastic parts > 100 g consist of one material or of easily separable materials.				H	$\overline{\mathbf{H}}$		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	Ħ	
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.				
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes			
	Product	lifetime					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives					
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes			
P7.9	Spare pa	arts are available after end of production for: 5 years					
P7.10		s available after end of production for: 5 years					
		and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	-1.5				
P7.12			al type: SGCC			$\overline{}$	
P7.12	Insulation materials of external electrical cables are PVC free.						
P7.13	Insulation materials of internal electrical cables are PVC free.						
7.14	P7.14 External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.						
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)						
P7.16	6 Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):				
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:		X	Ш	Ш	
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g				
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations	in			
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)			Ш		
		ical name: , CAS #: (See NOTE 64)					
		ical name: , CAS #:					
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes	
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been				
	assigned the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)						
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes			
	If YES; a a) or b)	It least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material contract as a percentage of total plastic by weight) is 81.4% (EPEAT calculation) / 85% (The weight of recycled material is 824.16 g.					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63D9/66FC/67A0	Logo	
Issue date *	2022/07/28		Lenovo
Product environmental attributes - Market requirements (continued)			Requirement met
Item			Yes No n.a.

	Material and substance requirements (continued)					
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):					
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. or 					
D7 00t		the biobased plastic				
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg					
P8	Batteries					
P8.1*	Battery chemical c	omposition:				\boxtimes
P9		tion (See NOTE B8)				
P9.1			ls or energy consumpt			
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
ENERGY S (System Id	STAR® On Mode* le)	23.11 W	23.11 W	23.52 W	ENERGY STAR Displays V8.0	
ENERGY S Sleep Mod	STAR® Low Power e*	0.16 W	0.16 W	0.18 W	ENERGY STAR Displays V8.0	
ENERGY S Apparent C	STAR® Off / Off Mode*	0.14 W	0.14 W	0.16 W	ENERGY STAR Displays V8.0	
PTEC * Typical Ene	ergy Consumption	W	W	W		
ETEC * Annual Energy Consumption		71.77 kWh/year	71.77 kWh/year	73.14 kWh/year	E _{TEC} = 8.76x (0.35xPon +0.65x Psleep)	
External Po	ower Supply Efficien	ı ıcy Level (Internationa	al Efficiency Marking P	rotocol) * : N/A		\boxtimes
Display res	solution * : 192	0x1080 megapixels		·		
Default time		ive mode: 1 minutes				
P9.2*	Information about	the energy save funct	ion is provided with the	e product.		
P9.3		the energy requirement version: 8.0 Product	ents of the following vo	oluntary program/s:		
P10	Emissions					
	Noise emission – Declared according to ISO 9296 (See NOTE B9)					
P10.1		Mode description Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle *			*		
	Operation *			*		\boxtimes
			nd pressure level (dB) L_{pA}		osition desktop – idle)	
	Other mode	Declared A-weighted sour	nd pressure level (dB) L_{pA}	m (operator po	osition desktop – operating)	
	Measured according	ng to: SO 7779 Other	ECMA-74 (only if not covered b	ov FCMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nur	Model number * 63D9/66FC/67A0 Logo		Long	Lonovo				
Issue date	Issue date * 2022/07/28		Lenc	Lenovo.				
Product	environr	nental attributes - I	Market requirements (continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	nagnetic emissions						
P10.4	Compute program		quirement for low frequen	cy electromagnetic	fields of the following volunt	ary		
P12		nics for computing p						
P12.1*	The disp	lay meets the ergonon	nic requirements of ISO 92	241-307 for visual d	lisplay technologies.	\boxtimes		
P12.2*	The phys	sical input device meet	ts the requirements of ISC	9995 and ISO 924	1-410.	X		
P13		ng and documentation						
P13.1*	Product	packaging material typ packaging material typ packaging material typ	e(s): Paper(Cardboard)	weight (kg): 0. : weight (kg weight (kg): 0	ı): 1.53			
P13.2*		plastic primary packag				\boxtimes		
P13.3*		luct primary corrugate er recovered fiber cont		specify the contain	ned percentage of minimum	ı post-		
P13.4*		nedia for user and pro ronic, ⊠Paper, ⊡Ot	duct documentation (tick the	oox):				
P13.5	Ùser and		n if paper documentation ι on on paper media is chlo					
	Totally c	hlorine-free						
	,	al chlorine-free				×		
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1			ments of the following volu	ıntary program(s):				
	ENERG' Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15		nal information (See I						
P9					f the tested product config			
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					on			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1