

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | | | | |
|------------------------|--|-----------|--|--|--|--|--|
| Company name * | Lenovo | | | | | | |
| Contact information * | Lenovo Global Environmental Affairs | Lenovo | | | | | |
| e-mail address | Alvin L Carter | LEI IOVO. | | | | | |
| | alcarter@lenovo.com | | | | | | |
| Internet site * | https://www.lenovo.com/us/en/sustainability-resources/ | | | | | | |
| Additional information | The latest version of this document can be found at: | | | | | | |
| | http://www.lenovo.com/ecodeclaration | | | | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | |
|--|--|--|--|--|--|
| conforms to the statements given in this declaration. | | | | | |
| Type of product * | <i>Nonitor</i> | | | | |
| Commercial name * | enovo C32u-40/D32u-40/D32u-45 | | | | |
| Model number * | 63DA/66FD/67A1 | | | | |
| Issue date * | 2022/07/28 | | | | |
| Intended market * | 🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | | |
| Additional information | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model number * Issue date * | | 63DA/66FD/67A1 Logo | | | |
|--------------------------------|--|--|-------------|----|-------------|
| | | 2022/07/28 | Lenovo. | |) |
| Product | t enviror | imental attributes - Legal requirements | Require | | t met |
| ltem | | | Yes | No | n.a. |
| P1 | | ous substances and preparations | | | |
| P1.1* | Product | s do comply with current European RoHS Directive. (See legal reference and NOTE B1) | \boxtimes | | |
| P1.2* | | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | \boxtimes | | |
| P1.3* | hydrobr trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values. | | | |
| P1.4* | Product | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference). | \boxtimes | | |
| P1.5* | Product | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the ontaining at least 48% per mass of chlorine in the SCCP (see legal reference). | e 🔀 | | |
| P1.6* | (see leg | ith direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. | < 🖂 | | |
| P1.7* | REACH | Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | \square | | |
| P2 | Batterie | | | | |
| P2.1* | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) | | | | |
| P2.2* | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) | | | | \boxtimes |
| P2.3* | Batteries and accumulators are readily removable. (See legal reference) | | | | \square |
| P3 | Confor | mity verification & Eco design (ErP) | | | |
| P3.1* | The pro The De https:// | duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, | \boxtimes | | |
| | | al reference). | | | |
| | Require | d information is; given in item P15 or added to this document, | \boxtimes | | |
| | • | available at (add URL): | _ | _ | _ |
| | https:// | www.lenovo.com/us/en/compliance/eco-declaration | | | |
| P5 | | t packaging | | | |
| P5.1* | hexaval | ing and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together. | | | |
| P5.2* | The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) [used (see legal reference). | | | | |
| P5.3* | (see lec | duct packaging material is free from ozone depleting substances as specified in the Montreal Protoco al reference). | ol 🔀 | | |
| P6 | | nt: Legal reference has no maximum concentration values. | | | |
| P6.1* | | ion for recyclers/treatment facilities is available (see legal reference). | | | |
| F0.1 | morma | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | umber * | 63DA/66FD/67A1 | Logo | Lon | | | | |
|----------------------|--|---|--------------------|-------------|-------------|-------------|--|--|
| Issue date * 2022/07 | | 2022/07/28 | | Len | ovc |) | | |
| Product | | mental attributes - Market requirements (See General NOTE GN | · · · | _ | | | | |
| lt a una | | onmental conscious design | | Require | | | | |
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a. Design | | | | | | | |
| | | mbly, recycling | | | | | | |
| P7.1* | Parts that | at have to be treated separately are easily separable | | \boxtimes | | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | | | | | | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | | \boxtimes | | | | |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | \bowtie | | | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly a | available tools. | \boxtimes | | | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | \boxtimes | | | | |
| | Product | | | | | | | |
| P7.7* | | ng can be done e.g. with processor, memory, cards or drives | | | | | | |
| P7.8* | | ng can be done using commonly available tools | | | | | | |
| P7.9 | | arts are available after end of production for: 5 years | | | | | | |
| P7.10 | | s available after end of production for: 5 years | | | | | | |
| | | and substance requirements | | | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Materia | al type: SGCC | | | | | |
| P7.12 | | n materials of external electrical cables are PVC free. | | | \boxtimes | | | |
| P7.13 | Insulatio | n materials of internal electrical cables are PVC free. | | | | | | |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% | | | | | | | |
| | weight (polyvinyl | 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content. | e retardants, and | d L | | | | |
| P7.15 | | sircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ad in IEC 61249-2-21. (See 1NOTE B2) | are low haloger | ו 🗌 | \square | | | |
| P7.16 | Marking: | | | | | \square | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #: | omponents): | \boxtimes | | | | |
| | | nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: | ents) > 25 g | | | \boxtimes | | |
| P7.18 | concentr 1. Chem 2. Chem | ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " | es/preparations ir | | | | | |
| | | nemical specifications of flame retardants in plastic parts > 25 g according ISO 104 | 3-4: | | | \boxtimes | | |
| P7.19 | In plastic | parts > 25 g, flame retardant substances/preparations above 0,1% are used which | n have been | | | | | |
| | assigned | the following Risk phrases; and Hazard statements: | | | | | | |
| | | | See note B5) | | | | | |
| P7.20* | Postcons | sumer recycled plastic material content is used in the product (See Note B6): | | \bowtie | | | | |
| | lf YES; a a) or b) | at least one of the two alternatives below shall be answered; Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material co as a percentage of total plastic by weight) is 81.4% (EPEAT calculation) / 85% (The weight of recycled material is 824.16 g. | | | | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 63DA/66FD/67A1 | Logo | Lenovo | |
|------------------|---|------|-----------------|--|
| Issue date * | 2022/07/28 | | LCHOVO. | |
| Product environm | nental attributes - Market requirements (continued) | | Requirement met | |

Item

| P7.21* | | stance requirements | (continued) I in the product (See NC | | | | | |
|--|---|--------------------------|--|---|--|-------------|--|--|
| P1.21 | • | | | | | | | |
| | If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of | | | | | | | |
| | total plastic by weight) is 0%. | | | | | | | |
| | or | | | | | | | |
| | | f the biobased plastic n | | | | | | |
| P7.22* | | | less than 0,1 mg/lamp. | | | | | |
| P8 | Batteries | specify: Number of lan | nps: and maximi | um mercury content per | r lamp: mg | | | |
| P8.1* | Battery chemical of | omposition. | | | | | | |
| P9 | , | tion (See NOTE B8) | | | | | | |
| P9.1 | | | s or energy consumptio | ons are reported. | | | | |
| Energy mod | | Power level at | Power level at | Power level at | Reference/Standard for energy | \boxtimes | | |
| 0, | | 100 V AC | 115 V AC | 230 V AC | modes and test method * | | | |
| | STAR® On Mode* | 31.1 W | 31.1 W | 31.4 W | ENERGY STAR Displays V8.0 | | | |
| (System Idl | e) | | | | | | | |
| ENERGY S | STAR® Low Power | 0.27 W | 0.27 W | 0.3 W | | | | |
| Sleep Mode | e* | | 0.27 W 0.3 W ENERGY STAR Displays V8.0 0.26 W 0.28 W ENERGY STAR Displays V8.0 | | | | | |
| | | 0.0010/ | 0.001 | 0.00.14/ | | | | |
| ENERGY STAR® Off / Apparent Off Mode* | | 0.26 W | 0.20 VV | 0.28 VV | ENERGY STAR Displays V8.0 | | | |
| | | | | | | | | |
| PTEC * | | W | W | W | | | | |
| | ergy Consumption | VV V | vv | vv | | \boxtimes | | |
| ETEC* | | 96.89 kWh/year | 96.89 kWh/year | 97.98 kWh/year | $E_{TEC} = 8.76x (0.35xPon + 0.65x)$ | | | |
| Annual Energy Consumption | | | | - | Psleep) | | | |
| | | | | | | | | |
| | | | Efficiency Marking Pro | otocol) * : N/A | | \square | | |
| Display res | | 0x2160 megapixels | | | | \square | | |
| Default time | e to enter energy sa | ive mode: 1 minutes | | | | \square | | |
| P9.2* | Information about | the energy save function | on is provided with the | product. | | \boxtimes | | |
| P9.3 | | | nts of the following volu | untary program/s: | | | | |
| P10 | ENERGY STAR® | version: 8.0 Product | category: Display. | | | | | |
| P 10 | | Declared according to | ISO 9296 (See NOTE | B9) | | | | |
| P10.1 | | Node description | | | A-weighted sound power level, L_{WA} | , (B) | | |
| | Idle * | | | * | x i | | | |
| | Operation * | k | | * | | \square | | |
| | Other mode | eclared A-weighted sound | d pressure level (dB) L _{pAm} | (operator pos | ition desktop – idle) | | | |
| | Other mode Declared A-weighted sound pressure level (dB) L _{pAm} | | | (operator position desktop – operating) | | | | |
| | Measured accordi | | ECMA-74 | - I | | | | |
| | | Other | (only if not covered by | ECMA-74) | | | | |
| i | • | | | , | | | | |

Yes No

n.a.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model nu | umber * | 63DA/66FD/67 | 'A1 | | | Logo | Long | | |
|--------------|--|--|---|--|---|--|---|------------|-----|
| Issue date * | | 2022/07/28 | | | | | Leno | ovo | ти |
| Product | t environr | nental attribu | tes - Market requirement | ts (continued) | | | Require | ment | me |
| ltem | | | | | | | Yes | No | n.a |
| | | nagnetic emiss | | | | | | | |
| P10.4 | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary | | | | | | | | |
| P12 | Ergono | nics for compu | iting products | | | | | | |
| P12.1* | The disp | lay meets the er | gonomic requirements of ISC |) 9241-307 for vis | sual display technolo | gies. | | | |
| P12.2* | The phy | sical input device | e meets the requirements of I | SO 9995 and ISC |) 9241-410. | | \boxtimes | | |
| P13 | | ng and docume | | | | | | | |
| P13.1* | Product Product Product | packaging mater packaging mater packaging mater | rial type(s): <i>MOLDED PULP</i> rial type(s): <i>Honeycomb</i> + <i>T</i> rial type(s): <i>Paper(Carton)</i> rial type(s): <i>EPE Bag</i> | | weight (kg): 0.68 weight (kg): 0.952 weight (kg): 1.414 weight (kg): 0.036 | | | | |
| P13.2* | Product | plastic primary p | backaging is free from PVC. | | | | \boxtimes | | |
| P13.3* | | luct primary cor er recovered fibe | rugated fiberboard packagir er content: 90 % | ng, specify the co | ontained percentage | of minimum | post- | | |
| P13.4* | Specify Select | media for user a ronic, 🔀Paper, | nd product documentation (tie | ck box): | | | | | |
| P13.5 | Ùser and | | nis item if paper documentation nentation on paper media is c | | | | | | |
| | Totally c | hlorine-free | | | | | | | |
| | Element | al chlorine-free | | | | | | | |
| | Process | ed chlorine-free | | | | | | | |
| P14 | Volunta | ry programs | | | | | | | |
| P14.1 | | | equirements of the following | oluntary program | n(s): | | | | |
| | ENERG | Y STAR® | Criteria version: | Date: | Product | category: | | | |
| | Eco-labe | | Criteria version: | Date: | | category: | | | |
| | Eco-labe | | Criteria version: | Date: | | category: | | | |
| P15 | Additio | al information | (See NOTE B10) | | | | | | |
| P9 | | | f specific configuration ma | y vary; descripti | on of the tested pro | oduct configu | ration: | | |
| | NOTE: \$ the info supplied informa | Supplier makes rmation contair r's knowledge a tion. The inform | no representations, guaran ned in this document. All in available at the time of com nation provided here is app re for more information. | ntees, assurance formation provic pletion, and sup | es or warranties wh led by supplier in t plier shall have no | ether express his document obligation to | s or implied, i t is provided update such | based | lon |
| P9 | See Ene | ergy Star Qualifi | ied Notebooks & Tablet Co gov/index.cfm?fuseaction= | | | o&pgw_code= | ⊧CO | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |