



ECMA/TC38-TG3/2015/026

(Rev. 1 - 15 April 2015)

## Annex B2 - Product environmental attributes

## **Computer Monitors**

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand *                | Lenovo   | Logo                     |
|------------------------|--|--------------------------|
| Company name *         | Lenovo   | _                        |
| Contact information *  | Lenovo Global Environmental Affairs                    | Lenovo                   |
| e-mail address         | Alvin L Carter   |                          |
|                        | alcarter@lenovo.com                                    | 7,500 00 20/100 000/1000 |
| Internet site *        | https://www.lenovo.com/us/en/sustainability-resources/ | _                        |
| Additional information |  |                          |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. |  |  |  |  |  |
|--|--|--|--|--|--|
| Type of product *  | Monitor  |  |  |  |  |
| Commercial name *  | Lenovo G32qc-30  |  |  |  |  |
| Model number *   | 66F2   |  |  |  |  |
| Issue date *   | 2022/5/30  |  |  |  |  |
| Intended market *  | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other |  |  |  |  |
| Additional information   |  |  |  |  |  |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model number * |  | 66F2   | Logo            | Long        | 21/6          |               |  |  |
|----------------|--|--|-----------------|-------------|---------------|---------------|--|--|
|                |  | 2022/5/30  |                 | Lenovo      |               |               |  |  |
| Product        | Require  | ment   | met             |             |               |               |  |  |
| Item           |  |  |                 | Yes         | No            | n.a.          |  |  |
| P1             | Hazardous substances and preparations  |  |                 |             |               |               |  |  |
| P1.1*          | Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)   |  |                 |             |               |               |  |  |
| P1.2*          |  |  |                 |             |               |               |  |  |
| D4 2*          |  | nt: Legal reference has no maximum concentration value.  |                 |             | $\overline{}$ |               |  |  |
| P1.3*          |  | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),<br>omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach          | loride 111      | $\boxtimes$ | Ш             |               |  |  |
|                |  | ethane, methyl bromide (see legal reference). Comment: Legal reference has no m  |                 |             |               |               |  |  |
|                |  | ration values.   |                 |             |               |               |  |  |
| P1.4*          |  | do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych   | lorinated       | X           | П             |               |  |  |
|                |  | (PCT) in preparations (see legal reference).   |                 |             |               |               |  |  |
| P1.5*          |  | edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl<br>ntaining at least 48% per mass of chlorine in the SCCP (see legal reference). | oon atoms in tl | ne 🔀        |               |               |  |  |
| P1.6*          |  | h direct and prolonged skin contact do not release nickel in concentrations above 0  | ),5 μg/cm²/wee  | ek 🔀        |               |               |  |  |
|                |  | al reference).   |                 |             |               |               |  |  |
| P1.7*          |  | nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail     |                 |             |               | $\overline{}$ |  |  |
| P1.7"          |  | Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure                             | contact):       |             |               | Ш             |  |  |
| P2             | Batterie   |  |                 |             |               |               |  |  |
| P2.1*          | If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) |  |                 |             |               |               |  |  |
| P2.2*          | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal   |  |                 |             |               |               |  |  |
| P2.3*          | Batteries and accumulators are readily removable. (See legal reference)  |  |                 |             |               |               |  |  |
| P3             | Conformity verification & Eco design (ErP)   |  |                 |             |               |               |  |  |
| P3.1*          |  | duct is CE-marked to show conformance with applicable legal requirements (see leg  | gal reference). | $\square$   | $\Box$        | $\Box$        |  |  |
|                |  |  | mail addres     |             |               |               |  |  |
|                | https://www.lenovo.com/us/en/compliance/eu-doc for EU and  |  |                 |             |               |               |  |  |
|                |  | vww.lenovo.com/us/en/compliance/uk-doc for UK  |                 |             |               |               |  |  |
| P3.2*          |  | duct complies with the Eco design requirements for energy-related products, al reference).   |                 | $\boxtimes$ |               |               |  |  |
|                | Required information is; given in item P15 or added to this document,  |  |                 |             | П             |               |  |  |
|                | ∑available at (add URL):   |  |                 |             |               |               |  |  |
|                | https://www.lenovo.com/us/en/compliance/eco-declaration  |  |                 |             |               |               |  |  |
| P5             | Product  | packaging  |                 |             |               |               |  |  |
| P5.1*          | Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and   |  |                 |             |               |               |  |  |
| D              | hexavalent chromium by weight of these together.   |  |                 |             |               |               |  |  |
| P5.2*          | used (se   | kaging materials are marked with abbreviations and numbers indicating the nature in legal reference).  |                 | ` '         |               |               |  |  |
| P5.3*          |  | luct packaging material is free from ozone depleting substances as specified in the N  | /lontreal Proto | col 🔀       |               |               |  |  |
|                |  | al reference).   |                 | _           |               |               |  |  |
| D6             | Comment: Legal reference has no maximum concentration values.  Treatment information   |  |                 |             |               |               |  |  |
| P6.1*          |  | on for recyclers/treatment facilities is available (see legal reference).  |                 |             | _             |               |  |  |
| FO. I          | miormati   | on for recyclers/treatment facilities is available (see legal reference).  |                 | $\boxtimes$ |               | Ш             |  |  |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * 66F2 |   | 66F2  | Logo             | Lon | 01/0   |                        |  |  |
|---------------------|---|---|------------------|-----|--------|------------------------|--|--|
| Issue date *        |   | 2022/5/30   |                  | Len |        | <b>)</b> <sub>TM</sub> |  |  |
|                     |   |   |                  |     | ment ı | met                    |  |  |
| Item                | *=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.                          |   |                  |     |        |                        |  |  |
| P7                  | Design<br>Disasse   | mbly, recycling   |                  |     |        |                        |  |  |
| P7.1*               | Parts that have to be treated separately are easily separable   |   |                  |     |        |                        |  |  |
| P7.2*               | * Plastic materials in covers/housing have no surface coating.  |   |                  |     |        |                        |  |  |
| P7.3*               |   |   |                  |     |        |                        |  |  |
| P7.4*               | Plastic p   | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.  |                  |     | Ħ      | Ħ                      |  |  |
| P7.5                | Plastic p   | arts are free from metal inlays or have inlays that can be removed with commonly  | available tools. |     |        |                        |  |  |
| P7.6*               | Labels a  | re easily separable. (This requirement does not apply to safety/regulatory labels).   |                  |     |        |                        |  |  |
|                     | Product   | lifetime  |                  |     |        |                        |  |  |
| P7.7*               | Upgradir  | ng can be done e.g. with processor, memory, cards or drives   |                  |     |        | $\boxtimes$            |  |  |
| P7.8*               | Upgradir  | ng can be done using commonly available tools   |                  |     |        | $\boxtimes$            |  |  |
| P7.9                | Spare pa  | arts are available after end of production for: 5 years   |                  |     |        |                        |  |  |
| P7.10               | Service i   | is available after end of production for: 5 years   |                  |     |        |                        |  |  |
|                     |   | and substance requirements  |                  |     |        |                        |  |  |
| P7.11*              |   | cover/housing material type (e.g. plastics, metal, aluminum):   |                  |     |        |                        |  |  |
| P7.12               |   |   | al type:         |     |        |                        |  |  |
|                     | Insulation materials of external electrical cables are PVC free.  |   |                  |     |        |                        |  |  |
| P7.13<br>P7.14      | Insulation materials of internal electrical cables are PVC free.  |   |                  |     |        |                        |  |  |
| P7.14               | weight (<br>polyvinyl   | plastic cashigrover parts > 25 g contain no more than 0,1% weight (1000 ppm) to 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame lehloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine and 25% post-consumer recycled content. | e retardants, a  | nd  |        |                        |  |  |
| P7.15               |   |   |                  |     |        |                        |  |  |
| P7.16               |   |   |                  |     |        |                        |  |  |
| P7.17               | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):                      |   |                  |     |        |                        |  |  |
|                     | TBBF  | PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:   |                  |     | Ш      | Ш                      |  |  |
|                     | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: |   |                  |     |        |                        |  |  |
| P7.18               |   | ame retarded plastic parts > 25 g contain the following flame retardant substance   | es/preparations  | in  |        |                        |  |  |
|                     |   | rations above 0,1%:   |                  |     |        | $\boxtimes$            |  |  |
|                     |   | ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "   |                  |     |        |                        |  |  |
|                     |   | ical name: , CAS #: "   |                  |     |        |                        |  |  |
|                     |   | ,   |                  |     |        | $\square$              |  |  |
| DT 40               |   | nemical specifications of flame retardants in plastic parts > 25 g according ISO 104  |                  |     |        |                        |  |  |
| P7.19               | •   | c parts > 25 g, flame retardant substances/preparations above 0,1% are used whic  | n nave been      |     | Ш      | $\boxtimes$            |  |  |
|                     | assigned the following Risk phrases; and Hazard statements:   |   |                  |     |        |                        |  |  |
| D7 00*              | The source(s) for these classifications is/are found at (add URL(s)):  , (See note B5)  |   |                  |     |        |                        |  |  |
| P7.20*              |   | sumer recycled plastic material content is used in the product (See Note B6):   |                  |     |        |                        |  |  |
|                     | a) Of t   | at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 22.93 %. (EPEAT calculation) / 85% (TCC)  |                  | •   |        |                        |  |  |
|                     |   | e weight of recycled material is 306 g.   |                  |     |        |                        |  |  |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * Issue date * | 66F2<br>2022/5/30                                   | Logo | Lenovo.         |
|-----------------------------|---|------|-----------------|
| Product environr            | nental attributes - Market requirements (continued) |      | Requirement met |
| Item                        |   |      | Yes No n.a.     |

|            | Material and subs  | stance requ   | irements (c     | ontinued)                |                       |  |             |  |
|------------|--|---------------|-----------------|--------------------------|-----------------------|--|-------------|--|
| P7.21*     | Biobased plastic m   | aterial conte | ent is used in  | n the product (See N     | OTE B7):              |  |             |  |
|            | If YES; at least one of the two alternatives below shall be answered;  |               |                 |                          |                       |  |             |  |
|            | a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of |               |                 |                          |                       |  |             |  |
|            | total plastic by weight) is <i>0</i> %.  |               |                 |                          |                       |  |             |  |
|            | or<br>b) The weight of the biobased plastic material is <i>0</i> g.  |               |                 |                          |                       |  |             |  |
| P7.22*     |  |               |                 | ss than 0,1 mg/lamp      |                       |  | _           |  |
| F1.22      | If mercury is used   |               |                 |                          | um mercury content pe | erlamp: mg   | ш           |  |
| P8         | Batteries  | opeony: rtan  | incor or laring | dia maxim                | an moreary content pe | mg   |             |  |
| P8.1*      | Battery chemical composition:  |               |                 |                          |                       |  |             |  |
| P9         | Energy consumpt  | tion (See N   | OTE B8)         |                          |                       |  |             |  |
| P9.1       |  |               |                 | or energy consumption    | ons are reported:     |  |             |  |
| Energy mo  |  | Power         | Power           | Power level at           | Power level at        | Reference/Standard for energy                        |             |  |
| 0,         |  | level at      | level at        | 115 V AC                 | 230 V AC              | modes and test method *                              |             |  |
|            |  | 100V          | 100V            |                          |                       |  |             |  |
|            |  | 50HzAC        | /60Hz           |                          |                       |  |             |  |
| _          | STAR® On Mode*   | 28.2          | 28.21           | 28.25 W                  | 28.08 W               |  |             |  |
| (System Id | e)   |               |                 |                          |                       | ENERGY STAR Displays V8.0                            |             |  |
| FNFRGY S   | STAR® Low Power  | 0.23          | 0.23            | 0.23 W                   | 0.3 W                 |  |             |  |
| Sleep Mod  |  | 0.20          | .20   0.20 1.   |                          |                       | ENERGY STAR Displays V8.0                            |             |  |
| •          |  |               |                 | 2 2 2 1 2 4              |                       |  |             |  |
|            | STAR® Off /  | 0.14          | 0.14            | 0.25 W                   | <b>0.20</b> W         | ENERGY STAR Displays V8.0                            |             |  |
| Apparent C | ni wode  |               |                 |                          |                       |  |             |  |
|            |  |               |                 |                          |                       |  |             |  |
| PTEC *     |  | N/A W         | N/A W           | N/A W                    | N/A W                 |  | $\boxtimes$ |  |
|            | ergy Consumption   |               |                 |                          |                       |  |             |  |
| ETEC *     | 0 "  |               |                 | 87.92kWh/year            | <b>87.80</b> kWh/year | $E_{TEC} = 8.76x (0.35xP_{ON+}0.65x)$                |             |  |
|            | ergy Consumption   | /year         | /year           | ifficion ou Montrio o De | -41\*.                | P <sub>SLEEP</sub> )                                 |             |  |
|            | • • •  | • •           |                 | fficiency Marking Pro    | DTOCOI) ":            |  | $\boxtimes$ |  |
|            | olution* : 2560*144  |               |                 |                          |                       | ENERGY STAR Displays V8.0                            |             |  |
|            | e to enter energy sa   |               |                 |                          |                       | ENERGY STAR Displays V8.0                            |             |  |
| P9.2*      |  |               |                 | is provided with the     |                       |  | <u>Ц</u>    |  |
| P9.3*      | The product meets  | the energy    | requirement     | s of the following vol   | untary program/s:     |  | Ш           |  |
| D40        | ENERGY STAR®   | version: 8.0  | Product ca      | tegory: <i>Display</i> . |                       |  |             |  |
| P10        | Emissions<br>Noise emission  | Doclared or   | poording to I   | SO 9296 (See NOTE        | : P0\                 |  |             |  |
| P10.1      | Mode   | Mode desc     |                 | 30 9290 (See NOTE        |                       | t A-weighted sound power level, L <sub>WA c</sub> (B | 2)          |  |
| F 10.1     | Idle   | * HDD: Idle   |                 |                          | *                     |  |             |  |
|            |  |               |                 |                          |                       | -  |             |  |
| <u> </u>   |  | * HDD: Op     |                 |                          | -                     |  | $\boxtimes$ |  |
|            | Other mode   | I _           | veighted soun   | d pressure level (dB)    | (operator pos         | sition desktop – idle)                               |             |  |
|            |  | $L_{pAm}$     |                 |                          |                       |  |             |  |
|            | Other mode   | 1             | veighted soun   | d pressure level (dB)    | (operator pos         | sition desktop – operating)                          |             |  |
|            | $L_{pAm}$  |               |                 |                          |                       |  |             |  |
|            | Measured according   | ng to: 🔀 IS   | O 7779 🔲 I      | ECMA-74                  |                       |  |             |  |
|            |  | Ot            | her (d          | only if not covered by   | FCMΔ-74)              |  |             |  |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

| Model number *  |   | 66F2   |  |  |   |                       | Logo                                |          | ~ ~ ~       |      |             |
|---|---|--|--|--|---|-----------------------|-------------------------------------|----------|-------------|------|-------------|
| Issue date *  |   | 2022/5/30  |  |  |   |                       |                                     | <u> </u> | eno         | VO   | м           |
| Product environmental attributes - Market requirement |   |  |  |  | ntinued)                                |                       |                                     | R        | Require     | ment | met         |
| Item  |   |  |  | •                                      | •                                       |                       |                                     |          | Yes         | No   | n.a.        |
|   | Electron  | magnetic emissior  | ns   |  |   |                       |                                     |          |             |      |             |
| P10.4   | Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):  |  |  |  |   |                       |                                     |          |             |      |             |
| P12   | Ergono  | nics for computin  | g products   |  |   |                       |                                     |          |             |      |             |
| P12.1*  | The disp  | lay meets the ergo   | nomic requirements o   | f ISO 9241-                            | 307 for visua                           | l display technolo    | gies.                               |          | $\boxtimes$ |      |             |
| P12.2*  | The phys  | sical input device m   | neets the requirements   | s of ISO 999                           | 95 and ISO 9                            | 241-410.              |                                     |          |             |      | $\boxtimes$ |
| P13   |   | ng and document  |  |  |   |                       |                                     |          |             |      |             |
| P13.1*  | Product<br>Product<br>Product   | packaging material<br>packaging material<br>packaging material | type(s): <b>HDPE+EPE</b> type(s):  | weight (kg<br>weight (kg<br>weight (kg | g): <b>0.6</b><br>g): <b>0.042</b>      |                       |                                     |          |             |      |             |
| P13.2*  | Product   | plastic primary pac  | kaging is free from PV   | /C.                                    |   |                       |                                     |          | $\boxtimes$ |      |             |
| P13.3*  |   | luct primary corruç<br>er recovered fiber c                    | gated fiberboard pack<br>ontent: <mark>90</mark> %                                     | aging, spec                            | cify the conta                          | ained percentage      | of minim                            | um post- |             |      |             |
| P13.4*  |   | media for user and<br>ronic, ⊠Paper, ☐                         | product documentatio<br>Other  | n (tick box):                          |   |                       |                                     |          |             |      |             |
| P13.5   | (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:  |  |  |  |   |                       |                                     |          |             |      |             |
|   | Totally c   | hlorine-free   |  |  |   |                       |                                     |          | $\boxtimes$ |      |             |
|   | Elemental chlorine-free   |  |  |  |   |                       |                                     |          |             |      |             |
|   | Processed chlorine-free   |  |  |  |   |                       |                                     |          |             |      |             |
| P14   |   | ry programs  |  |  |   |                       |                                     |          |             |      |             |
| P14.1   | ENERG`<br>TCO<br>Eco-labe   | Y STAR®  | uirements of the follow<br>Criteria version:<br>Criteria version:<br>Criteria version: | ing voluntar                           | y program(s)<br>Date:<br>Date:<br>Date: | Product of Product of | category:<br>category:<br>category: |          |             |      |             |
| P15   |   | nal information (Se  |  |  |   |                       |                                     |          |             |      |             |
| P9  |   |  | pecific configuration  |  | •                                       | •                     |                                     | _        |             |      |             |
|   | NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. |  |  |  |   |                       |                                     |          |             |      |             |
| P9  | See Energy Star Qualified Monitors & Displays for the latest information: https://www.energystar.gov/products/office_equipment/displays   |  |  |  |   |                       |                                     |          |             |      |             |
|   |   |  |  |  |   |                       |                                     |          |             |      |             |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

| Reference   | Declaration item       |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) *   | P1.1                   |
| * Specific exemptions apply for certain products and applications.  |                        |
| Regulation (EC) 1907/2006(REACH, Annex XVII   | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)   | P1.3, P5.3             |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002  | P1.5                   |
| Directive 2013/56/EC (Battery and accumulators Directive) *   | P2.1, P2.2, P2,3, P8.1 |
| * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.   |                        |
| Directive 2006/95/EC (Low Voltage Directive)  | P3.1                   |
| Directive 2004/108/EC (EMC Directive)   | P3.1                   |
| Directive 1999/5/EC (R&TTE Directive)   | P3.1                   |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2             |
| Regulation (EC) No 1272/2008 (CLP Regulation)   | P7.19                  |
| Directive 2004/12/EC ( Packaging Directive)   | P5.1                   |
| Decision 97/129/EC (Secondary packaging legislation)  | P5.2                   |
| Directive 2012/19/EU (WEEE directive)   | P6.1                   |