

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Type of product * Monitor					
Commercial name *	Lenovo G34w-30					
Model number *	66F1					
Issue date *	2022/6/6					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	66F1	Logo			
Issue date *		2022/6/6		Lena	JVC) ₇₄ .
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item						
P1	Hazardo	ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	.B1)	\square		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*	Products hydrobro trichloroe	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (I (PCT) in preparations (see legal reference).	orinated	\boxtimes		
P1.5*	Products	do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	on atoms in the			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/week			
P1.7*	7* REACH Article 33 information about substances in articles is available at (add URL or mail contact):					
P2	Batterie	S				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal				\boxtimes	
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The Dec https://v	duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	al reference).			
P3.2*	The proc	luct complies with the Eco design requirements for energy-related products,		\boxtimes		
	(see legal reference). Required information is; given in item P15 or added to this document,					
	https://w	available at (add URL): www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	. cadmium and			
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	. ,			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol 🛛 🗌 (see legal reference).					
DC		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	informati	on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	66F1 Logo	Len						
Issue date * 2022/6/6									
Product environmental attributes - Market requirements (See General NOTE GN below)									
	- Environmental conscious design Requirement met								
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14. Yes No n.a.								
P7	Design Disasse	mbly, recycling							
P7.1*	Disassembly, recycling * Parts that have to be treated separately are easily separable Image: Comparison of the separately and the separately are easily separable								
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		Ē	Π				
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.							
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.							
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes						
	Product								
P7.7*		ng can be done e.g. with processor, memory, cards or drives			\boxtimes				
P7.8*		ng can be done using commonly available tools			\square				
P7.9		arts are available after end of production for: 5 years							
P7.10	Service i	s available after end of production for: 5 years							
		and substance requirements							
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: ABS Material type: PC Material type:							
P7.12		n materials of external electrical cables are PVC free.		\square					
P7.13	Insulation materials of internal electrical cables are PVC free.								
P7.14									
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.								
P7.15									
P7.16									
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components): PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:							
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:								
P7.18	concentr 1. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "	in		\boxtimes				
	3. Chem	ical name: , CAS #: "							
P7.19		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>	<u> </u>					
	•	I the following Risk phrases; and Hazard statements:			\bowtie				
		rce(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*									
	a) Oft ape or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is 22.06 %. (EPEAT calculation) / 85% (TCO calculation) e weight of recycled material is 306 g.	_	_					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 66F1		Logo	Lenovo		
Issue date *	2022/6/6		Lenovo.		
Product environment	nental attributes - Market requirements (continued)	·	Requirement met		

Item

Requirement metYesNon.a.

	Material and substance requirements (continued)							
P7.21*	Biobased plastic material content is used in the product (See NOTE B7):							
	 If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%. 							
	or b) The weight of the biobased plastic material is <i>0</i> g.							
P7.22*	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P8	Batteries							
P8.1*								
P9	Energy consumption	tion (See NO	DTE B8)					
P9.1	For the product the	following p	ower levels	or energy consumption	ons are reported:			
Energy mo	de *	Power level at 100V 50HzAC	Power level at 100V /60Hz	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY S (System Idl	STAR® On Mode* e)	35.62 W	35.86 W	35.71 W	35.79 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
ENERGY S	STAR® Low Power e*	0.25 W	0.25 W	0.25 W	0.27 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
ENERGY STAR® Off / Apparent Off Mode*		0.20 W	0.20 W	0.20 W	0.22 W	ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
DTEO		1 14/	1 14/					
PTEC * Typical Ene	ergy Consumption	W	W	W	W			
ETEC * Annual Energy Consumption		110.63 kWh/year	111.37 kWh/year	110.91 kWh/year	111.27 kWh/year	$E_{TEC} = (8760/1000) \times (P_{ON} \times 0.35)$ + $P_{SLEEP} \times 0.65$		
				I fficiency Marking Pro	otocol) * :			
Display resolution* : 3440*1440 megapixels ENERGY STAR® Program Requirements for Displays:						ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
Default time	e to enter energy sa	ve mode: 15	seconds			ENERGY STAR® Program Requirements for Displays: Ver. 8.0		
P9.2*	Information about t	he energy s	ave function	is provided with the	product.			
P9.3*	3* The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: 8.0 Product category: Display.							
P10	Emissions							
D40.4	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1	Mode Idle	Mode desc * HDD: Idle			Statistical upper lim	it A-weighted sound power level, L _{WA,c} (B)		
	Operation	* HDD: Op	erating		*			
	Other mode Declared A-weighted sound pressure level (dB) (operator position desktop – idle)				sition desktop – idle)			
	Other mode Declared A-weighted sound pressure level (dB) (operator position desktop - operating)				sition desktop – operating)			
	Measured according to: ISO 7779 ECMA-74 Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	umber *	66F1		Logo	Long		
lssue dat	te *	2022/6/6			Leno	VO.	
Product	t environr	ental attributes - Market requirements (cont	inued)		Require	nent i	met
Item					Yes	No	n.a.
		agnetic emissions					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary						
P12		nics for computing products					
P12.1*	The disp	ay meets the ergonomic requirements of ISO 9241-30	07 for visual display techne	ologies.	\square		
P12.2*	The phy	ical input device meets the requirements of ISO 9995	and ISO 9241-410.				\square
P13	Packagi	ng and documentation					
P13.1*	Product Product	backaging material type(s): Corrugated Fiberboard backaging material type(s): EPS weight (kg) backaging material type(s): HDPE+EPE weight (kg) backaging material type(s): weight (kg)	: 0.075	1			
P13.2*	Product	plastic primary packaging is free from PVC.			\square		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-						
P13.4*	Specify media for user and product documentation (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:						
	Totally chlorine-free						
	Processed chlorine-free						
P14	Volunta	y programs					
P14.1		uct meets the requirements of the following voluntary	program(s):				
		' STAR® Criteria version:	Date: Produ Date: Produ	ict category: ict category:			
	Eco-labe		Date: Produ	ict category:			
P15		al information (See NOTE B10)					
<u>P9</u>	NOTE: S the info supplied informa	consumption of specific configuration may vary; of upplier makes no representations, guarantees, as mation contained in this document. All information is knowledge available at the time of completion, a ion. The information provided here is approximate Representative for more information.	surances or warranties on provided by supplier i and supplier shall have i	whether express on this document is no obligation to up	r implied, r provided l date such	based	on
P 9	See Ene	rgy Star Qualified Monitors & Displays for the late ww.energystar.gov/products/office_equipment/di					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1