

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information *	Lenovo Global Environmental Affairs				
e-mail address	Alvin L Carter	Lenovo			
	alcarter@lenovo.com				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Lenovo S14 G3 ABA			
Model number *	82TY			
Issue date *	2022-3-17			
Intended market *	🗌 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🔀 Other <i>China</i>			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82TY	Logo	Long			
Issue dat	e *	2022-3-17		Lend		Этн	
Product	Product environmental attributes - Legal requirements			Requirement met			
Item				Yes	No	n.a.	
P1	Hazardo	ous substances and preparations					
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	$\square$			
P1.2*	Commer	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\square$			
P1.3*	hydrobro trichloro concenti	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ration values.	naximum				
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych /l (PCT) in preparations (see legal reference).		$\square$			
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in th	ie 🔀			
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	k 🔀			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):						
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	the disposal	$\square$			
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal 🛛 🗌 📄						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conform	nity verification & Eco design (ErP)					
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address):	gal reference).				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				$\square$	
		d information is; given in item P15 or added to this document, available at (add URL):					
P5		t packaging					
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature over legal reference).					
P5.3*	(see lega	duct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Aontreal Protoc	ol 🔀			
P6	Treatme	nt information					
P6.1*		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82TY	Logo			
Issue dat	te *	2022-3-17		Leno	DVO	
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Requirer	nent m	et
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts that	at have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				Ē
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ē	Ē
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).				
		lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradir	ng can be done using commonly available tools		$\boxtimes$		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	is available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PC+ABS Material type: aluminum				
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine an 25% post-consumer recycled content.	ne retardants, a	ind		
P7.15	Printed of as define	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🛛 ed in IEC 61249-2-21. (See 1NOTE B2)		jen	$\square$	
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4		$\boxtimes$		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without o PA (additive), ⊠TBBPA (reactive) (See NOTE B3), ⊡Other: , CAS #:	components):	$\boxtimes$		
		hemical specifications of flame retardants in printed circuit boards (without compor g ISO 1043-4:	nents) > 25 g			
P7.18		retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	es/preparations	in 🔀		
	2. Chem 3. Chem 4. Chem Alt. 2	ical name: Oligomeric phosphorous compound CAS #: confidential ical name: CAS #: ical name: CAS #: ical name: , CAS #: al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used whic d the following Risk phrases; <i>confidential</i> and Hazard statements: H411;H4 rce(s) for these classifications is/are found at (add URL(s)): <i>European Court</i> <i>EEC</i> , (See note B5)	13			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):		$\square$		
	a) Oft apo or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is e weight of recycled material is <b>2.1</b> g.	nt (calculated a	S		

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model numb	Der * 82TY				Logo	Lonov		
Issue date *	2022-3-	17				Lenov	<b>O</b> <sub>R</sub>	
Product en	nvironmental a	ttributes - Market r	equirements (conti	nued)		Requirem	ent met	
Item						Yes No	o n.a.	
		stance requirements						
P7.21* Biobased plastic material content is used in the product (See NOTE B7):						1		
a	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0 %.</li> <li>or</li> <li>b) The weight of the biobased plastic material is g.</li> </ul>							
			less than 0,1 mg/lamp.					
		specify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg			
	Batteries	composition: LLION P	olymer battery and lith	nium-motal battory				
	-	tion (See NOTE B8)		num-metal battery				
			ls or energy consumption	ons are reported:				
Energy mode		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Stand modes and test n		у	
Peak (On-ma	ax)	65 W	65 W	65 W	Full load			
Category	2							
Short Idle St Enabled	tate - WOL	4.24 W	4.26 W	4.31 W	ENERGY STAR	Computers V8.	0	
Long Idle St Enabled	ate - WOL	1.42 W	1.45 W	1.49 W	ENERGY STAR	Computers V8.	0	
Sleep (S3) -	WOL Enabled	0.47 W	0.48 W	0.48 W	ENERGY STAR	Computers V8.	0	
Off (S5) - W0	OL Enabled	0.38 W	0.38 W	0.39 W	ENERGY STAR	Computers V8.	0	
		W	W	W	Reference			
EPS No-load		0.108 W	0.108 W	0.108 W				
(External power supp	oly / charger plugged in the nected from the product.)							
PTEC *	nected from the product.)	W	W	W				
	gy Consumption							
ETEC * Annual Energ	gy Consumption	<b>14.66</b> kWh/year	<b>14.77</b> kWh/year	<b>14.96</b> kWh/year	$E_{TEC} = (8760/100) + P_{sleep} \times 0.35 + P_{short \ Idle} \times 0.30)$	P <sub>long_ldle</sub> x 0.10+		
			OL Enabled; Psleep: Sleep		ed; Pidle: Idle State - I	NOL Enabled		
External Pow	er Supply Efficier	ncy Level (Internationa	I Efficiency Marking Pro	otocol) * : VI				
Display resol	ution * : <b>2.07</b> meg	gapixels						
Default time t	to enter energy sa	ave mode: 10 minutes						
P9.2* li	nformation about	the energy save functi	on is provided with the	product.	•			
P9.3 E								
	Emissions				•			
		9	o ISO 9296 (See NOTE	_ /				
				Statistical upper limit A-weighted sound power lev		power level, $L_W$	<sub>/А,с</sub> (В)	
	Idle * Idle			* 2.6			<u> </u>	
	Operation         * Operation           Other mode         Declared A-weighted sound pressure level (dB) L <sub>m</sub>			* 4				
	Other mode	Declared A-weighted soun	<b>id pressure level (dB)</b> L <sub>pAm</sub>	32.3 (operator position desktop – operating)				
Ν	Aeasured accordi	ng to: 🔀 ISO 7779 [ Other	ECMA-74 (only if not covered by	FCMA-74)				

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	ımber *	82TY			Logo			
Issue date *		2022-3-17				Leno	VO.	a.
Product	environr	nental attribut	es - Market requirements	(continued)		Require	ment	me
Item						Yes	No	n.a
	Electron	nagnetic emissi	ions					
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): <i>MPR-II(3 pin AC adapter only</i> )							
P12		nics for compu						
P12.1*			gonomic requirements of ISO §	241-307 for visual displa	av technologies			
P12.2*		-	meets the requirements of IS	-			⊢⊢	+
P13		ng and docume	-					
P13.1*	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	ial type(s): Corrugated weig ial type(s): paper(manual) ial type(s): corner paper weig ial type(s): EPE weight ial type(s): PE weight (kg): 0.0 ial type(s): PP weight (kg): 0.0	weight (kg): 0.045 ht (kg): 0.038 ht (kg): 0.069 012				
P13.2*			ackaging is free from PVC.			$\square$		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 87.82 %							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:							
	Totally chlorine-free       Image: Constraint of the second							
P14	Volunta	ry programs						
P14.1	The proc	luct meets the re	equirements of the following vol	untary program(s):				
P15	Eco-labe Eco-labe	el:	Criteria version: 8.0 Criteria version: Criteria version: (See NOTE B10)	Date: <b>2020/7/15</b> Date: Date:	Product category: 2 Product category: Product category:			
P15 P9				voru deparintion of the	tootod product confi	nurotion.		
г <i>э</i>	NOTE: S informat knowled	Supplier makes n ion contained in t ge available at th here is approxir	specific configuration may o representations, guarantees, this document. All information p the time of completion, and supp nate and provided for informati	assurances or warrantie provided by supplier in th plier shall have no obligat	es whether express or in is document is provide tion to update such info	mplied, regardin d based on supp ormation. The inf	olier's formati	ion
P9	See Energy Star Qualified Notebooks & Tablet Computers for the latest information: http://www.energystar.gov/index.cfm?fuseaction=find_a_product.showProductGroup&pgw_code=CO							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1