



Annex B2 - Product environmental attributes Servers/Data Storage Products

The declaration may be published only when all rows and/or fields marked with * are filled-in (N/A for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo DCG Storage Development	
e-mail address	Rick Lin	1 010 0140
	Lenovo Taiwan Branch	Lenovo
	8F., No. 66, Sanchong Rd.,	LOI IO IO
	Nangang Dist., Taipei City, Zipcode: 11502	
	Rlin12@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.		
Type of product *	Data Storage	
Commercial name *	Lenovo Storage D3284	
Model number *	6413	
Issue date *	11/18/2022	
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other	
Additional information		

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nur	nber *	6413	Logo	Lend)V(C	
Issue date		11/18/2022		Len		тн
Product of	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	N/A
P1		us substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe	do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachthane, methyl bromide (see legal reference). Comment: Legal reference has no nation values.				
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car staining at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in tl	ne 🔀		
P1.6*	(see lega	n direct and prolonged skin contact do not release nickel in concentrations above (il reference). t: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries	3				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)					
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)				\boxtimes	
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				X	
P2.4*	Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference)				Ħ	
P2.5*	When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference)					
P3		ity verification & Eco design (ErP)	•			
P3.1*	The prod The Decl https://w	uct is CE-marked to show conformance with applicable legal requirements (see legaration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*		uct complies with the Eco design requirements for energy-related products,		\square		
	(see lega	ll reference). information is;				
	•	available at: https://www.lenovo.com/us/en/complian	ce/eco-			
P5	declarat	packaging				
P5.1*		g and packaging components do not contain more than 0,01% lead, mercur	v. cadmium a	nd 🔀		
	0	nt chromium by weight of these together.	,, u	. 🔼	ш	
P5.2*	used (se	aging materials are marked with abbreviations and numbers indicating the nature elegal reference).		· / 🔼		
P5.3*	The prod	uct packaging material is free from ozone depleting substances as specified in the N I reference).	Montreal Proto	col 🔀		
		t: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informatio	on for recyclers/treatment facilities is available (see legal reference).		X		
		· · · · · · · · · · · · · · · · · · ·				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	6413	Logo	Lon	0)//	
Issue date *		11/18/2022		Len		Ты
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	N/A
P7		Disassembly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		X	$\overline{\Box}$	
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			$\overline{\Box}$	
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ħ	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	
	Product	lifetime				
P7.7*	Upgradin	ng can be done e.g. with processor, memory, cards or drives		X		
P7.8*	Upgradin	ng can be done using commonly available tools		X		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40			rial type:			
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.				_Ц_
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	ne retardants, ar	nd		
P7.15		ircuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g	are low haloge	en 🗌	\boxtimes	
	as define	ed in IEC 61249-2-21. (See ⁵ NOTE B2)				
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4	l:			
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without of (additive), TBBPA (reactive) (See NOTE B3), Other: chemical name:	components): , CAS #:			
		nemical specifications of flame retardants in printed circuit boards (without compor g ISO 1043-4:	nents) > 25 g			
P7.18	concentration 1. Chemical 2. Chemical 3. C	ame retarded plastic parts > 25 g contain the following flame retardant substance ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	es/preparations	in 🔲		
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	43-4:			
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements:	ch have been			
			(See note B5)			
P7.20*	If YES; a a) Of t a pe or	sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conte ercentage of total plastic by weight) is **Content of social distributions of the product of the product (See Note B6): **Content of the product material is the product of the product (See Note B6): **Content of the product of the product (See Note B6): **Content of the product (See Note B6): **Con	ent (calculated as			
	b) The	weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	6413	Logo	Lenovo
Issue date *	11/18/2022		Lei IOVO.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No N/A

		stance requirements				
P7.21*	Biobased plastic i	material content is used	in the product (See N	OTE B7):		
	a) Of total plast total plastic I or	, , ,	the biobased plastic m		ted as a percentage of	
P7.22*	b) The weight of the biobased plastic material is g. Light sources are free from mercury, i.e. less than 0,1 mg/lamp.					
	Light sources are free from mercury, i.e. less than 0,1 mg/lamp. If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg If product includes an integral display, the total mercury content in the integrated display: mg					
P7.23*	<u> </u>	s an integral display, the	e total mercury conten	in the integrated displa	ay: mg	
P8	Batteries					
P8.1*	Battery chemical					
P9		otion (See NOTE B8)				
P9.1		e following power level			D ((0) 1 1 ()	
Energy mo	de *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-I	max)	W W	W	1940 W	Full load	
Category	V					
EPS No-loa	ad	W	W	W		
	ower supply /					
	gged in the wall					
	putlet but disconnected from					
the product.) PTEC *		W	W	W		
Typical Energy Consumption		V V	VV	VV		
ETEC *		kWh/year	kWh/year	kWh/year		
Annual Energy Consumption				,		
External Po	ower Supply Efficie	ncy Level (International	Efficiency Marking Pro	otocol) * :		
Display res	olution * : n	negapixels				
Default time	e to enter energy s	ave mode: minu	tes			
P9.2*	Information about	the energy save function	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
540.4		 Declared according to 	SISO 9296 (See NOTE			
P10.1		Mode description * <i>IdI</i> e			it A-weighted sound power level, L _{WA,c} (B)	
	1			* 8.0		
	Operation	* Typical loading		* 8.0		
		Declared A-weighted soun	r		n desktop – idle)	
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p{\sf Ar}}$	67 (operator position	n desktop – operating)	
	Measured accord	_	ECMA-74			
		Other	(only if not covered by	ECMA-74)		
	Electromagnetic					
P10.4		meets the requirement	t for low frequency elec	ctromagnetic fields of the	ne following voluntary	
	program(s):					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	6413					Logo	Long	1/0	
Issue date	*	11/18/2022						Leno	VO.	м
Product	environr	nental attributes	- Market requiren	nents (conti	nued)			Require	ment	met
Item			•		·			Yes	No	N/A
P12		nics for computing								
P12.1*			nomic requirements o				gies.			\boxtimes
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 9995	and ISO 92	241-410.				\boxtimes
P13		ng and documenta								
P13.1*	Product	packaging material packaging material packaging material	type(s): <i>LDPE</i>	weight (kg): weight (kg): weight (kg):	0.05					
P13.2*			aging is free from PV		1.2				П	\Box
P13.3*		luct primary corrug	ated fiberboard pack	aging, specif	y the conta	ained percentage	of minimum			
P13.4*	Specify I	media for user and p	oroduct documentatio Other	n (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	,	hlorine-free al chlorine-free								
	Process	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The prod	luct meets the requi	rements of the follow	ing voluntary	program(s)	:				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	ı	Date: Date: Date:	Product of Product of Product of	category:			
P15		nal information (Se				 				
P9	NOTE: S the info supplier informa Accoun	Supplier makes no rmation contained 's knowledge avai tion. The informati t Representative fo	emputer products; d representations, gu in this document. A lable at the time of d on provided here is or more information.	uarantees, as all information completion, a approximate	surances on provided and supplies and provi	or warranties who I by supplier in the er shall have no ided for informat	ether expres his docume obligation to	nt is provided o update such	based	lon
P9			Enterprise Servers pv/products/data_ce							

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot9 Information Sheet - Servers & Storage Products-

As required by COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013. (ErP Lot9)

Products scope of this sheet: Servers & storage products

This document is only valid in connection with the IT Eco Declaration of the specific Product.

DATA STORAGE PRODUCTS

Commercial name (3.2 (b))	Lenovo Storage D3284	Logo
Contact Address (3.2 (b))	Lenovo DCG Storage Development Rick Lin Lenovo Taiwan Branch 8F., No. 66, Sanchong Rd., Nangang Dist., Taipei City, Zipcode: 11502 Rlin12@lenovo.com	Lenovo.
Model Number (3.2 (c))	6413	
Issue Date	11/18/2022	
Additional information		

Product e	nvironmental attributes (EU) 2019/424 – Annex II points 3.2 and 3.3
A.1	Is the product consider to be in scope of ErP Lot 9 🔀 in scope 🗌 out of scope Product is out of scope as:
A.2	Data Storage type Small Data Storage Product Small Data Storage Product
(3.2 (a))	Large Data Storage Product Other:
A.3 (3.2 (d))	Year of manufacture: 2016
A.4	PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power
(3.2 (e))	(expressed in % and rounded to the first decimal place): Multi-output Single-output 10% 91.9 20% 94.5 50% 96.3 100% 95.3 Average
A.5 (3.2 (f))	Power factor at 50 % of the rated load level (rounded to three decimal places) 0.991
A.6 (3.2 (g))	Operating condition class (as defined in Table 6 or ErP lot 9)
((0))	Exception comments
	This product has been tested in order to verify that it will function within the boundaries (such as temperature and humidity) of the declared operating condition class.
A.6 (3.2 (h))	Information on the secure data deletion tool(s) (a) instructions on how to use the functionality: Follow Storage Manager Guide chapter 3 of repurposing the system and secure deletion steps: https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo-storage/thinksystem- ds6200/4619/documentation/userguide (b) techniques used: Using INIT (Initialization process), Linear mode with RAID 1 to Zero out the drives (c) supported secure data deletion standard (if any):
	OR - Reference to other information: can also use oneCLI.exe to erase via https://datacentersupport.lenovo.com/us/en/solutions/Invo-center
RECYCL	ING DATA
B.1 (3.3 (a))	Indicative weight range at component level, of the following critical raw materials: (a) Cobalt in the batteries (b) Neodymium in the HDDs less than 5 g less than 5 g less than 5 g between 5 g and 25 g
	above 25
B.2 (3.3 (b))	Instructions on the disassembly operations (a) the type of operation; Refer to the installation guide, use reverse process. https://datacentersupport.lenovo.com/tw/zh/products/storage/lenovo- storage/d3284/6413/documentation/userguide (b) the type and number of fastening technique(s) to be unlocked; Refer to the installation guide. (c) the tool(s) required. Phillips screwdriver, Flat blade screw driver, Hex driver, Torx driver, and Allen wrenches of appropriate size
	OR - Reference to other information:
B.3	Reference to information on last available firmware: https://datacentersupport.lenovo.com/uu/en/products/storage/lenovo-storage/d3284/6413/downloads/driver-list/ After EOL'ed, firmware would be available at: https://download.lenovo.com/eol/index.html
Additional	information