



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo					
Company name *	Lenovo						
Contact information *	Lenovo Global Environmental Affairs	Ono					
e-mail address	Alvin L Carter		Lenovo				
	alcarter@lenovo.com						
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment.html						
Additional information	The latest version of this document can be found at:						
	http://www.lenovo.com/ecodeclaration						

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Edge Device					
Commercial name *	hinkEdge SE70					
Model number *	2A6, 12A7, 12AE, 12AF, 12AN, 12AQ, 12AR					
Issue date *	2022.2.28					
Intended market *	☐ Global ☐ ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information	N/A					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	12A6, 12A7, 12AE, 12AF, 12AN, 12AQ, 12AR	Logo	Lopovo
Issue date *	2022.2.28		Lei Iovo.

Product	environmental attributes - Legal requirements	Require	men	t met	
Item	- ·	Yes	No	n.a.	
P1	Hazardous substances and preparations	•			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-	\boxtimes			
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).				
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	e 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel (see legal reference).	(
	Comment: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure				
P2	Batteries	•			
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega reference)				
P2.3*	Batteries and accumulators are readily removable. (See legal reference)	\boxtimes			
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal reference).	X			
	The Declaration of Conformity can be requested at: https://www.lenovo.com/us/en/compliance/eu-doc				
	for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*	The product complies with the Eco design requirements for energy-related products,	X		\boxtimes	
	(see legal reference).		\equiv		
	Required information is; given in item P15 or added to this document, available at:		Ш		
P5	Product packaging		•		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium ar hexavalent chromium by weight of these together.	ıd 🔀			
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature of the material (used (see legal reference).	s) 🔀			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protoc (see legal reference).	ol 🔀			
	Comment: Legal reference has no maximum concentration values.				
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	\boxtimes			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	12A6, 12A7, 12AE, 12AF, 12AN, 12AQ, 12AR	Logo	Lenovo
Issue date *	2022.2.28		Lei IOVO.

Product	environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	equire	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u>Ц</u>	
P7.2*	Plastic materials in covers/housing have no surface coating.		<u>Ц</u>	X
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			\boxtimes
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			\boxtimes
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).			
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools			
P7.9	Spare parts are available after end of production for: 3 years			
P7.10	Service is available after end of production for: 3 years			
	Material and substance requirements		•	
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: Aluminum Material type: SGCC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.	_Ц_	<u> </u>	
P7.13	Insulation materials of internal electrical cables are PVC free.		$\underline{\underline{X}}$	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1%		Ш	\bowtie
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all \boxtimes PCBs > 25 g \square are low halogen		\boxtimes	
	as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: Brominated epoxy resin , CAS #:	\boxtimes		
	26265-08-7		_	
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4)	Ш	Ш	\boxtimes
	2. Chemical name: , CAS #: (See NOTE 64)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:	П		
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	$\overline{\Box}$	Ħ	
	assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):		\boxtimes	
	If YES; at least one of the two alternatives below shall be answered;			
	a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is %.			
	Or b) The weight of recycled meterial is			
l	b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	12A6, 12A7, 12AE, 12AF, 12AN, 12AQ, 12AR	Logo	Lanava
Issue date *	2022.2.28		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remen	t met
Item	Yes	No	n.a.

		stance requirements			<u>_</u>			
P7.21*	Biobased plastic r	material content is used	in the product (See NO	TE B7):				
	If YES: at least or	ne of the two alternative	s below shall be answer	red:				
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
	total plastic b	by weight) is %.						
	or							
D7.00*								
P7.22*				m moroun, content no	or lamp: ma		\boxtimes	
P8	If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg Batteries							
P8.1*		composition: Lithium M	langanese Dioxide					
P9		otion (See NOTE B8)	angunees Broxide					
P9.1			s or energy consumption	ns are reported:				
Energy mod		Power level at	Power level at	Power level at	Reference/Standard f	or energy		
Lifelgy mo	uo	100 V AC	115 V AC	230 V AC	modes and test method			
EPS No-loa	ad	W	W	W			X	
(External power s	upply / charger plugged in the							
PTEC *	connected from the product.)	W	W	W			\square	
– –	ergy Consumption		•••					
ETEC *		kWh/year	kWh/year	kWh/year	$E_{TEC} = (8760/1000) \times (F_{TEC})$	off x 0.45	\boxtimes	
Annual Ene	ergy Consumption				+ P _{sleep} x 0.05 + P _{long_ld}	_{lle} x 0.15+		
					P _{short_Idle} x 0.35)			
F. damed De	O E#:-:-				Enabled; Pidle: Idle State -	WOL Enabled		
		,	Efficiency Marking Prot	OCOI) " :				
Display res		negapixels					\boxtimes	
	e to enter energy s	ave mode: minut	es				\boxtimes	
P9.2*	Information about	the energy save function	on is provided with the p	roduct.			\boxtimes	
P9.3	Energy efficiency	class (monitors only): ^	IA				\boxtimes	
P10	Emissions				·			
	Noise emission – Declared according to ISO 9296 (See NOTE B9)							
P10.1		Mode description		Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)				
	Idle	* HDD:Idle		* 2				
	Operation * HDD: Operating * 2							
		p_{pAm}						
	Other mode	Declared A-weighted sound	d pressure level (dB) $L_{p m Am}$	11 (operator position	on desktop – operating)			
	Measured accord	ing to: 🔀 ISO 7779 🗌	ECMA-74					
	Other (only if not covered by ECMA-74)							

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model nur	nber *	12A6, 12A7, 12AI	E, 12AF, 12AN, 12AQ	Q, 12AR			Logo	Leno	V/0	
Issue date	*	2022.2.28						Lenc	VU.	н
Product	environn	nental attributes	- Market requirem	nents (con	tinued)			Require	ment	met
Item								Yes	No	n.a.
		nagnetic emission								
P10.4	program	(s):	requirement for low f	frequency el	ectromagne	etic fields of the foll	lowing volunta	ry 🗌		
P12	Ergonomics for computing products									
P12.1*	* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.									
P12.2*	The phys	sical input device m	eets the requirements	s of ISO 999	5 and ISO	9241-410.			\boxtimes	
P13		ng and document								
P13.1*	Product	packaging material	type(s): cardboard type(s): LDPE type(s): OBP LDPE	weight (kg weight (kg weight (kg): 0.06					
P13.2*	Product	plastic primary pacl	kaging is free from PV	/C.						
P13.3*	3.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 90 %									
P13.4*										
P13.5	Ùser and		tem if paper documen ation on paper media							
	Totally chlorine-free									
	Processe	ed chlorine-free								
P14	Volunta	ry programs								
P14.1	The proc	luct meets the requ	irements of the followi	ing voluntar	y program(s	s):				
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:		Date: Date: Date:	Product	category: category: category:			
P15		nal information (Se								
P9	Energy	consumption of s _i	pecific configuration	n may vary;	description	n of the tested pro	oduct configu	ration: NA		
	the info supplier informa	rmation contained 's knowledge ava tion. The informat	representations, gu in this document. A ilable at the time of c ion provided here is or more information.	All informati completion, approxima	on provide and suppl	d by supplier in t ier shall have no	his document obligation to	t is provided update such	based	on
P3.2	This Pro	oduct is FMC Clas	s A and therefore Erl	P only appl	ies to the F	External Power St	ınnly			
1 3.2	illis PTC	radet is LINIC Class	o A anu mererole Ell	ι σιιιχ αρρι	ies to tile E	Aterial Fower St	עיקיי			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1