



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo | | |
|--------------------------------------|--|--------|--|--|
| Company name * | Lenovo | | | |
| Contact information * e-mail address | Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com | Lenovo | | |
| Internet site * | https://www.lenovo.com/us/en/sustainability-resources/ | | | |
| Additional information | The latest version of this document can be found at: | | | |
| | http://www.lenovo.com/ecodeclaration | | | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration. | | |
|--|--|--|
| Type of product * | Notebook | |
| Commercial name * | ThinkPad neo 14 Intel | |
| Model number * | 21DN | |
| Issue date * | 2022/03/18 | |
| Intended market * | ☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other China | |
| Additional information | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

| Model number * | 21DN | Logo | Long | N/0 | |
|------------------------------|--|------------------|-------------|------|------|
| Issue date * | 2022/03/18 | | Lend | JVO | тн |
| Product enviro | mental attributes - Legal requirements | | Require | ment | met |
| Item | | | Yes | No | n.a. |
| | ous substances and preparations | | | | |
| P1.1* Produc | s do comply with current European RoHS Directive. (See legal reference and NOTE | E B1) | \boxtimes | | |
| | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | | | | |
| hydrob trichlor concen | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachethane, methyl bromide (see legal reference). Comment: Legal reference has no maration values. | naximum | | | |
| | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych yl (PCT) in preparations (see legal reference). | lorinated | | | |
| P1.5* Produc | s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ontaining at least 48% per mass of chlorine in the SCCP (see legal reference). | bon atoms in th | e 🔀 | | |
| (see le | ith direct and prolonged skin contact do not release nickel in concentrations above (al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5. |),5 μg/cm²/weel | (<u></u> | | |
| P1.7* REACH | Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure | contact): | | | |
| P2 Batteri | es | | | | |
| | oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference) | the disposal | | | |
| | Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) | | | | |
| | Batteries and accumulators are readily removable. (See legal reference) | | | | П |
| | mity verification & Eco design (ErP) | | | | |
| P3.1* The pro | duct is CE-marked to show conformance with applicable legal requirements (see leg claration of Conformity can be requested at (add link or e-mail address): | gal reference). | | | |
| | duct complies with the Eco design requirements for energy-related products, all reference). | | | | |
| , | d information is; given in item P15 or added to this document, available at (add URL): | | | | |
| | t packaging | | | | |
| | ing and packaging components do not contain more than 0,01% lead, mercur ent chromium by weight of these together. | y, cadmium ar | ıd 🔀 | | |
| | kaging materials are marked with abbreviations and numbers indicating the nature eee legal reference). | of the material(| s) 🔀 | | |
| P5.3* The pro | The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. | | | | |
| | ent information | | | | |
| | ion for recyclers/treatment facilities is available (see legal reference). | | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model number * | 21DN | Logo | Lanava |
|----------------|------------|------|-----------|
| Issue date * | 2022/03/18 | | Lei IOVO. |
| | | | |

| Produc | t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design | Require | ment | met |
|--------|---|-------------|-------------|------|
| Item | *=mandatory to fill in. Additional information regarding each item may be found under P14. | Yes | No | n.a. |
| P7 | Design, Disassembly, recycling | | | |
| P7.1* | Parts that have to be treated separately are easily separable | | | |
| P7.2* | Plastic materials in covers/housing have no surface coating. | | \boxtimes | |
| P7.3* | Plastic parts > 100 g consist of one material or of easily separable materials. | \boxtimes | | |
| P7.4* | Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | \boxtimes | | |
| P7.5 | Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. | \boxtimes | | |
| P7.6* | Labels are easily separable. (This requirement does not apply to safety/regulatory labels). | \boxtimes | | |
| | Product lifetime | | | |
| P7.7* | Upgrading can be done e.g. with processor, memory, cards or drives | | | |
| P7.8* | Upgrading can be done using commonly available tools | \boxtimes | | |
| P7.9 | Spare parts are available after end of production for: 5 years | | | |
| P7.10 | Service is available after end of production for: 5 years | | | |
| | Material and substance requirements | | | |
| P7.11* | Product cover/housing material type (e.g. plastics, metal, aluminum): Material type: Aluminum; PC/ABS Material type: PC+ABS Material type: | | | |
| P7.12 | Insulation materials of external electrical cables are PVC free. | | X | |
| P7.13 | Insulation materials of internal electrical cables are PVC free. | | | Ħ |
| P7.14 | External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing | 6 🔀 d | | |
| P7.15 | more than 25% post-consumer recycled content. Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2) | n 🗵 | | |
| P7.16 | Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40) | | | |
| P7.17 | Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: DOPO CAS #: 35948-25-5 | \boxtimes | | |
| | Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: | | | |
| P7.18 | Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: " | ו 🗆 | | |
| | Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40) | | | |
| P7.19 | In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements: | | | |
| D7 00* | The source(s) for these classifications is/are found at (add URL(s)): , (See note B5) | | | |
| P7.20* | Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.98%. or b) The weight of recycled material is 9.1 g. | | | |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * | 21DN | Logo | Lanava |
|----------------|------------|------|-----------|
| Issue date * | 2022/03/18 | | Lei IOVO. |

| Product environmental attributes - Market requirements (continued) | Requir | remen | t met |
|--|--------|-------|-------|
| ltem | Yes | No | n.a. |

| | | stance requirements | | | | | |
|-------------------------|---|---|---|--|--|---------------|--|
| P7.21* | Biobased plastic r | material content is use | ed in the product (See N | OTE B7): | | | |
| | | t one of the two alternatives below shall be answered; lastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of | | | | | |
| | | total plastic by weight) is %. | | | | | |
| | or . | | | | | | |
| P7.22* | | | material is g. e. less than 0,1 mg/lamp. | | | | |
| F1.22 | | specify: Number of la | | um mercury content p | per lamp: mg | Ш | |
| P8 | Batteries | ' ' | <u>'</u> | , | | | |
| P8.1* | Battery chemical | composition: Lithium | lon | | | | |
| P9 | | Energy consumption (See NOTE B8) | | | | | |
| P9.1 | For the product th | e following power leve | els or energy consumpti | ons are reported: | | | |
| Energy mo | ode * | Power level at 100 V AC | Power level at 115 V AC | Power level at 230 V AC | Reference/Standard for energy modes and test method * | | |
| Peak (On | -max) | 65 W | 65 W | 65W | Full load | | |
| Catego | ry 2 | | | | | | |
| Short Idle | State - WOL | 4.75W | 5.07W | 4.99W | ENERGY STAR Computers | | |
| Enabled | | | | | V8.0 (P _{idle}) | | |
| Long Idle | State - WOL | 2.45 W | 2.73W | 2.80W | ENERGY STAR Computers | | |
| Enabled | | | | | V8.0 (P _{idle}) | | |
| Sleep (S3 |) - WOL Enabled | 0.66 W | 0.67 W | 0.67W | ENERGY STAR Computers | | |
| ordep (dd) Wal Lindbild | | | | | V8.0 (P _{sleep}) | | |
| Off (S5) - | WOL Enabled | 0.27W | 0.27 W | 0.28W | ENERGY STAR Computers V8.0 (P _{off}) | | |
| EDC No. Is | a d | 0.40\0/ | 0.40.10/ | 0.40 \\\ | Total (Folly | | |
| EPS No-Io | Supply / charger plugged in the sconnected from the product.) | 0.10 W | 0.10 W | 0.10 W | | | |
| | sconnected from the product.) | | 40.071.14/1./ | 40.001.14/1./ | - (0700(4000) (D 005) | | |
| ETEC *(2) Annual Er | nergy Consumption | 17.25 kWh/year | 18.37 kWh/year | 18.23 kWh/year | $E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_ldle} \times 0.10 + P_{sleep} \times 0.35 + P_{sleep} \times 0.10 + P_{sleep} \times 0.35 + P_{sleep} \times 0.10 + P_{$ | | |
| | | | | | P _{short_Idle} x 0.30) | | |
| | | | | | led; Pidle: Idle State - WOL Enabled | | |
| External F | ower Supply Efficie | ncy Level (Internation | al Efficiency Marking Pro | otocol) *: VI | | | |
| Display re | solution * : 3.136 m | egapixels | | | 2240*1400 | | |
| Default tin | ne to enter energy s | ave mode: 10 minutes | 3 | | | $\overline{}$ | |
| P9.2* | Information about | the energy save func | tion is provided with the | product. | | Ħ | |
| P9.3 | Energy efficiency | class (monitors only): | · · · · · · · · · · · · · · · · · · · | • | | X | |
| P10 | Emissions | · · · · · · · · · · · · · · · · · · · | | | | | |
| - | Noise emission - | - Declared according | to ISO 9296 (See NOTE | B9) | | | |
| P10.1 | | Mode description | , | | nit A-weighted sound power level, $L_{WA,c}$ | (B) | |
| | Idle ' | * Idle mode | <u> </u> | * 2.2 | | | |
| | Operation ' | * Operating (CPU) | | * 3.1 | | | |
| | | | nd pressure level (dB) $L_{p{\sf Am}}$ | | ion desktop – idle) | | |
| | Other mode | Declared A-weighted sou | nd pressure level (dB) $L_{p{ m Am}}$ | NA (operator position NA (operator position) | tion desktop – operating-HDD) ion desktop – operating-CPU) | | |
| | Measured accord | ing to: 🔀 ISO 7779 | ECMA-74 | | , | | |
| | | _ | (anly if not sayared by | ECMA 74) | | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Model number | * 21DN | Logo | Lono | | |
|---------------------------|---|--|--------------------------------|-------|------|
| Issue date * | 2022/03/18 | | Leno | VO. | |
| Product envi | ronmental attributes - Market requirements (con | tinued) | Requirer | ment | met |
| Item | | | Yes | No | n.a. |
| Ele | ctromagnetic emissions | | | | |
| pro | nputer display meets the requirement for low frequency ele gram(s): <i>MPR-II(3 pin AC adapter only)</i> | ectromagnetic fields of the following voluntar | ry 🔀 | | |
| | onomics for computing products | | | | |
| | display meets the ergonomic requirements of ISO 9241-3 | . , , | \boxtimes | | |
| P12.2* The | physical input device meets the requirements of ISO 9995 | 5 and ISO 9241-410. | \boxtimes | | |
| | kaging and documentation | | | | |
| | duct packaging material type(s): Corrugated weight (kg) |): 0.405 | | | |
| | duct packaging material type(s): <i>PE</i> weight (kg): <i>0.011</i> duct packaging material type(s): <i>EPE</i> weight (kg) |): 0 404 | | | |
| Pio | duct packaging material type(s). EPE weight (kg) |). 0.104 | | | |
| P13.2* Pro | duct plastic primary packaging is free from PVC. | | \square | П | П |
| P13.3* For | product primary corrugated fiberboard packaging, speci | ify the contained percentage of minimum | | | Ħ |
| | sumer recovered fiber content: 80 % | | | | |
| | cify media for user and product documentation (tick box): Electronic, Paper, Other | | | | |
| Üse | ease only complete this item if paper documentation used) or and product documentation on paper media is chlorine-forces, please specify: | ree: | | | |
| Ele | ally chlorine-free mental chlorine-free cessed chlorine-free | | | | |
| | untary programs | | | | |
| | product meets the requirements of the following voluntary | v program(s). | | | |
| ENI Ecc Ecc | ERGY STAR® Criteria version: V8 -label: Criteria version: -label: Criteria version: -label: Criteria version: -label: Criteria version: | Date: 2022/01/13 Product category: 2 Date: Product category: Date: Product category: Product category: Product category: Product category: | | | |
| | litional information (See NOTE B10) | | | | |
| | ergy consumption of specific configuration may vary; | | | | |
| the sup info Acc | TE: Supplier makes no representations, guarantees, as information contained in this document. All information plier's knowledge available at the time of completion, transition. The information provided here is approximated the presentative for more information. | on provided by supplier in this document and supplier shall have no obligation to te and provided for informational purpose | t is provided l update such | based | on |
| | Energy Star Qualified Notebooks & Tablet Computers ://www.energystar.gov/index.cfm?fuseaction=find_a | | =CO | | |
| | | | | | |
| | | | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |