



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	ThinkPad P15v Gen 3 AMD
Model number *	21EM,21EN
Issue date *	2022/08/15
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	21EM,21EN	Logo	Long	N/C	
Issue date	e *	2022/08/15		Lend		TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),				
1 1.5		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	\boxtimes	Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ration values.				
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in t	he 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀		
		al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):			
F 1.7		www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш	
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See leg	al 🔀		
P2.3*	reference	e) s and accumulators are readily removable. (See legal reference)			$\overline{}$	
P3		nity verification & Eco design (ErP)			<u> </u>	
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	al reference)		$\overline{}$	
1 0.1		laration of Conformity can be requested at (add link or e-mail address):	jai reiereriee).		Ш	ш
		vww.lenovo.com/us/en/compliance/eu-doc for EU				
	https://v	vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	, ,	d information is; given in item P15 or added to this document,				
		available at (add URL):				_
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercur	, cadmium a	ınd 🔀		
DE Ot	hexavale	ent chromium by weight of these together.			_	
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature be legal reference).				
P5.3*		duct packaging material is free from ozone depleting substances as specified in the N	Iontreal Proto	col 🔀		
		al reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	21EM,21EN	Logo	Lanava
Issue date *	2022/08/15		Lei IOVO.

Produc	t environmental attributes - Market requirements (See General NOTE GN below) - Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		<u> </u>	
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.			
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Mg Material type: PC+ABS Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.	\boxtimes		
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containin	d 💆		
D7.45	more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ⊠ are low haloge as defined in IEC 61249-2-21. (See 1NOTE B2)	n 🔀	Ш	
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other: CAS #:			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR16			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations i	n		
	concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)	K-2		
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6): If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 4.32%. or b) The weight of recycled material is 32.1 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21EM,21EN	Logo	Lanova
Issue date *	2022/08/15		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

	Material and su	bstance requirements	(continued)			
P7.21*			ed in the product (See No	OTE B7):		
	a) Of total plas		es below shall be answe , the biobased plastic m		ated as a percentage of	
		of the biobased plastic				
P7.22*		e free from mercury, i.e d specify: Number of la	. less than 0,1 mg/lamp. imps: and maxim	um mercury content p	per lamp: mg	
P8	Batteries					
P8.1*	Battery chemica	composition: Lithium	lon			
P9		ption (See NOTE B8)				
P9.1			els or energy consumption		In ()0; 1 1 (
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш
Peak (On-I	max)	135 W	135 W	135 W	Full load	
Category	<u>y 2</u>					
Short Idle Enabled	State - WOL	10.35W	10.33W	10.59W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle S Enabled	State - WOL	0.92W	0.98W	1.06W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)	- WOL Enabled	0.92W	0.98W	1.06 W	ENERGY STAR Computers V8 (P _{sleep})	
Off (S5) - W	VOL Enabled	0.41 W	0.45 W	0.47 W	ENERGY STAR Computers V8 (Poff)	
EPS No-loa		0.098W	0.098W	0.098W		
(External power s	supply / charger plugged in the connected from the product.	ne				
ETEC *(2)	ergy Consumption	27.59kWh/year	27.89 kWh/year	28.88 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.45 + P _{long_ldle} x 0.05+ P _{short_ldle} x 0.25)	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enab	led; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Effici	ency Level (Internation	al Efficiency Marking Pro	otocol) *: VI		
Display res	olution * : 2.07 m	egapixels			3840x2160	
Default time	e to enter energy	save mode: 10 minutes				
P9.2*	Information abou	it the energy save func	tion is provided with the	product.		
P9.3	Energy efficience	y class (monitors only):	<u> </u>			$\overline{\boxtimes}$
P10	Emissions					
	Noise emission	- Declared according	to ISO 9296 (See NOTE	E B9)		
P10.1	Mode	Mode description			nit A-weighted sound power level, $L_{ extsf{WA,c}}$ (I	B)
	Idle	* Idle mode		* 2.5		<u>Ц</u>
	Operation	* Operating (CPU)		* 3.6		
	Other mode		nd pressure level (dB) $L_{p m Am}$		ition desktop – idle)	
	Other mode	Declared A-weighted sou	nd pressure level (dB) $L_{p m Am}$		tion desktop – operating-HDD) ition desktop – operating-CPU)	
	Measured accor	ding to: 🔀 ISO 7779 🏾	ECMA-74			energy energy ers V8 ers V8
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nun	nber *	21EM,21EN					Logo	Lon	21/2	
Issue date	*	2022/08/15						Len	JVO.	H.
Product 6	environn	nental attribu	utes - Market requiren	nents (con	tinued)			Requir	ement	met
Item								Yes	No	n.a.
		nagnetic emis								
P10.4	program	(s): MPR-II(3 p	s the requirement for low t in AC adapter only)	frequency el	ectromagnetic field	s of the foll	owing volunta	ry 🔀		
P12			uting products							
P12.1*	-	•	ergonomic requirements o		•	-	gies.	\boxtimes		
P12.2*	The phys	sical input devi	ce meets the requirements	s of ISO 999	5 and ISO 9241-41	0.		\boxtimes		
P13		ng and docun								
P13.1*	Product Product Product Product	packaging mat packaging mat packaging mat packaging mat	erial type(s): Cardboard erial type(s): Paper cushi erial type(s): LDPE erial type(s): EPE erial type(s): PP	weight (kg weight (kg weight (kg	oard weight (kg): 0.1): 0.0282): 0.114	108				
P13.2*	Product	plastic primary	packaging is free from PV	/C.				\boxtimes		
P13.3*	consume	er recovered fib	orrugated fiberboard pack per content: 65 %			oercentage	of minimum	post-		
P13.4*		media for user∍ ronic, <mark>⊠</mark> Papeı	and product documentation, Other	n (tick box):						
P13.5	Ùser and		this item if paper documer mentation on paper media							
	Totally cl	hlorine-free						\boxtimes		
	Elementa	al chlorine-free						$\overline{\boxtimes}$		
	Processe	ed chlorine-free)							
P14	Volunta	ry programs								
P14.1	The proc	duct meets the	requirements of the follow	ing voluntar	y program(s):					
	Eco-labe Eco-labe Eco-labe		Criteria version: V8 Criteria version: IEEE 10 Criteria version: 14.0 Criteria version: 9.0	680.1-2018	Date: 2022/01/25 Date: 2022/5/18 Date: 2022/5/18 Date: 2022/5/18	Product of Product of	category: 2 category: Note category: Note category: Note	ebook		
P15			n (See NOTE B10)							
P9			of specific configuration							
	the information of the supplier information of the supplie	rmation conta r's knowledge tion. The infor t Representati	s no representations, guined in this document. A available at the time of a mation provided here is the formation.	All informati completion, approxima	on provided by su and supplier shal te and provided fo	ipplier in ti Il have no or informat	his document obligation to	t is provided update suc	d based h	l on
P9			ified Notebooks & Table r.gov/index.cfm?fuseact				o&pgw_code=	=CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad P15v Gen 3 AMD	Logo	
Model Number	21EM,21EN		Lonovo
Issue Date	2022/08/15		Lenovo.
Additional information			
•			-

d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
")	Etec value (kWh) per ErP Lot 3 Categorenable	y and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]			64	
ents ting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)			G5	
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)			12.85	
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			13.4	
j)	Idle state power demand (Watts);	ı			3.70/3.88
1)	Sleep mode power demand (Watts);				0.87
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.90
)	Off mode power demand (Watts);				0.45
:)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.46
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 135W: 89,88	%, 91 ,35%			
	*internal note: show values for all available external p	ower supplies			
))	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycles				
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA				
0-2)	Measurement methodology used to dete	ermine information men	tioned in points (m) –	external PSU efficience	cy:

(p-3) Measure	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology						
	Measurement methodology used to determine information mentioned in maximum, idle power as defined in Point P9.1 in the Product IT Eco Declaration: IEC 62623 / IEC EN50564:2011 measurement methodology						
(a) Segueno	Sequence of steps for achieving a stable condition with respect to power demand::						
(q) Sequend							
	IEC 62623 / IEC EN50564:2011 measurement methodology						
(r) Description of how sleep and/or off mode was selected or programmed:							
By selecting sleep and/or off mode thru Windows operating system							
	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: Automatically changes to sleep after 10 minutes						
(t) Duration of idle state condition before the computer automatically reaches sleep mode or another							
condition	condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): Length of time after a period of user inactivity in which the computer automatically reaches a power						
mode that has a lower power demand requirement than sleep mode (in minutes):							
	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10 mins Information on the energy-saving potential of power management functionality:						
User information described in User Guide and Power Manager under ThinkVantage menu in all programs							
(x) user info	user information on how to enable the power management functionality:						
User information described in User Guide and Power Manager under ThinkVantage menu in all programs							
(z) test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %							
(1) At ambient temperature: <u>26.1</u> °C [∠]							
(2) Input AC Voltage (V) & Frequency (Hz): 230 V, 50 Hz							
(3) Line Impedance: less than 0.22 ohm							
(4) Total Harmonic Distortion (voltage): <u>0.36%</u> ←							
(5) Relative Humidity: <u>40%</u> ← (6) Ambient light: <u>NA Lux</u> ←							
(7) Equipment list: ←							
		Equipment Name←	Model na	Model name [←]			
		Power Meter←	YOKOGAWA-WT310←				
AC Source ∂			NF-EC10	EC1000s←			
Additional Notebook Battery Information:							
Additional Notes	OOK Daller	Battery[ies] not user repla	ceable	Ratterylies ³	user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		Batteryfies	Tuber replaceable	11/4	
Internal/built-in Battery							
External/detachable Battery							
Bios Backup Battery							
Other:							
Additional information							

1)
The battery[ies] in this product cannot be easily replaced by users themselves.
Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.
Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.
Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.
Kasutajad ei saa selle toote akut/akusid ise hölpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

Lalles batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.
A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.
De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.
Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.
A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.
Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuità (înlocuite) de utilizatorii înşişi.
Batériu(-ie) v tomto výrobku nemôže vymieňař používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] elivät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.