



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook					
Commercial name *	ThinkPad T14 Gen 3 Intel;ThinkPad P14s Gen 3					
Model number *	21AH,21AJ,21AK,21AL					
Issue date *	2022/3/3					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	21AH,21AJ,21AK,21AL	Logo	Long	N/C	
Issue date	e *	2022/03/03		Lend		TH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		• •		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		\boxtimes		
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
	hydrobro trichloroe concentr					
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference).					
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) (see legal r	gal reference).			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is;				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium a	nd 🔀		
P5.2*	The pack	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Protoc	col 🔀		
D.		nt: Legal reference has no maximum concentration values.				
P6 4*		nt information			_	
P6.1*	ıntormatı	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	21AH,21AJ,21AK,21AL	Logo	Lenovo
Issue date *	2022/3/3		Lei 1000
Product environ	mental attributes - Market requirements (See General NOTE GN	below)	

Product	environmental attributes - Market requirements (See General NOTE GN below)			
		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling	<u></u> _		
P7.1*	Parts that have to be treated separately are easily separable	\boxtimes		
P7.2*	Plastic materials in covers/housing have no surface coating.		\boxtimes	
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: PC/CF;AI Material type: PC/ABS Material type: GF+Mg;	PC/GF		
P7.12	Material type: Al; PPS			
	Insulation materials of external electrical cables are PVC free.			<u> </u>
P7.13	Insulation materials of internal electrical cables are PVC free.		<u>Ц</u>	Щ
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and			
	polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing			
	more than 25% post-consumer recycled content.	•		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all Z PCBs > 25 g Z are low haloger			
	as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☒ Other: Phosphorus Modified Epoxy Resin	\boxtimes		
	CAS #: confidential			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g			
	according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
	concentrations above 0,1%: 1. Chemical name: <i>Phosphorus compounds</i> , CAS #: (See NOTE B4)	\bowtie	Ш	ш
	2. Chemical name: , CAS #: "(GCC NOTE B4)			
	3. Chemical name: , CAS #: "			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been			
	assigned the following Risk phrases; R36;R38 and Hazard statements:	_	_	
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):	\boxtimes		
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as			
	a percentage of total plastic by weight) is 6.55% .			
	or			
	b) The weight of recycled material is 38.9 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21AH,21AJ,21AK,21AL	Logo	Lanava
Issue date *	2022/3/3		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remen	nt met
Item	Yes	No	n.a.

1	Material and cub	stance requirements	(continued)			
P7.21*			d in the product (See No	OTE B7):		$\overline{}$
						_
	,		es below shall be answe , the biobased plastic ma	,	ted as a percentage of	
	total plastic b		, the biobasea plastic in	aterial content (calcula	ned as a personnage of	
	or	.,				
		of the biobased plastic				
P7.22*			less than 0,1 mg/lamp.			
		specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg	
P8	Batteries		1			_
P8.1*		composition: Lithium	ОП		L	
P9		otion (See NOTE B8)	ls or energy consumption	no are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	_
Lifergy ino	ue	100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	100 W	100 W	100W	Full load	
Categor	v 2					
Categor	<u>y </u>					
Short Idle	State - WOL	7.99W	7.60W	7.57W	ENERGY STAR Computers V8	
Enabled					(P _{idle})	
Long Idle	State - WOL	1.19W	1.18W	1.23W	ENERGY STAR Computers V8	
Enabled					(P _{idle})	
Sleep (S3)	- WOL Enabled	1.19W	1.18 W	1.23 W	ENERGY STAR Computers V8	
					(P _{sleep})	
Off (S5) - I	WOL Enabled	0.32W	0.31W	0.33W	ENERGY STAR Computers V8	
, ,					(P _{off})	
EPS No-lo	ad	0.06W	0.06 W	0.06 W		
			0.00 VV	0.00 VV		
	supply / charger plugged in the connected from the product.)		20 (0) 10 (00 -01 > 4 // /		
ETEC *(2)	ergy Consumption	23.42kWh/year	22.49kWh/year	22.70 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 + P_{sleep} \times 0.35 + P_{sleep} \times 0.$	┙
Allilual Ell	ergy Consumption				P _{short Idle} x 0.30)	
		P-#: Off Modo(\$5) - W	Ol Enabled: Parasi Sleen	Modo(\$3) - WOL Enable	ed; Pidle: Idle State - WOL Enabled	
External Po	ower Supply Efficie		l Efficiency Marking Pro		ed, Fiale. Idle State - WOL Enabled	$\overline{}$
	solution * : 2.034 m		II Emolerity Warking Fre	. ••	1920* 1200	₩
		<u> </u>			1320 1200	井
	0,	ave mode: 10 minutes				屵
P9.2*			ion is provided with the	product.		
P9.3		class (monitors only):				
P10	Emissions	Dealers deservations	- 100 0000 (0 NOTE	DO		
P10.1		<u>- Declared according t</u> Mode description	o ISO 9296 (See NOTE		it A waighted sound newer level / (P)	
10.1		* Idle mode		* 2.5	it A-weighted sound power level, $L_{WA,c}$ (B)	_
}				* 3.1		┽
}		* Operating (CPU) Declared A-weighted sour	ad pressure level (dB) $L_{p{\sf Am}}$	14 (operator position	Landackton idla)	
				1 1 1	<u> </u>	
	Other mode	Deciared A-weighted sour	ad pressure level (dB) $L_{p m Am}$		on desktop – operating-HDD) on desktop – operating-CPU)	
	Measured accord	ing to: 🔀 ISO 7779 🛭	ECMA-74		, , , , , , , , , , , , , , , , , , , ,	
				ECMA 74)		

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model numb	er*	21AH,21AJ,2	1AK,21AL			Logo	Long		
Issue date *		2022/3/3					Lenc	VO.	*
Product en	vironn	nental attribu	ites - Market requirem	ents (con	ntinued)		Require	ment	met
Item							Yes	No	n.a.
E	lectron	nagnetic emis	sions						
			s the requirement for low fi in AC adapter only)	requency el	lectromagnetic fields	s of the following voluntar	ry 🔀		
			uting products						
		•	ergonomic requirements of			-	\boxtimes		
	he phys	ical input devic	ce meets the requirements	of ISO 999	95 and ISO 9241-410	0.	\boxtimes		
		ng and docum							
F	roduct p	packaging mate	erial type(s): Cardboard erial type(s): LDPE erial type(s): EPE	weight (kg weight (kg weight (kg	j): 0.0132				
P13.2* F	Product p	plastic primary	packaging is free from PV	C.			\boxtimes		
			orrugated fiberboard pack er content: 80 %	aging, spec	cify the contained p	ercentage of minimum	post-		
		nedia for user a onic, <mark>X</mark> Paper	and product documentation , Other	n (tick box):					
ĺ	Jser and		his item if paper document nentation on paper media				\boxtimes		
!	,	nlorine-free al chlorine-free							
F	rocesse	ed chlorine-free							
P14 V	/oluntar	y programs							
P14.1 T	he prod	uct meets the r	requirements of the followi	ng voluntar	y program(s):				
E	co-labe co-labe co-labe		Criteria version: <i>V8</i> Criteria version: <i>IEEE 16</i> Criteria version: <i>14.0</i> Criteria version: <i>9.0</i>	80.1-2018	Date: 2022/1/6 Date: 2022/3/15 Date: 2022/3/15 Date: 2022/04/05	Product category: 2 Product category: Note Product category: Note Product category: Note	ebook		
			(See NOTE B10)						
			of specific configuration						
ir k p ir	nformation nowledge provided nformation	on contained in ge available at there is approx on.	no representations, guara this document. All informathe time of completion, and imate and provided for info	ation provid d supplier s ormational p	led by supplier in thi hall have no obligati ourposes only. See a	s document is provided b ion to update such inforn a Lenovo Account Repre	pased on suppation. The in	olier's formati	ion
			ed Notebooks & Tablet Co ov/index.cfm?fuseaction=f						
	p.// WW	w.chorgystar.g	OV/ITIGOX.OTTT: TUGCAULIUTI-1	u_a_pi00	add.Showi ToddolGi	oupupgw_codc=oo			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkPad T14 Gen 3 INTEL / ThinkPad P14s Gen 3	Logo	
Model Number	21AH,21AJ,21AK,21AL		Lonovo
Issue Date	2022/3/3		Lenovo.
Additional information			

d)	year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
()	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	48	48		
ents ting	Additional internal storage	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
ıdjustm ring tes	Discrete television tuner	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	No (Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)
cape	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)		G4		
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	6.32	N/A		
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled	N/A	6.65		
g)	Idle state power demand (Watts);				1.34
1)	Sleep mode power demand (Watts);				1.23
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		N/A
)	Off mode power demand (Watts);				0.39
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		N/A
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	external power supply efficiency (if appli	cable)*:			
	Average active efficiency: 45W: 87,98%	%,88,63%,88,83%, 65V	V: 89,41%,88,62%,88,	,96%,100W: 84,31%,8	8,00%,88,00%,89,5
	*internal note: show values for all available external p	ower supplies_			
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 500 cycle				
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA				
o-2)	Measurement methodology used to dete	ermine information mer	ntioned in noints (m) –	external PSU efficienc	cv.

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: IEC 61960 measurement methodology				
(p-4)	Measurement methodology used to determine informati power as defined in Point P9.1 in the Product IT Eco De	eclaration:			
	IEC 62623 / IEC EN50564:201	1 measurement methodology			
(q)	Sequence of steps for achieving a stable condition with	respect to power demand::			
	IEC 62623 / IEC EN50564:201	1 measurement methodology			
(r)	Description of how sleep and/or off mode was selected	or programmed:			
	By selecting sleep and/or off mod	e thru Windows operating system			
(s)	Sequence of events required to reach the mode where off mode:	the equipment automatically changes to sleep and/or			
	Automatically changes t	o sleep after 10 minutes			
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				
(u)	Length of time after a period of user inactivity in wh mode that has a lower power demand requirement the		N/A		
(v)			10 mins		
(w)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): Information on the energy-saving potential of power management functionality: User information described in User Guide and Power Manager under ThinkVantage menu in all programs				
(x)	user information on how to enable the power management functionality:				
()	User information described in User Guide and Power Manager under ThinkVantage menu in all programs				
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %				
	(1) At ambient temperature: 26.1°C				
	(2) Input AC Voltage (V) & Frequency (Hz): 230 V, 50 Hz				
	(3) Line Impedance: less than <u>0.22</u> ohm (4) Total Harmonic Distortion (voltage): 0.36%				
	(5) Relative Humidity: _40%_				
(6) Ambient light: NA Lux (7) Equipment list:					
	Equipment Name	Model name			
	Power Meter	YOKOGAWA-WT310			
	AC Source	NF-EC1000s			

Additional Notebook Battery Information:						
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery	\boxtimes					
External/detachable Battery						
Bios Backup Battery	\boxtimes					
Other:						
Additional information						

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Korisiik ne nioże tako zamijeniu bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egysdül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.