

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2017)

Annex B2 - Product environmental attributes Desktop/All-in-One Computers

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEI IOVO.
	alcarter@lenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statement	conforms to the statements given in this declaration.					
Type of product *	WorkStation					
Commercial name *	ThinkStation P358 Tower					
Model number *	30GL, 30GK, 30GN, 30GM					
Issue date *	2022/5/30					
Intended market *	🛛 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	30GL, 30GK, 30GN, 30GM Logo	Lon		
lssue da	ate *	2022/5/30	Leno		Эт
	t environ	mental attributes - Legal requirements	Require		
Item			Yes	No	n.a.
P1		ous substances and preparations			
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\square		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Product	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the source of the second state o	ne 🔀		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/wee al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	k 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	\boxtimes		
P2	Batterie	IS			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	\square		
P2.2*	Batterie: referenc	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega e)	al 🔀		
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	\boxtimes		
P3	Confor	nity verification & Eco design (ErP)			
P3.1*	The pro The Dec https://	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at: www.lenovo.com/us/en/compliance/eu-doc for EU www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products,	\boxtimes		
		al reference).		<u> </u>	
	Require	d information is; given in item P15 or added to this document,	\square		
	declara	available at: https://www.lenovo.com/us/en/compliance/eco-			
P5		t packaging			
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium an ent chromium by weight of these together.	nd 🔀		
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the material (se legal reference).	(s) 🔀		
P5.3*	The pro (see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀		
		v			
P6	Treatmo	ent information			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	30GL, 30GK, 30GN, 30GM	Logo			
Issue dat	te *	2022/5/30		Len	ovc	тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Require	nent r	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable				
					<u> </u>	
P7.2*		naterials in covers/housing have no surface coating.			<u> </u>	
P7.3*		parts > 100 g consist of one material or of easily separable materials.				
P7.4*		parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5		parts are free from metal inlays or have inlays that can be removed with commonly a	available tools.	\square		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\square		
		lifetime				
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*	Upgradir	ng can be done using commonly available tools		\square		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	is available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7 40		type: ABS Material type: Steel Materia	al type:			_
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		<u> </u>
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame I chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, an	d 🗖		
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🗌	\square	
P7.16	Marking:				\square	
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):]
		PA (additive), 🛛 TBBPA (reactive) (See NOTE B3), 🗌 Other: , CAS #:		\bowtie		
		hemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	<u>Alt. 1: </u> Fl	lame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n		
	1. Chem 2. Chem	rations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	<u>Alt. 2: </u> Cł	hemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			\boxtimes
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			
	assigned	d the following Risk phrases; and Hazard statements:			_	
			See note B5)			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Oft apo or	at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is 33.51% . e weight of recycled material is 247.1 g.	t (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	30GL, 30GK, 30GN, 30GM	Logo	Lenovo			
Issue date *	2022/5/30		Lenovo			
Product environm	Product environmental attributes - Market requirements (continued) Requirement met					

Item

	Material and sub	stance requirements	(continued)			
P7.21*			d in the product (See N	NOTE B7):		\boxtimes
			es below shall be ansv , the biobased plastic r	vered; naterial content (calcula	ated as a percentage of	-
	total plastic b		, F		······································	
		f the biobased plastic	material is g.			
P7.22*			less than 0,1 mg/lam).		
		specify: Number of la		num mercury content pe		
P8	Batteries					
P8.1*	Battery chemical c	omposition:				\boxtimes
P9	Energy consump	tion (See NOTE B8)				
P9.1			ls or energy consumpt		. <u>.</u>	
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy	
		100 V AC	115 V AC	230 V AC	modes and test method *	
Peak (On-	max)	W	W	W	Full load	
<u>Categor</u>	Y					
	State - WOL	51.74 W	51.67 W	50.52 W	ENERGY STAR Computers V8	
Enabled					(P _{idle})	
Long Idle Enabled	State - WOL	50.01 W	49.76 W	49.55 W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)	- WOL Enabled	1.43 W	1.42 W	1.37 W	ENERGY STAR Computers V8 (P _{sieep})	
Off (S5) - I	WOL Enabled	0.62 W	0.62 W	0.67 W	ENERGY STAR Computers V8 (Poff)	
EPS No-loa (External powers wall outlet but dis	ad supply / charger plugged in the connected from the product.)	W	W	W		\boxtimes
PTEC *	ergy Consumption	28.67 W	28.6 W	28.14 W	ENERGY STAR Computers V8	
ETEC *	ergy Consumption	251.1 kWh/year	250.5 kWh/year	246.5 kWh/year	$E_{TEC} = (8760/1000) \times (P_{TEC})$	
		R Off Mode	(S5) WOL Enabled: P.	: Sloop Mode(S2) - WOL	. Enabled; P _{idle} : Idle State - WOL Enabled	
External P	ower Supply Efficien		al Efficiency Marking P			
	solution * : N/A meg	, ,				
		ve mode: 25 minutes				
P9.2*		0,	ion is provided with the	e product.		
P9.3	Energy efficiency of	class (monitors only):				
P10	Emissions					
		,	o ISO 9296 (See NOT			
P10.1		Node description			it A-weighted sound power level, $L_{WA,c}$	(B)
	Idle *	HDD:Idle		* 2.9		
	Operation *	HDD: Operating		* 4		
		· · · · · · · · · · · · · · · · · · ·	nd pressure level (dBL)(A)		· · · · · · · · · · · · · · · · · · ·	
	Other mode	Declared A-weighted sour	nd pressure level (dBL)(A)	30 (operator position	on desktop – HDD operating)	
	Measured accordi	ng to: 🔀 ISO 7779 Other	ECMA-74 (only if not covered b	v FCMA-74)		
	1			,		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm Yes

No

n.a.

Model nu	ımber *	30GL, 30GK, 3	0GN, 30GM				Logo		200		
Issue dat	te *	2022/05/30							suo	VO	DH I
	environr	nental attribut	es - Market requiren	nents (cor	ntinued)			R	equire		met
Item									Yes	No	n.a.
		nagnetic emissi									
P10.4	program	(s):	the requirement for low	frequency e	lectromagnetic fields	s of the foll	owing volur	ntary			\square
P12		mics for comput									
P12.1*	The disp	play meets the erg	gonomic requirements o	f ISO 9241-	307 for visual displa	y technolog	gies.				\boxtimes
P12.2*	The phy	sical input device	meets the requirements	s of ISO 999	95 and ISO 9241-41	0.					\boxtimes
P13	Packaging and documentation										
P13.1*	Product	packaging mater	ial type(s): <i>Corruaged</i> ial type(s): <i>EPE</i> ial type(s): <i>LDPE</i>	weight (ko weight (ko weight (ko	g): 0.317						
P13.2*	Product	plastic primary pa	ackaging is free from PV	/C.					\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-										
P13.4*		media for user ar ronic, 🔀Paper,	d product documentatio	on (tick box)							
P13.5	Ùser and		s item if paper documer entation on paper media								
	Totally c	hlorine-free							\boxtimes		
	Element	al chlorine-free									
	Process	ed chlorine-free							X		
P14	Volunta	ry programs									
P14.1			quirements of the follow	ring voluntar	y program(s):						
	Eco-labe Eco-labe		Criteria version: <mark>8.</mark> Criteria version: 20 Criteria version:		Date: 2022/1/17 Date: 2022/02/22 Date:		category: W category: W category:				
P15		nal information									
P9			specific configuration								
	the info supplie informa	rmation contain r's knowledge a tion. The inform	no representations, gu ed in this document. A vailable at the time of (ation provided here is e for more information.	Il informaticompletion	ion provided by su , and supplier shal	pplier in tl I have no (his docume obligation	ent is pro to updat	ovided e such	based	lon
P9	See Ene	ergy Star Qualifi	ed Notebooks & Table jov/index.cfm?fuseact	t Computer			o&pgw_cod	le=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	ThinkStation P358 Tower	Logo
Model Number	30GL, 30GK, 30GN, 30GM	
Issue Date	2022/05/30	Lenovo
Additional information		

P7.1.1	Product environmental attributes				
(d)	year of manufacture:				2022
(e)	Etec value (kWh) per ErP Lot 3 Categor disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]				
ents tting	Additional internal storage	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	(Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
Test results	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)				
Test	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
(g)	Idle state power demand (Watts);				50.65
(h)	Sleep mode power demand (Watts);				NA
(i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.34
(j)	Off mode power demand (Watts);				NA
(k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.61
(I)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	PCK010-EL1G: 10% 90.72% 20% 92.	57% 50% 93.57%	100% 90.38% Aver	rage 92.17%	
	HK600-11PP: 10% 90.34% 20% 93.03	3% 50% 92.35% 10	00% 89.32% Averag	ge 91.57%	
	PA-3751-1VA-ROHS: 10% 85.35% 20	0% 93.34% 50% 93.	15% 100% 90.57%	Average 92.35%	
	ge 91.63%				
	PCK023-EL1G: 10% 86.72% 20% 88.	93% 50% 90.76%	100% 88.24% Aver	age 89.31%	
(m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency:				
	*internal note: show values for all available external p	ower supplies			

(0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): N/A						
(p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: Generalized Test Protocol for Calculating the Energy Efficiency of Internal Ac-Dc and Dc-Dc Power Supplies Revision 6.6 Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						
(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: N/A Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries:						
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: N/A						
(p-4)	Measurement methodology used to a power as defined in Point P9.1 in the	determine information mentioned in ma Product IT Eco Declaration:	aximum, idle, sleep, off mode				
	IEC 62623 Ed. 1.0, 2012-10						
(q)	Sequence of steps for achieving a st	able condition with respect to power de	emand:				
	Based on user manual/Power on->Wait 5 minutes->Stable condition						
(r)	Description of how sleep and/or off n	node was selected or programmed:					
	Based o	n user manual-Set power button be	haviors				
	Set power button beha	viors					
		utton does according to your preferen a computer or put the computer to sle					
	To change what the power button	does:					
	1. Go to Control Panel and view	w by large icons or small icons.					
	2. Click Power Options → Choose what the power buttons do.						
	3. Change the settings as you prefer.						
(s)	Sequence of events required to reac off mode:	h the mode where the equipment auto	matically changes to sleep and/or				
	Based on user manual/Control F	anel->Power Options-> Change Set for this plan	tings-> Restore default settings				
(t)		fore the computer automatically rea		25			
(u)		applicable power demand requirement er inactivity in which the computer		NA			
())		and requirement than sleep mode (in n sleep mode is set to activate after us		10			
(v) (w)		tential of power management functiona		10			
		Based on user manual					
(x)	User information on how to enable the	ne power management functionality:					
		Based on user manual					
(z)	•	— test voltage in V and frequency in F mation and documentation on the inst					
	Test vo	Itage in V and frequency in Hz: 230	V/50Hz				
	Total harm	nonic distortion of the electricity supply syste	em: <u>≤</u> 2%				
	Instrument Name	Range Used or ******	Make and Model**				
	AC Power Source	1~300VAC;1~550Hz; 1000VA	NF; EC1000S				
	Power Meter	1~500V;0~20A	YOKOGAWA; WT310				
	Digital Watch	Full Range	CASIO; HS-70W				
	Ambient Monitor	-10~60℃; 0~100&RH	Testo; 622				
	Anemometer	0~20m/s	Testo; 425				
	, nononotor	0 2011/0	10010, 420	l			
A -1-1141							
Additio	nal Notebook Battery Information	1.					

Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{}$		
	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾	The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾

1) The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/lac batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainit šă ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitiwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže výmieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08