



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo		1-			
Contact information *	Lenovo Global Environmental Affairs		Lenovo			
e-mail address	Alvin L Carter		LEITOVO			
	alcarter@lenovo.com					
Internet site *	http://www.lenovo.com/social responsibility/us/en/environment.html					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product					
conforms to the statement	nts given in this declaration.				
Type of product *	Display				
Commercial name *	ThinkVision M14d				
Model number *	63AA				
Issue date *	2022/05/23				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *	63AA	Logo		
			Lenovo)
Issue date *	2022/05/23			

Product	environmental attributes - Legal requirements	F	Require	ment	met
Item	<u> </u>		Yes	No	n.a.
P1	Hazardous substances and preparations				
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE	E B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.				
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no n concentration values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychterphenyl (PCT) in preparations (see legal reference).	nlorinated	\boxtimes		
P1.5*	Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 car chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	bon atoms in the	\boxtimes		
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.	0,5 μg/cm²/week			
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batteries				
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with symbol. Information on proper disposal is provided in user manual. (See legal reference)	the disposal			\boxtimes
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadn reference)	nium. (See legal			
P2.3*	Batteries and accumulators are readily removable. (See legal reference)				\boxtimes
P3	Conformity verification & Eco design (ErP)				
P3.1*	The product is CE-marked to show conformance with applicable legal requirements (see legal requirements): The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU and https://www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The product complies with the Eco design requirements for energy-related products, (see legal reference).		\boxtimes		
	Required information is; given in item P15 or added to this document, available at (add URL):				
	https://www.lenovo.com/us/en/compliance/eco-declaration				
P5	Product packaging				
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercur hexavalent chromium by weight of these together.	•		Ш	
P5.2*	The packaging materials are marked with abbreviations and numbers indicating the nature used (see legal reference).	, ,			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the I (see legal reference). Comment: Legal reference has no maximum concentration values.	Montreal Protocol			
P6	Treatment information				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *	63AA	Logo		
Issue date *	2022/05/23			

Product	t environmental attributes - Market requirements (See General NOTE GN below)			
	- Environmental conscious design	Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		П	$\overline{\Box}$
P7.2*	Plastic materials in covers/housing have no surface coating.			Ħ
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	T H		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		Ħ	
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.		Ħ	
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	X	Ħ	╁
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives			
P7.8*	Upgrading can be done using commonly available tools	$-\overline{\sqcap}$	Ħ	
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			Ħ
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
	Material type: Magnesium Material type: Magnesium			
P7.12	Insulation materials of external electrical cables are PVC free.			
P7.13	Insulation materials of internal electrical cables are PVC free.		\boxtimes	
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, an polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.	d		
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen a defined in IEC 61249-2-21. (See 1NOTE B2)	s		
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking:			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components): TBBPA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:			
	<u>Alt. 2:</u> Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations is concentrations above 0,1%: 1. Chemical name: , CAS #: (See NOTE B4) 2. Chemical name: , CAS #: " 3. Chemical name: , CAS #: "	1 		
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; and Hazard statements:			
	The source(s) for these classifications is/are found at (add URL(s)): (See note B5)			
P7.20*	Postconsumer recycled plastic material content is used in the product (See Note B6):			
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is . (EPEAT calculation) / 85% (TCO calculation) or b) The weight of recycled material is g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63AA	Logo	Lenovo
Issue date *	2022/05/23		

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

D7.04*	Material and sub				- D.7\					
P7.21*	Biobased plastic r	naterial content is	s used in the prod	luct (See NOTE	: B7):					
	If YES; at least on	If YES; at least one of the two alternatives below shall be answered;								
	a) Of total plast	ic parts' weight >	25 g, the biobase	ed plastic mater	ial content (calculate	ed as a percentage of				
	total plastic b	by weight) is 0%.								
	or									
D7.00*		The weight of the biobased plastic material is 0g.								
P7.22*		purces are free from mercury, i.e. less than 0,1 mg/lamp.								
P8	Batteries	f mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg								
P8.1*	Battery chemical	composition:								
-			DO)							
P9	Energy consump									
P9.1	For the product th	Power level at				Reference/Standard for energy				
Energy mo	ode	5 V DC	9 V DC	15 V DC	20 V DC	modes and test method *				
ENEDOV	OTA D© O M 4-*	4.87 W	4.36 W	4.54 W	4.96 W	ENERGY STAR® Program				
_	STAR® On Mode*	4.07 VV	4.30 VV	4.54 VV	4.90 00	Requirements for Displays:				
(System Id	iie)					Ver. 8.0				
FNFRGY:	STAR® Low Power	0.36 W	0.36 W	0.36 W	0.36 W	ENERGY STAR® Program				
Sleep Mod						Requirements for Displays:				
'						Ver. 8.0				
FNFRGY :	STAR® Off /	0.22 W	0.22 W	0.22 W	0.22 W	ENERGY STAR® Program				
Apparent (Requirements for Displays:				
						Ver. 8.0				
			1							
PTEC *		W	l W	W	W	$P_{TEC} = P_{ON} \times 0.35 + P_{SLEEP} \times 0.65$				
Typical En	ergy Consumption					120 0				
ETEC *		16.98	15.42	15.97	17.26	$E_{TEC} = (8760/1000) \times (P_{ON} \times 0.35)$				
	ergy Consumption	kWh/year	kWh/year	kWh/year	kWh/year	+ P _{SLEEP} x 0.65)				
External P	ower Supply Efficie	ncy Level (Interna	tional Efficiency I	Marking Protoc	ol) * :					
						ENERGY STAR® Program				
Display res	solution*: 2240*14	00 megapixels			Requirements for Displays:					
						Ver. 8.0				
D - f		45	d -			ENERGY STAR® Program				
Default tim	e to enter energy sa	ave mode: 15 sec	onas			Requirements for Displays: Ver. 8.0				
P9.2*	Information about	the energy save	function is provide	ed with the pro	duct	Ver. 6.0				
			<u>-</u>							
P9.3*	The product meet				ary program/s:					
D40	ENERGY STAR® version: 8.0 Product category: Display .									
P10	Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)									
D40.4			aing to 150 9296			A weighted accord news level (D)				
P10.1		Mode description * HDD: Idle			statisticai upper iimit	A-weighted sound power level, L _{WA,c} (B)				
		* HDD: Operating		*	*					
	Other mode	Declared A-weighted	d sound pressure le	vel (dB) L_{pAm}	(operator pos	sition desktop – idle)				
	Other mode	Declared A-weighted	sound pressure le	vel (dB) L _{pAm}						
	Measured accordi	ing to: X ISO 77	79 ECMA-74	l .						
		Other			MΔ_74)					
	Other (only if not covered by ECMA-74)									

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		63AA			Logo			
Issue date * 202		2022/05/23				Len	OVO.	
Product	environr	nental attributes	- Market requirements	(continued)		Requi	ement met	
Item			•			Yes	No n.a.	
	Electron	nagnetic emission	S					
P10.4	Compute		requirement for low frequen	ncy electromagnetic fields	of the following	voluntary		
P12		nics for computing						
P12.1*	The disp	lay meets the ergon	omic requirements of ISO 9	9241-307 for visual displa	y technologies.	\boxtimes		
P12.2*	The phy	sical input device me	eets the requirements of ISO	O 9995 and ISO 9241-410).			
P13		ng and documenta						
P13.1*	Product Product	packaging material packaging material	type(s): grey paper(<i>Carton</i> type(s): EPE(<i>Cushion</i>) wei type(s): EPE+PO(<i>Bag</i>) wei	ght (kg): 0.020				
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*		duct primary corruga er recovered fiber co	ated fiberboard packaging, ontent: 80 %	specify the contained p	ercentage of mi	nimum post-		
P13.4*			product documentation (tick Other	box):				
P13.5	Ùser and		em if paper documentation ation on paper media is chlo				\boxtimes	
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free							
P14		ry programs						
P14.1	ENERG Eco-labe	Y STAR® el: <i>Low Bluelight</i>	rements of the following vol Criteria version: 8.0 Criteria version: 2.0	Date: 2022/03/08 Date: 2022/04/14	Product catego	ry: LCD Monitor ry: LCD Monitor		
D45		el: Eye Safe	Criteria version: 1.0	Date: 2022/04/16	Product catego	ry: LCD Monitor		
P15		nal information (Se	,		44			
	Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. See Energy Star Qualified Monitors & Displays for the latest information:							
P9			Monitors & Displays for to v/products/office_equipm					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1