

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)			
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs					
e-mail address	Alvin L Carter		Lenovo			
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Displays			
Commercial name *	ThinkVision P24q-30			
Model number *	el number * 63B4 / 63BC			
ssue date * 2022/6/15				
Intended market *	ket * 🛛 🔀 Global 🔲 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template: P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products P11.1 - P11.3 Consumable materials for printing products.

Model number *		63B4 / 63BC Logo				
Issue date *		2022/6/15	Len	Lenovo.		
	t environ	mental attributes - Legal requirements	Require		t met	
Item			Yes	No	n.a.	
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)				
P1.2*	Comme	s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	\boxtimes			
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	I-			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	\boxtimes			
P1.5*	Products chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms i ntaining at least 48% per mass of chlorine in the SCCP(see legal reference).	n the 🔀			
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie	S	÷	•		
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)			\boxtimes	
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See I	egal		\boxtimes	
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)			\times	
P3	Confor	nity verification & Eco design (ErP)				
P3.1*	The proo The Dec https://	Juct is CE-marked to show conformance with applicable legal requirements (see legal referenc laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for EU and	e). 🔀			
P3.2*	The pro	duct complies with the Eco design requirements for energy-related products,	\boxtimes			
		al reference). d information is; given in item P15 or added to this document,	\bowtie	П		
	•	available at (add URL):		_		
	https://	www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagi	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ent chromium by weight of these together.	n and 🛛			
P5.2*	The pac	kaging materials are marked with abbreviations and numbers indicating the nature of the mater e legal reference).	rial(s) 🔀			
P5.3*	(see leg	luct packaging material is free from ozone depleting substances as specified in the Montreal Pro al reference). nt: Legal reference has no maximum concentration values.	otocol 🔀			
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).	\square			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		63B4 / 63BC Logo			
Issue date *		2022/6/15	Len	ovc	D ₁₁₁
Produc	- Enviro		Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7		mbly, recycling			
P7.1*	Parts that have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.		\square	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.	\bowtie		
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\square		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly available tools.	\square		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		Π	Π
	Product	lifetime			
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives			\boxtimes
P7.8*	Upgradir	ng can be done using commonly available tools			
P7.9	Spare pa	arts are available after end of production for: 5 years			Π
P7.10	Service i	s available after end of production for: 5 years			Ħ
	Material	and substance requirements		• • •	
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):			
		type: ABS Material type: PC Material type: Steel			
P7.12	Insulation materials of external electrical cables are PVC free.				
P7.13	Insulation materials of internal electrical cables are PVC free.				
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.				
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g □ are low halogen ad in IEC 61249-2-21. (See 1NOTE B2)	ו 🗌	\boxtimes	
P7.16		tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:			\square
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without components):			
	TBBF 68928-7	PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>brominated epoxy resin</i> , CAS #: 0-1	\square		
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in concentrations above 0,1%: 1. Chemical name: , CAS #: 2. Chemical name: , CAS #:				
		ical name: , CAS #: " nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4:			\boxtimes
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been	<u> </u>	⊢⊢	
0	assigned	the following Risk phrases; and Hazard statements:			
P7.20*		ce(s) for these classifications is/are found at (add URL(s)): , (See note B5) sumer recycled plastic material content is used in the product (See Note B6):			
	a) Oft	t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as ercentage of total plastic by weight) is <i>80.57% EPEAT calculation)/ 85%(TCO calculation)</i>			
		weight of recycled material is 724.8 g.			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number * 63B4 / 63BC		Logo	Lenovo		
Issue date *	2022/6/15		Lei Iovo.		
Product environm	nental attributes - Market requirements (continued)		Requirement met		

Item

Yes No n.a.

	Material and sub	stance requirements	(continued)					
P7.21*			in the product (See N	DTE B7):				
	If YES; at least one of the two alternatives below shall be answered;							
	a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage							
		of total plastic by weight) is %.						
	or							
P7.22*	b) The weight of the biobased plastic material is g.							
P7.22	Light sources are free from mercury, i.e. less than 0,1 mg/lamp.							
P8	Batteries							
P8.1*		Battery chemical composition:						
P9	Energy consump	tion (See NOTE B8)						
P9.1			s or energy consumption	ons are reported:				
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard for energy			
		100 V AC	115 V AC	230 V AC	modes and test method *			
ENERGY S		15.51W@50Hz	45 44141	45.0714/	ENERGY STAR® Program			
Mode*(Sys	stem Idle)	15.52W@60Hz	15.44W	15.37W	Requirements for Displays: Ver. 8.0			
ENERGY	STAR® Low Power				ENERGY STAR® Program			
Sleep Mode		0.13W@50Hz 0.13W@60Hz	0.14W	0.20W	Requirements for Displays: Ver.			
		0.13W@00HZ			8.0			
ENERGY S	STAR® Off /	0.11W@50Hz	0.4444	0.47144	ENERGY STAR® Program			
Apparent C	Off Mode*	0.11W@60Hz	0.11W	0.17W	Requirements for Displays: Ver. 8.0			
					0.0			
		1	1	I				
ETEC *	o "	48.29			$E_{TEC} = 8.76 \times (P_{on} \times 0.35 + P_{sleep} \times 0.35)$			
Annual Energy Consumption								
Annual Ene	ergy Consumption	kWh/year@50Hz 48 32	48.14 kWh/year	48.26 kWh/year	0.65)			
Annual Ene	ergy Consumption	48.32	48.14 kWh/year	48.26 kWh/year	0.03)			
		48.32 kWh/year@60Hz			0.00)			
External Po	ower Supply Efficier	48.32 kWh/year@60Hz icy Level (International	48.14 kWh/year Efficiency Marking Pro		, 			
External Po		48.32 kWh/year@60Hz icy Level (International			ENERGY STAR® Program			
External Po	ower Supply Efficier	48.32 kWh/year@60Hz icy Level (International			, 			
External Po Display res	ower Supply Efficier solution * : 2560*144	48.32 kWh/year@60Hz icy Level (International	Efficiency Marking Pro		ENERGY STAR® Program Requirements for Displays: Ver.			
External Po Display res	ower Supply Efficier solution * : 2560*144	48.32 kWh/year@60Hz cy Level (International 0 megapixels	Efficiency Marking Pro		ENERGY STAR® Program □ Requirements for Displays: Ver. □ 8.0 □ ENERGY STAR® Program □ Requirements for Displays: Ver. □			
External Po Display res Default time	ower Supply Efficier solution * : 2560*144 le to enter energy sa	48.32 kWh/year@60Hz icy Level (International 0 megapixels ive mode: 15 seconds.	Efficiency Marking Pro	itocol) * : NA	ENERGY STAR® Program Requirements for Displays: Ver. 8.0 ENERGY STAR® Program			
External Po Display res Default time P9.2*	ower Supply Efficier solution * : 2560*144 e to enter energy sa	48.32 kWh/year@60Hz icy Level (International 0 megapixels ive mode: 15 seconds. the energy save function	Efficiency Marking Pro	tocol) * : NA	ENERGY STAR® Program □ Requirements for Displays: Ver. 0 ENERGY STAR® Program □ Requirements for Displays: Ver. □			
External Po Display res Default time	ower Supply Efficier solution * : 2560*144 le to enter energy sa Information about The product meets	48.32 kWh/year@60Hz icy Level (International 0 megapixels ive mode: 15 seconds. the energy save functions the energy save functions	Efficiency Marking Pro	tocol) * : NA	ENERGY STAR® Program □ Requirements for Displays: Ver. □ 8.0 □ ENERGY STAR® Program □ Requirements for Displays: Ver. □			
External Po Display res Default time P9.2* P9.3	ower Supply Efficier solution * : 2560*144 e to enter energy sa Information about The product meets ENERGY STAR®	48.32 kWh/year@60Hz icy Level (International 0 megapixels ive mode: 15 seconds. the energy save function	Efficiency Marking Pro	tocol) * : NA	ENERGY STAR® Program □ Requirements for Displays: Ver. □ 8.0 □ ENERGY STAR® Program □ Requirements for Displays: Ver. □			
External Po Display res Default time P9.2*	ower Supply Efficier solution * : 2560*144 e to enter energy sa Information about The product meets ENERGY STAR® Emissions	48.32 kWh/year@60Hz icy Level (International do megapixels ive mode: 15 seconds. the energy save function the energy save function the energy requirement version: 8.0 Product co	Efficiency Marking Pro	tocol) * : NA product. untary program/s:	ENERGY STAR® Program □ Requirements for Displays: Ver. □ 8.0 □ ENERGY STAR® Program □ Requirements for Displays: Ver. □			
External Po Display res Default time P9.2* P9.3	ower Supply Efficier solution * : 2560*14 te to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission –	48.32 kWh/year@60Hz cy Level (International do megapixels we mode: 15 seconds. the energy save function the energy requirement version: 8.0 Product co Declared according to	Efficiency Marking Pro	tocol) * : NA product. untary program/s: B9)	ENERGY STAR® Program Image: Constraint of the constraint			
External Po Display res Default time P9.2* P9.3 P10	ower Supply Efficier solution * : 2560*14 te to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission – Mode	48.32 kWh/year@60Hz icy Level (International do megapixels ive mode: 15 seconds. the energy save function the energy save function the energy requirement version: 8.0 Product co	Efficiency Marking Pro	tocol) * : NA product. untary program/s: B9)	ENERGY STAR® Program Requirements for Displays: Ver. 8.0 ENERGY STAR® Program Requirements for Displays: Ver. 8.0 Image: Ima			
External Po Display res Default time P9.2* P9.3 P10	ower Supply Efficier solution * : 2560*144 e to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission – Mode N Idle *	48.32 kWh/year@60Hz icy Level (International 0 megapixels ive mode: 15 seconds. the energy save function is the energy requirement version: 8.0 Product cont Declared according to Mode description	Efficiency Marking Pro	product. untary program/s:	ENERGY STAR® Program Image: Constraint of the constraint			
External Po Display res Default time P9.2* P9.3 P10	ower Supply Efficier solution * : 2560*144 te to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission – Mode N Idle * Operation *	48.32 kWh/year@60Hz icy Level (International a0 megapixels ive mode: 15 seconds. the energy save function is the energy requireme version: 8.0 Product ca Declared according to Mode description HDD: Idle HDD: Operating	Efficiency Marking Pro on is provided with the ents of the following vol- ategory: <i>Display</i>	tocol) * : NA product. untary program/s: B9) Statistical upper limi * *	ENERGY STAR® Program Requirements for Displays: Ver. 8.0 ENERGY STAR® Program Requirements for Displays: Ver. 8.0 Image: Ima			
External Po Display res Default time P9.2* P9.3 P10	ower Supply Efficier solution * : 2560*144 e to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission – Mode N Idle * Operation 2	48.32 kWh/year@60Hz icy Level (International to megapixels ive mode: 15 seconds. the energy save functions the energy requirement version: 8.0 Product con Declared according to Node description HDD: Idle HDD: Operating beclared A-weighted sound	Efficiency Marking Pro	tocol) * : NA product. untary program/s: B9) Statistical upper lim * * (operator po	ENERGY STAR® Program Requirements for Displays: Ver. 8.0 ENERGY STAR® Program Requirements for Displays: Ver. 8.0 Image: Ima			
External Po Display res Default time P9.2* P9.3 P10	ower Supply Efficier solution * : 2560*144 te to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission – Mode N Idle * Operation 2 Other mode 2	48.32 kWh/year@60Hz icy Level (International 40 megapixels ive mode: 15 seconds. the energy save function is the energy requireme version: 8.0 Product co Declared according to Mode description HDD: Idle HDD: Operating reclared A-weighted sound reclared A-weighted sound	Efficiency Marking Pro on is provided with the ents of the following vol- ategory: <i>Display</i> DISO 9296 (See NOTE d pressure level (dB) L _p Am	tocol) * : NA product. untary program/s: B9) Statistical upper lim * * (operator po	ENERGY STAR® Program Requirements for Displays: Ver. 8.0 ENERGY STAR® Program Requirements for Displays: Ver. 8.0 Image: Star Star Star Star Star Star Star Star			
External Po Display res Default time P9.2* P9.3 P10	ower Supply Efficier solution * : 2560*144 te to enter energy sa Information about The product meets ENERGY STAR® Emissions Noise emission – Mode N Idle * Operation 2 Other mode 2	48.32 kWh/year@60Hz icy Level (International 40 megapixels ive mode: 15 seconds. the energy save function is the energy requireme version: 8.0 Product co Declared according to Mode description HDD: Idle HDD: Operating reclared A-weighted sound reclared A-weighted sound	Efficiency Marking Pro	tocol) * : NA product. untary program/s: B9) Statistical upper lim * * (operator po (operator po	ENERGY STAR® Program Requirements for Displays: Ver. 8.0 ENERGY STAR® Program Requirements for Displays: Ver. 8.0 Image: Star Star Star Star Star Star Star Star			

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

Model nu	imber *	63B4 / 63BC				Logo			
Issue date *		2022/6/15				Lenovo			
Product	environ	mental attribute	es - Market requirements	(continued)			Require	ment	me
ltem							Yes	No	n.a
		magnetic emission							
P10.4	program	n(s): TCÓ9.0,MPR		cy electromagnetic fields	s of the follo	wing volunta	ry 🔀		
P12		mics for comput							
P12.1*			onomic requirements of ISO 9			ies.	\square		
P12.2*	The phy	sical input device	meets the requirements of ISC	9995 and ISO 9241-410).				X
P13		ing and docume							
P13.1*	Product Product Product	packaging materi packaging materi	al type(s): <i>Pulp Cushion</i> weig al type(s): <i>EPE bag</i> weigh al type(s): <i>Handhold</i> weigh	nt (kg): 1.91 ht (kg): 0.53 nt (kg): 0.027 nt (kg): 0.011 nt (kg): 0.001					
P13.2*	Product	plastic primary pa	ckaging is free from PVC.				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-								
P13.4*	Specify media for user and product documentation (tick box):								
P13.5	Ùser an		s item if paper documentation un ntation on paper media is chlo				\boxtimes		
		chlorine-free tal chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1	The pro	duct meets the real	quirements of the following volu	untary program(s):					
	ENERG Eye con TCO TCO ed		Criteria version: 8.0 Criteria version: 1.0 Criteria version: 9.0 Criteria version: 2.0	Date: 2022-05-06 Date: 2022-06-07 Date: 2022-06-02 Date: 2022-06-02	Product ca Product ca	ategory: <i>Disj</i> ategory: <i>Disj</i> ategory: <i>Disj</i> ategory: <i>Dis</i> j	olay olay		
P15		nal information (-						
P9			specific configuration may v	ary; description of the	tested pro	duct configu	iration:		
	NOTE: the info supplie informa	Supplier makes i ormation containe r's knowledge av ation. The inform	or representations, guarante ed in this document. All infor vailable at the time of comple ation provided here is approx for more information.	es, assurances or warr mation provided by su tion, and supplier shall	anties whe oplier in th have no o	ther expres is documen bligation to	s or implied, t is provided update such	based	d on
P9	See En	ergy Star Qualifie	ed Notebooks & Tablet Comp ov/index.cfm?fuseaction=fin			&pgw_code	=C0		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1