



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo				
Company name *	Lenovo					
Contact information *	Lenovo Global Environmental Affairs		_enovo			
e-mail address	il address Alvin L Carter					
	alcarter@lenovo.com					
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/					
Additional information	The latest version of this document can be found at:					
	http://www.lenovo.com/ecodeclaration					

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	/pe of product * monitor			
Commercial name *	Lenovo Thinkvision T24mv-30			
Model number *	63D7			
Issue date *	2023/1/12			
Intended market * Slobal				
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63D7		Lenovo.			
Issue date *		2023/1/12		Lenc	JVC	) <sub>TM</sub>	
Product environmental attributes - Legal requirements			Require	ment	met		
Item		•		Yes	No	n.a.	
P1		us substances and preparations		·			
P1.1*	Products do comply with current European RoHS Directive. (See legal reference and NOTE B1)						
P1.2*	Products do not contain Asbestos (see legal reference).  Comment: Legal reference has no maximum concentration value.						
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$			
1.0	hydrobro trichloroe concentr	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum				
P1.4*	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).					
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	ne 🔀			
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). at: Max limit in legal reference when tested according to EN1811:2011-5.	),5 μg/cm²/wee	ek 🗌			
P1.7*							
P2	Batteries						
P2.1*	If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference)						
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal						
P2.3*	Batteries and accumulators are readily removable. (See legal reference)						
P3	Conformity verification & Eco design (ErP)						
P3.1*	The prod The Dec	uct is CE-marked to show conformance with applicable legal requirements (see legal artion of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc for EU  www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).				
P3.2*		luct complies with the Eco design requirements for energy-related products,		$\boxtimes$			
	, ,	al reference).			_	$\equiv$	
	Required	I information is; given in item P15 or added to this document,		$\boxtimes$			
	☑ available at (add URL):						
		/ww.lenovo.com/us/en/compliance/eco-declaration				_	
P5		packaging			_		
P5.1*	Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and  hexavalent chromium by weight of these together.						
P5.2*	used (se	aging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$		• •			
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).  Comment: Legal reference has no maximum concentration values.						
P6		nt information					
P6.1*	Information	on for recyclers/treatment facilities is available (see legal reference).		$\boxtimes$			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

		63D7	Logo	Lan		
		2023/1/12		Len	OVC	тм
Product	environ	mental attributes - Market requirements (See General NOTE GN b	pelow)			
		onmental conscious design		Require	ment ı	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		mbly, recycling				
P7.1*		t have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			$\boxtimes$	
P7.3*	Plastic pa	arts > 100 g consist of one material or of easily separable materials.		$\boxtimes$		
P7.4*	Plastic pa	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$		
P7.5	Plastic pa	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	. 🛛		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		X	市	T
	Product	lifetime				
P7.7*	Upgradin	g can be done e.g. with processor, memory, cards or drives				$\boxtimes$
P7.8*	Upgradin	g can be done using commonly available tools			$\overline{\Box}$	
P7.9	Spare pa	rts are available after end of production for: 7 years				Ħ
P7.10	Service is	s available after end of production for: 7 years				$\overline{\Box}$
	Material	and substance requirements				
P7.11*	Product of	cover/housing material type (e.g. plastics, metal, aluminum):				
			l type: AI			
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.			$\boxtimes$	
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, a	and		
P7.15		ircuit boards, PCBs (without components) are low halogen: all  PCBs > 25 g  d in IEC 61249-2-21. (See 1NOTE B2)	are low halo	gen 🗌		
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co PA (additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	mponents):			
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	nts) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: " ical name: , CAS #: "	s/preparations	s in		
		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4:			$\boxtimes$

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been

and Hazard statements:

Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as

a percentage of total plastic by weight) is 83.76%.(EPEAT Calculation)/85%(TCO Calculation)

(See note B5)

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

The source(s) for these classifications is/are found at (add URL(s)):

If YES; at least one of the two alternatives below shall be answered;

The weight of recycled material is 1184.9 g.

Postconsumer recycled plastic material content is used in the product (See Note B6):

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

assigned the following Risk phrases;

P7.19

P7.20\*

a)

or b)

Model number * Issue date *	63D7 2023/1/12	Logo	Lenovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

P7.21*	Material and substance requirements (continued)  Biobased plastic material content is used in the product (See NOTE B7):						
F1.21							
	If YES; at least one of the two alternatives below shall be answered;						
	<ul> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.</li> </ul>						
	or	y worght, to 0 70.					
	b) The weight of the biobased plastic material is 0g.						
P7.22*			less than 0,1 mg/lamp.				
Do	Batteries	specify: Number of lar	nps: and maxim	um mercury content pe	r lamp: mg		
P8.1*							
P9	Battery chemical composition:  Energy consumption (See NOTE B8)						
P9.1			s or energy consumption	ons are reported:			
Energy mod		Power level at	Power level at	Power level at	Reference/Standard for energy	$\overline{\Box}$	
		100 V AC	115 V AC	230 V AC	modes and test method *	ш	
Peak (On-r	nax)	14.0 W	14.0 W	14.3 W	ENERGY STAR Program		
					Requirements for Displays		
Catanan					Version 8.0		
Category	<u>/</u>						
Sleep (S3)	- WOL Enabled	0.73 W	0.73 W	0.76 W	ENERGY STAR Program		
					Requirements for Displays		
					Version 8.0(P <sub>sleep</sub> )		
Off (S5) - WOL Enabled		0.17 W	0.17 W	0.22 W	ENERGY STAR Program		
					Requirements for Displays		
					Version 8.0(P <sub>off</sub> )		
PTEC *		W	W	W		$\boxtimes$	
Typical Energy Consumption							
ETEC *		47.08 kWh/year	47.08 kWh/year	48.17 kWh/year	ENERGY STAR Program		
Annual Energy Consumption					Requirements for Displays Version 8.0		
					Version 6.0		
External Po	wer Supply Efficie	ncy Level (Internationa	l Efficiency Marking Pro	otocol) * :		$\boxtimes$	
	olution * : 1920 x		, ,	,			
		ave mode: 0.25 minute	s			∺	
P9.2*			on is provided with the	product		∺	
P9.3		class (monitors only):		product.		₩	
P10		class (monitors only).				<u>Ш</u>	
PIU	P10 Emissions  Noise emission – Declared according to ISO 9296 (See NOTE B9)						
P10.1						B)	
	Idle	k		*			
	Operation '	k		*			
		Declared A-weighted soun	d pressure level (dB) $L_{p{ m Am}}$	(operator po	sition desktop – idle)		
			d pressure level (dB) $L_{p \text{Am}}$				
	1		•	(operator po	Silon desktop – operating)		
	Measured accordi	· = -	ECMA-74				
		Other	(only if not covered by	ECMA-74)			

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *				Logo	Long	201/0			
Issue date *		2023/1/12				Lenc	Lenovo.		
Product environmental attributes - Market requirements (continued) Requirement met								met	
Item				•		Yes	No	n.a.	
	Electromagnetic emissions								
P10.4	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s):								
P12	Ergonomics for computing products								
P12.1*			omic requirements of ISO 92		chnologies.	$\boxtimes$			
P12.2*	The phys	sical input device m	eets the requirements of ISO	9995 and ISO 9241-410.				$\boxtimes$	
P13		ng and documenta							
P13.1*	Product Product	packaging material packaging material	type(s): Paper-Corrugated type(s): Cushion-PLUP type(s): Plastic-LDPE	weight (kg): <b>1.554</b> weight (kg): <b>0.45</b> weight (kg): <b>0.052</b>					
P13.2*	Product	plastic primary pack	aging is free from PVC.			$\boxtimes$			
P13.3*		luct primary corrug	ated fiberboard packaging, s ontent: <b>90</b> %	specify the contained perc	entage of minimum	post-			
P13.4*									
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free:								
	Totally chlorine-free  Elemental chlorine-free								
	Processe	ed chlorine-free							
P14		ry programs							
P14.1	The proc	luct meets the requi	rements of the following volu	ntary program(s):					
	Eco-labe	el:	Criteria version: <b>8.0</b> Criteria version: Criteria version:	Date: Pr	roduct category: roduct category: roduct category:				
P15		nal information (Se							
P9			ecific configuration may va						
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.					on			
P9	See Ene	rgy Star Qualified	Notebooks & Tablet Compo /index.cfm?fuseaction=find			e=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1