



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Computer Monitors

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information		

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
conforms to the statemen	nts given in this declaration.				
Type of product *	Monitor				
Commercial name *	T27i-30/37 / TIO Flex 27i				
Model number *	63A4 / 12BK / 63B9				
Issue date *	2022/5/10				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

## About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		63A4 / 12BK / 63B9	Logo	Lone	27/0	
Issue date	) *	2022/5/10		Lend	JVO	EM .
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.		$\boxtimes$		
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		$\square$	$\overline{}$	
1 1.5	hydrobro trichloroe	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.			Ш	
P1.4*	Products	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	$\square$		
		(PCT) in preparations (see legal reference).				
P1.5*		s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	e 🔀	Ш	
P1.6*	(see lega	th direct and prolonged skin contact do not release nickel in concentrations above 0 al reference).	,5 μg/cm²/wee	k 🔀		
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5.  Article 33 information about substances in articles is available at (add URL or mail	contact):			
F 1.1	https://v	www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact).		Ш	ш
P2	Batterie	S				
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			$\boxtimes$
P2.2*	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*						$\boxtimes$
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal laration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc	gal reference).			
P3.2*	The prod	duct complies with the Eco design requirements for energy-related products, al reference).				
	Required	d information is;  given in item P15 or added to this document,  avww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagir	ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium ar	nd 🔀		
P5.2*		ent chromium by weight of these together.  kaging materials are marked with abbreviations and numbers indicating the nature o	of the meterial/	<u>., \</u>	_	
	used (se	e legal reference).	,	, ,		] [
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	nontreal Protoc	ol 🔀		
P6		nt information				
		on for recyclers/treatment facilities is available (see legal reference).		$\square$		
		,				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number * Issue date *		63A4 / 12BK / 63B9	Logo	00				
		2022/5/10		Len	_enovo			
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)					
	- Environmental conscious design Requirement met							
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.		
P7	Design Disasse	mbly, recycling						
P7.1*		at have to be treated separately are easily separable		$\boxtimes$				
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			T	Ī		
P7.3*	3* Plastic parts > 100 g consist of one material or of easily separable materials.							
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		$\boxtimes$				
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.					
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		$\boxtimes$				
	Product							
P7.7*		ng can be done e.g. with processor, memory, cards or drives			Ц_			
P7.8*		ng can be done using commonly available tools						
P7.9		arts are available after end of production for: 5 years						
P7.10		s available after end of production for: 5 years						
D7 44*		and substance requirements						
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>ABS</i> Material type: <i>PC</i> Materia	al type:					
P7.12		type: ABS Material type: PC Material materials of external electrical cables are PVC free.	al type:		$\square$	П		
P7.13		n materials of internal electrical cables are PVC free.		-#-		<del>  </del>		
P7.14			romine and 0.1%		-	<del>-  -  -</del>		
17.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.							
P7.15								
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:						
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):					
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other:, CAS #:		$\boxtimes$	Ш			
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4:							
P7.18	<u>Alt. 1: </u> FI	ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparations in					
		rations above 0,1%:				$\boxtimes$		
		ical name: , CAS #: (See NOTE B4) ical name: , CAS #: "						
		ical name: , CAS #: "						
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			$\boxtimes$		
P7.19	In plastic	parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been	Ī		$\boxtimes$		
	assigned	the following Risk phrases; and Hazard statements:						
	The source(s) for these classifications is/are found at (add URL(s)): , (See note B5)							
P7.20*								
	a) Of t a pe or	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conterercentage of total plastic by weight) is 83.2 %. (EPEAT calculation) / 85% (TCO consequents) weight of recycled material is 858.6g.						

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	63A4 / 12BK / 63B9	Logo	Lone	01/6	
Issue date *	2022/5/10		Len		TH .
Product environmental attributes - Market requirements (continued)			Requir	emen	t met
Item			Yes	No	n.a.

	Motorial and act-	tonos	romosts /-	ontinued)				
P7.21*	Material and substance requirements (continued)  Biobased plastic material content is used in the product (See NOTE B7):							
·	If YES; at least one of the two alternatives below shall be answered;  a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is 0%.							
	or	weight) is t	<b>J</b> %0.					
	b) The weight of							
P7.22*				ss than 0,1 mg/lamp.	um maraury contant no	or lown:		
P8	If mercury is used : Batteries	specily: Nurr	iber of lamp	s: and maximi	um mercury content pe	er lamp: mg		
P8.1*	Battery chemical co	omposition:					$\boxtimes$	
P9	Energy consumption (See NOTE B8)							
P9.1	For the product the following power levels or energy consumptions are reported:							
Energy mod	de *	Power level at 100V 50HzAC	Power level at 100V /60Hz	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
ENERGY S (System Idl	TAR® On Mode* e)	15.41	15.41	15.36	15.37	ENERGY STAR Computers V8.0		
ENERGY S Sleep Mode	TAR® Low Power e*	0.5	0.5	0.5	0.6	ENERGY STAR Computers V8.0		
ENERGY S Apparent O	STAR® Off / off Mode*	0.13	0.13	0.14	0.23	ENERGY STAR Computers V8.0		
				1		1		
PTEC *	ergy Consumption	W	W	W	W		$\boxtimes$	
ETEC *	ergy Consumption	50.1kWh/ year	50.1kWh/ year	49.93 kWh/year	50.53kWh/year	E <sub>TEC</sub> = (8760/1000) x (P <sub>off</sub> x 0.6 + P <sub>sleep</sub> x 0.1 + P <sub>idle</sub> x 0.3)		
External Po	wer Supply Efficien	cy Level (Int	ernational E	fficiency Marking Pro	tocol) *:		$\boxtimes$	
Display res	olution* : <b>2560*144</b>	10 megapixe	ls			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
Default time	e to enter energy sa	ve mode: 15	seconds			ENERGY STAR® Program Requirements for Computer Monitors: Ver. 8.0		
P9.2*	Information about t	he energy s	ave function	is provided with the	product.			
P9.3*	P9.3* The product meets the energy requirements of the following voluntary program/s:  ENERGY STAR® version: 8.0 Product category: <b>Display</b> .							
P10	Emissions							
D40.4				SO 9296 (See NOTE		it A mainhtad agund a constant (	21	
P10.1	Mode Idle	Mode desc			*	it A-weighted sound power level, $L_{WA,c}$ (F	3) N/I	
					*			
	Operation Other mode	* HDD: Op		nd pressure level (dB)	/	soition dockton idle)		
	Other mode	$L_{pAm}$	verginea soun	ia pressure level (ub)	(operator po	sition desktop – idle)		
	Other mode	Declared A-w $L_{p{\rm Am}}$	veighted soun	nd pressure level (dB)	(operator po	sition desktop – operating)		
	Measured according to: So 7779 ECMA-74 Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nur	del number * 63A4 / 12BK / 63B9 Logo		Logo	Long	1/0					
Issue date	*	2022/5/10						Lenc	VO.	
Product environmental attributes - Market requirements (continued)								Require	ment	met
Item								Yes	No	n.a.
	Electromagnetic emissions									
P10.4	Compute program	. ,	e requirement for low for	requency el	ectromagnetic field	s of the follo	wing volunta	ry 🔀		
P12	Ergonomics for computing products									
P12.1*	The disp	play meets the ergo	nomic requirements of	ISO 9241-	307 for visual displa	ay technolog	ies.	$\boxtimes$		
P12.2*	. ,		neets the requirements	of ISO 999	95 and ISO 9241-41	0.				$\boxtimes$
P13		ing and document								
P13.1*	Product Product			weight (kg weight (kg weight (kg weight (kg	n): <b>1.07</b> n): <b>0.04</b>					
P13.2*	Product	plastic primary pac	kaging is free from PV	C.						
P13.3*										
P13.4*		media for user and ronic, ⊠Paper, ☐	product documentation Other	n (tick box):						
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:									
	Totally c	hlorine-free						$\square$		
	Elemental chlorine-free									
	Processed chlorine-free									
P14		ry programs								
P14.1	ENERG' TCO Eco-labe	Y STAR®	uirements of the followi Criteria version: 8.0 Criteria version: 9.0 Criteria version:	) =	y program(s): Date: 2022/4/15 Date: 2022/4/15 Date:	Product ca Product ca Product ca	ategory:			
P15		nal information (S								
P9			pecific configuration							
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.									
P9			I Monitors & Displays ov/products/office ed						_	_

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1