

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.							
Type of product *	Notebook						
Commercial name *	Yoga 9 14IAP7/ Yoga Air 14c IAP7						
Model number *	82LU						
Issue date *	2021-12-3						
Intended market *	🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 📃 Americas 📃 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	81LU Logo			
Issue dat	e *	2021-12-3	Lei	lov	
Product	environ	mental attributes - Legal requirements	Requ	remer	t met
Item		•	Ye		n.a.
P1	Hazardo	ous substances and preparations			
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\mathbf{X}$		
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$		
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1, ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.	1-		
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	$\boxtimes$		
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	in the		
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²// al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	week 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$		
P2	Batterie	S			
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposa Information on proper disposal is provided in user manual. (See legal reference)	al 🖂		
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See	legal 🔀		
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)	X		
P3	Conform	nity verification & Eco design (ErP)		<u> </u>	
P3.1*	The proo	duct is CE-marked to show conformance with applicable legal requirements (see legal reference	ce). 🔀 Iress):		
	https://v	www.lenovo.com/us/en/compliance/uk-doc for UK			
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$		
		d information is;	$\boxtimes$		
	https://	www.lenovo.com/us/en/compliance/eco-declaration			
P5		packaging			
P5.1*	0	ng and packaging components do not contain more than 0,01% lead, mercury, cadmiun ent chromium by weight of these together.	n and 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the mate ee legal reference).	erial(s) 🔀		
P5.3*	The prod (see lega	Juct packaging material is free from ozone depleting substances as specified in the Montreal Pr al reference). nt: Legal reference has no maximum concentration values.	otocol 🔀		
P6		nt information			
P6.1*		on for recyclers/treatment facilities is available (see legal reference).			

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	81LU	Logo			
Issue da	te *	2021-12-3	1	Leng	DVO,	н
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		Requirer		net
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n. a.
P7	Design,	Disassembly, recycling				u.
P7.1*		at have to be treated separately are easily separable		$\boxtimes$		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				X
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				$\boxtimes$
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	Ē	X
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly	available tools.		Ē	
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).			Ē	Π
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		$\square$		
P7.8*	Upgradir	ng can be done using commonly available tools				
P7.9	Spare pa	arts are available after end of production for: <b>3</b> years				
P7.10	Service	is available after end of production for: <b>5</b> years				
	Material	and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
	Material					_
P7.12		n materials of external electrical cables are PVC free.		<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	External weight (	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam	romine and 0,1% e retardants, and			
	polyvinyl	l chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i				
		an 25% post-consumer recycled content.				
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all $\Box$ PCBs > 25 g $\triangleright$ ed in IEC 61249-2-21. (See 1NOTE B2)		n 🛛		
P7.16	Marking	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				$\boxtimes$
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			]
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>FR(40</i> ), CAS #:		$\boxtimes$		
	<u>Alt. 2: </u> Cl	hemical specifications of flame retardants in printed circuit boards (without compon	ents) > 25 g			
	accordin	g ISO 1043-4:	, -			
P7.18	Alt. 1					
	Flame r concentr	retarded plastic parts >25g contain the following flame retardant substance rations above 0.1%:	s/preparations ir	ו		
		nt: No legal limits exist, this is a market requirement.				
		ical name: CAS #: ical name: CAS #:				
	Alt. 2					
		al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been			$\boxtimes$
	0	the following Risk phrases; and Hazard statements:				
			ee note B5)			
P7.20*	Postcon	sumer recycled plastic material content is used in the product (See Note B6):		$\boxtimes$		
		at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	nt (calculated as			
	, a p	ercentage of total plastic by weight) is $5.03\%$ .				
	or b) The	e weight of recycled material is g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nur	nber *	81LU				Logo	
Issue date	*	2021-12	-3				Lenovo.
Product	environm	ental at	ttributes - Market	requirements (conti	nued)		Requirement met
Item							Yes No n.a.
			stance requirements				
P7.21*	Biobased	plastic n	naterial content is use	ed in the product (See No	OTE B7):		
	If YES; at	least on	e of the two alternativ	es below shall be answe	ered;		
				, the biobased plastic m	aterial content (calcula	ted as a percentag	e of
	total or	plastic b	y weight) is  0  %	).			
		weiaht of	f the biobased plastic	material is a.			
P7.22*	Light sour	ces are f	free from mercury, i.e	. less than 0,1 mg/lamp.			
	,		specify: Number of la	mps: and maxim	um mercury content pe	er lamp: mg	
P8.1*	Batteries		omposition: LI-ION P	lolumor battory			
P9	-		tion (See NOTE B8)	orymer battery			
P9.1				els or energy consumption	ons are reported:		
Energy mo			Power level at	Power level at	Power level at	Reference/Stand	lard for energy
			100 V AC	115 V AC	230 V AC	modes and test r	method *
Peak (On-I	max)		100 W	100 W	100 W	Full load	
Categor	<u>y 2</u>						
Short Idle	State - WC	)L	6.88 W	6.86 W	7.01 W	Energy Star Co	mputers V8.0
Enabled							
Long Idle	State - WO	L	0.77 W	0.78 W	0.81 W	Energy Star Co	mputers V8.0
Enabled							
Sleep (S3)	- WOL En	abled	0.56 W	0.56 W	0.56 W	Energy Star Co	mputers V8.0
Sleep (S3)	- WOL Dis	abled	0.47 W	0.47 W	0.48 W	Energy Star Co	mputers V8.0
Off (S5) - V	VOL Enabl	led	0.37 W	0.37 W	0.38 W	Reference	
Off (S5) - V	VOL Disab	led	0.35 W	0.35 W	0.35 W	Energy Star Co	mputers V8.0
EPS No-loa			0.054 W	0.054 W	0.054 W		
(External power s wall outlet but disc	upply / charger pl connected from th	ugged in the					
PTEC *			W	W	W		
Typical Ene	ergy Consu	mption				5 (0700/40)	
ETEC * Annual Ene	ergy Consu	mption	21.02 kWh/year	20.96 kWh/year	21.44 kWh/year	$E_{TEC} = (8760/100) + P_{sleep} \times 0.35 + P_{short \ Idle} \times 0.30$	$\begin{array}{c c} D(0) & X & (P_{off} \times 0.25) \\ P_{long_{ldle}} & X & 0.10 \\ \end{array}$
			Poff: Off Mode(S5) - W	/OL Enabled; Psleep: Sleep	Mode(S3) - WOL Enable		WOL Enabled
External Po	ower Supply	y Efficien	cy Level (Internationa	al Efficiency Marking Pro	otocol) * : VI		
Display res	olution * :	<mark>9.216</mark> me	egapixels				
Default time	e to enter e	nergy sa	ave mode: <b>10</b> minutes	i			
P9.2*	Informatio	n about	the energy save func	tion is provided with the	product.	•	
P9.3	Energy ef	ficiency of	class (monitors only):				$\boxtimes$
P10	Emission						
D10.1				to ISO 9296 (See NOTE		it A weighted coup	d nower lovel / (P)
P10.1	Mode Idle		/lode description		* 2.6	ii A-weiginea sound	d power level, <i>L<sub>WA,c</sub></i> (B)
	Operation		Operation		* 4.6		
}	Other mo			nd pressure level (dB) $L_{pAm}$	17.4 (operator positi	tion deskton - id/o)	
	Other mo			nd pressure level (dB) L <sub>pAm</sub>	32.9 (operator posi	tion desktop – opera	ung)
	Measured	accordi		ECMA-74			
			Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nu	mber *	81LU			Logo	Long	
Issue dat	ə *	2021-12-3				Leno	VO
Product	environ	nental attribut	es - Market requirements (co	ntinued)		Requirer	ment m
ltem						Yes	No n
	Electro	nagnetic emissi	ons				
P10.4	program	(s): MPR-II(3 pin	the requirement for low frequency e AC adapter only)	electromagnetic field	s of the following volunt	ary 🔀	
P12	Ergono	mics for comput	ing products				
P12.1*	The disp	play meets the erg	gonomic requirements of ISO 9241	-307 for visual displa	y technologies.	$\square$	
P12.2*	The phy	sical input device	meets the requirements of ISO 99	95 and ISO 9241-41	0.	$\boxtimes$	
P13	Packag	ng and docume	ntation				
P13.1*	Product Product Product Product	packaging mater packaging mater		weight (kg): <b>0.05</b> g): <b>0.030</b> g):			
P13.2*			ackaging is free from PVC.	5/-		$\square$	
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post- consumer recovered fiber content: 90 %						
P13.4*	Specify media for user and product documentation (tick box):						
P13.5	Úser an		s item if paper documentation used entation on paper media is chlorine				
	Element	hlorine-free al chlorine-free					
	Process	ed chlorine-free					
P14		ry programs					
P14.1	The pro	duct meets the re	quirements of the following volunta	ry program(s):			
		Y STAR® el: <b>EPEAT</b> el:	Criteria version: <i>8.0</i> Criteria version: <i>1680.1-2018</i> Criteria version:	Date: <b>2020/7/15</b> Date: Date:	Product category: <b>2</b> Product category: Product category:		
P15		nal information (					
P9			specific configuration may vary,				
	informat knowled	ion contained in t ge available at th I here is approxin	o representations, guarantees, assi his document. All information provide e time of completion, and supplier mate and provided for informational	ded by supplier in th shall have no obliga	is document is provided tion to update such info	based on supp rmation. The info	lier's ormation
P9	See Ene	ergy Star Qualifie	d Notebooks & Tablet Computers fo //index.cfm?fuseaction=find_a_pro				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 9 14IAP7/ Yoga Air 14c IAP7	Logo
Model number *	81LU	
Issue date *	2021-12-3	Lenovo
Additional information		

d)	Year of manufacture:				2022			
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.							
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable							
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)			
	Memory over base [GB]	16						
ients sting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)			
capa appl	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)			
	Category of discrete graphics Card(s)							
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	4.34						
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled							
g)	Idle state power demand (Watts);		I		0.77			
ר)	Sleep mode power demand (Watts);				0.55			
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		0.55			
)	Off mode power demand (Watts);				0.35			
<)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.35			
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):				
	10% 20% 50%	100% Avera	age					
n)	External power supply efficiency (if appli	cable)*:						
	Average active efficiency: 90.68%; 90.8	31%;90.12%; 90.78%						
	*internal note: show values for all available external p							
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to r	otebook computers):	300CYCLES			
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA							
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficience	cy:			

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 50563:2011 measurement methodo		
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode	
	power as defined in	EN 62623:2013 measurement methodo	bloav	
(q)	Sequence of steps for	or achieving a stable condition with respect to power		
(1)		EN 62623:2013 measurement methodo		
(r)	Description of how s	leep and/or off mode was selected or programmed:		
		EN 62623:2013 measurement methodo	blogy	
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or	
	refe	er to power management, 30mins automatically r	eaches sleep mode	
(t)		te condition before the computer automatically re- s not exceed the applicable power demand requirement		10
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (ir	r automatically reaches a power	NA
(v)		re the display sleep mode is set to activate after		10
(w)	Information on the er	nergy-saving potential of power management functio	nality:	
	User informatior	e described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all	
(x)	User information on	how to enable the power management functionality:		
	User information	described in User Guide and Power Manager un programs	ider Lenovo Vantage menu in all	
(z)	Tost parameters for	measurements: — test voltage in V and frequency in	Hz total harmonic distortion of	
(2)	the electricity supply	system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion <2	strumentation, set-up and circuits	
Addition	al Notebook Batter		Ι	
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\mbox{\tiny 1)}}$		
Internal/b	ouilt-in Battery	$\boxtimes$		
External/	detachable Battery			
	kup Battery			
Other:				
Additiona	al information			
		asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител	и	
s baterías de	e este producto no pueden s	er sustituidas fácilmente por los propios usuarios.	IVI.	
		neměli provádět sami uživatelé. teriet/batterierne i dette produkt.		
er Akku/die A	kkus dieses Produkts kann/	können nicht ohne weiteres vom Benutzer selbst ausgetauscht v	verden.	
	a selle toote akut/akusid ise ] στο ποοϊόν αυτό δεν μπορ	ehőlpsasti asendada. ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες		
/les batterie(	s présente(s) dans ce produ	it ne peuvent être facilement remplacée(s) par les utilisateurs eu	ıx-mêmes.	
	že lako zamijeniti Bateriju sa	am u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente.		
etotāji paši ne	evar nomainīt šā ražojuma a	kumulatoru(-us).		
	terijos [baterijų] pats vartoto			
oatterija/batte	eriji f'dan il-prodott ma tistax	elhasználó nem tudja egyedül egyszerűen kicserélni. 'jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.		
atteriet [ene] i	i dette produktet kan ikke let	t erstattes av brukerne selv.		
		e gebruiker niet gemakkelijk vervangbaar. wymienić baterii w tym produkcie.		
ou as bateria	is deste produto não podem	ser facilmente substituídas pelos próprios utilizadores.		
ileria (pateriil		e (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.		
tériu(-ie) v to	omto výrobku nemôže vymie	nat pouzivater.		

Baterii/bateriie v tomio vyrobku nemoże vymienar podzivatei. Baterii/bateriie v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.