



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	ODOVO
e-mail address	Alvin L Carter	Lenovo
	<u>IAUarter@Jenovo.com</u>	
Internet site *	https://www.lenovo.com/us/en/about/sustainability	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	IdeaPad 15 IRU7、IdeaPad 1 15IRU7、IdeaPad 1 15IRU7 1、IdeaPad 1 15IRU7 2
Model number *	83B4
Issue date *	2023-3-17
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model nu	mber *	83B4	Logo	Long	N/0	
Issue date	e *	2023-3-17		Lend	JVC	DH .
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			_	
P1.3"	hydrobro trichloroe concentr	emofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	naximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	he 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). ht: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*	symbol.	educt contains a battery or an accumulator, the battery/accumulator is labeled with to Information on proper disposal is provided in user manual. (See legal reference)	·			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	nium. (See leg	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see leg laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*		luct complies with the Eco design requirements for energy-related products,				
	, ,	al reference).			$\overline{}$	
	Required	I information is; given in item P15 or added to this document,		\boxtimes	Ш	ш
		available at (add URL):				
DE		www.lenovo.com/us/en/compliance/eco-declaration packaging				
P5.1*		packaging ng and packaging components do not contain more than 0,01% lead, mercury	, codmium o	nd 🔽	$\overline{}$	
1 3.1		ent chromium by weight of these together.	, caumum a	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak q$ elegal reference).	of the material	(s) 🔀		
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Nal reference). In the control of the cont	nontreal Proto	col 🔀		
P6		nt information				
P6.1*		on for recyclers/treatment facilities is available (see legal reference).				
1 0.1	morman	on to recycle of the admitted to available (See legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	ımber *	83B4	Logo	Lon	27/6	•
Issue dat	te *	2023-3-17		Len		тн
Product		mental attributes - Market requirements (See General NOTE GN b				
		onmental conscious design		Require		
Item P7		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7.1*		Disassembly, recycling at have to be treated separately are easily separable			$\overline{}$	$\overline{}$
P7.2*		naterials in covers/housing have no surface coating.			X	∺
P7.3*		arts > 100 g consist of one material or of easily separable materials.				∺
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			Ħ	∺
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.		Ħ	Ħ
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ħ	Ħ
	Product	lifetime				
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: plastics Material type: metal				
P7.12		n materials of external electrical cables are PVC free.				$\overline{}$
P7.12		n materials of external electrical cables are PVC free.		-H	\boxtimes	₩
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br	omine and 0.1%			╫
7.14	weight (polyvinyl	chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	retardants, and		Ш	
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ☑ PCBs > 25 g ☐ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloger			
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				
		(additive), TBBPA (reactive) (See NOTE B3), Other: bisphenol A/tetrab	promobispheno	' <u> </u>		_
	A/epichi	lorohydrin polymer, CAS #: 26265-08-7				
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1					
		etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	/preparations in	l		
		ical name: CAS #:				
		ical name: CAS #:				
		ical name: CAS #: ical name: , CAS #:				
	Alt. 2					
	Chemica FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; confidential and Hazard statements: H411;H41 rec(s) for these classifications is/are found at (add URL(s)): European Counce (See note B5)	3			
P7.20*		sumer recycled plastic material content is used in the product (See Note B6):			\boxtimes	
	a) Of t	it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content lated as a percentage of total plastic by weight) is 2.07%.	(c2022-3-			
	or b) The	weight of recycled material is 12.62 g.				
L	<i>ν)</i> ΠΙΕ	woight of recyclou material is 12.02 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	83B4	Logo	Lanova
Issue date *	2023-3-17		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requi	remen	it met
Item	Yes	No	n.a.

	Material and subs	tance requirements	(continued)			
P7.21*	Biobased plastic m	aterial content is used	d in the product (See N	IOTE B7):		
	a) Of total plast				c2022-3-21ulated as a	
		the biobased plastic r	material is g.			
P7.22*	Light sources are f		less than 0,1 mg/lamp	o. num mercury content p	per lamp: mg	
P8	Batteries					
P8.1*	•	•	olymer battery and lit	hium-metal battery		
P9		tion (See NOTE B8)				
P9.1		following power level Power level at	ls or energy consumpt Power level at	ons are reported: Power level at	Reference/Standard for energy	
Energy mod	ie .	100 V AC	115 V AC	230 V AC	modes and test method *	\boxtimes
Peak (On-n	nax)	65 W	65 W	65 W	Full load	
Category	<u>/ 1</u>					
Short Idle S Enabled	State - WOL	4.73 W	4.70 W	4.75 W	ENERGY STAR Computers V8	
Long Idle S Enabled	State - WOL	1.39 W	1.34 W	1.37 W	ENERGY STAR Computers V8	
Sleep (S3)	- WOL Enabled	1.39W	1.34W	1.37W	ENERGY STAR Computers V8	
Off (S5) - W	VOL Enabled	0.18 W	0.19 W	0.24 W	ENERGY STAR Computers V8	
EPS No-loa (External power su wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.068 W	0.065W	0.068W	Reference	
PTEC * Typical Ene	ergy Consumption	W	W	W		
ETEC * Annual Ene	rgy Consumption	18.31 kWh/year	18.05 kWh/year	18.4 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_Idle} x 0.10+ P _{short_Idle} x 0.30)	
		Poff: Off Mode(S5) - Wo	OL Enabled; P _{sleep} : Slee	p Mode(S3) - WOL Enab	led; P _{idle} : Idle State - WOL Enabled	
Category	<u>/ 2</u>					
Short Idle S Enabled	State - WOL	4.33 W	4.28 W	4.47 W	ENERGY STAR Computers V8	
Long Idle S Enabled	State - WOL	0.94 W	0.93 W	1 W	ENERGY STAR Computers V8	
Sleep (S3)	- WOL Enabled	0.94W	0.93W	1W	ENERGY STAR Computers V8	
` ′	VOL Enabled	0.17 W	0.17 W	0.23 W	ENERGY STAR Computers V8	
	ad upply / charger plugged in the connected from the product.)	0.068 W	0.067W	0.068W	Reference	
PTEC * Typical Ene	ergy Consumption	W	W	W		
ETEC * Annual Ene	rgy Consumption	15.47 kWh/year	15.27 kWh/year	16.17 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+ P _{short Idle} x 0.30)	
		P _{off} : Uπ Mode(S5) - W	UL Enableα; P _{sleep} : Slee	p wode(53) - WOL Enab	led; Pidle: Idle State - WOL Enabled	

NOTE B7 The following is to be excluded from the c2022-2-7ulation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $\underline{\text{see }\underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

External P	ower Supply Effic	iency Level (International Efficiency Marking Prote	ocol) * : VI		
Display res	solution * : 2.074 n	negapixels			_
Default tim	e to enter energy	save mode: 5 minutes			_
P9.2*	Information abo	out the energy save function is provided with the p	roduct.		_
P9.3	Energy efficiend	cy class (monitors only):			
P10	Emissions				
	Noise emission	n - Declared according to ISO 9296 (See NOTE I	39)		
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L _{WA,c} (B)	
	Idle	* Idle (Operating)	* 2.6		_
	Operation	* HDD:Operation	* N/A		
		CPU:Operation	4.5		
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$			
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	34.7 (operator position	on desktop – operating)	
	Measured acco	rding to: ISO 7779 ECMA-74			
İ		Other (only if not covered by E	ECMA-74)		

Model nur	nber *	83B4			Logo	Long	1/0	
Issue date	*	2023-3-17				Leno	VO.	
Product	environr	nental attributes	- Market requirements (continued)		Require	ment	met
Item				•		Yes	No	n.a.
		nagnetic emission:						
P10.4	program	(s): MPR-II(3 pin AC		cy electromagnetic field	ls of the following volunta	ıry 🔀		
P12		mics for computing						
P12.1*		,	omic requirements of ISO 92	<u>'</u>	, ,			
P12.2*	The phys	sical input device me	eets the requirements of ISO	9995 and ISO 9241-41	10.	\square		
P13		ng and documenta						
P13.1*	Product Product Product Product	packaging material t packaging material t packaging material t packaging material t	ype(s): Corrugated single type(s): Ppaer-from offset / ype(s): Corrugated single type(s): Solid EPE (solid Exype(s): LDPE (low density ype(s): PP (polypropylene)	recycled source wall weight (kg): 0.044 rpanded polyethylene, polyethylene)weight (k				
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*	consume	er recovered fiber co	ated fiberboard packaging, ntent: 100 %	. ,	percentage of minimum	post-		
P13.4*		media for user and p ic ⊠, Paper ⊠, O	roduct documentation (tick ther	pox):				
P13.5	Ùser and		em if paper documentation u ation on paper media is chlor					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1			rements of the following volu	intary program(s):				
	ENERG' Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020-04 Date: Date:	Product category: 1&2 Product category: Product category:	!		
P15		nal information (Se						
<i>P</i> 9			ecific configuration may v					
P9	the info supplier informa Accoun	rn ation contained r's knowledge avail tion. The information t Representative fo	representations, guarante in this document. All infon lable at the time of comple on provided here is approv ir more information. Notebooks & Tablet Comp	mation provided by su tion, and supplier sha cimate and provided fo	upplier in this document Il have no obligation to or informational purpos	t is provided update such	based	lon
LA.			Notebooks & Tablet Comp s://www.energystar.gov/pro					
	qs.ii/dC	oudorerrerrittps	gyotangov/pro		on partition			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad 1 15IRU7	Logo
Model number *	83B4	Lonovo
Issue date *	2023-3-17	Lenovo
Additional information		·

d)	Year of manufacture:			202	2
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	5.61			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				1.42
ר)	Sleep mode power demand (Watts);				0.52
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.52
)	Off mode power demand (Watts);				0.27
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.27
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	-
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 91.83%; 89.5	56%;89.63%			
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA				
p-2)	Measurement methodology used to dete	ermine information men	ntioned in points (m) –	external PSU efficience	cv.

(p-3)	p-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 61960 measurement methodology				
(p-4)	4) Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:				
	EN 62623:2013 measurement methodology				
(q)	(q) Sequence of steps for achieving a stable condition with respect to power demand::				
	EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:				
	В	y selecting sleep and/or off mode thru Windows	operating system		
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:				
	refe	er to power management, 10mins automatically re	eaches sleep mode		
(t) Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):				5	
(u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):				NA	
(v) Length of time before the display sleep mode is set to activate after user inactivity (in minutes):			5		
(w) Information on the energy-saving potential of power management functionality:					
User information described in User Guide and Power Manager under IdeaPad 1 15IAU7 menu in all programs					
(x) User information on how to enable the power management functionality:					
User information described in User Guide and Power Manager under IdeaPad 1 15IAU7 menu in all programs					
(z) Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of					
the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing: 230V, 50GHz, Total Harmonic Distortion <2 %					
Additional Notebook Battery Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a	
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)			
Internal/built-in Battery					
External/detachable Battery					
Bios Backup Battery					
Other:					
Additional information					
)					

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.