



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	1 . <u> </u>
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	http://www.lenovo.com/social_responsibility/us/en/environment	.html
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.						
Type of product *	Tablet Computer with Keyboard					
Commercial name *	Lenovo IdeaPad Duet 3 11IAN8					
Model number *	82XK					
Issue date *	2023-3-30					
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

xModel num	iber *	82XK	Logo	Lend	N/0	
Issue date *		2023-3-30		Leik		тн
Product en	vironr	nental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
		us substances and preparations				
		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
		do not contain Asbestos (see legal reference). t: Legal reference has no maximum concentration value.				
		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes		
		mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride, 1,1,1-		ш	
		thane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated	\boxtimes		
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl	oon atoms in t	the 🔀		
cł		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	Join Glorilo III		Ш	
		n direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/we	ek 🔀		
		I reference).				
		t: Max limit in legal reference when tested according to EN1811:2011-5.				
		Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	ш
P2 B	atteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with t nformation on proper disposal is provided in user manual. (See legal reference)	the disposal			
		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See leg	jal 🔀		П
	eference	,				
P2.3* B	atteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
		ity verification & Eco design (ErP)				
		uct is CE-marked to show conformance with applicable legal requirements (see leg aration of Conformity can be requested at (add link or e-mail address):	gal reference)	. 🛛		
		ww.lenovo.com/us/en/compliance/eu-doc for EU;				
		ww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2* TI	he prod	uct complies with the Eco design requirements for energy-related products,		\boxtimes		
,	•	I reference).				
R	equired	information is; given in item P15 or added to this document,		\boxtimes	Ш	ш
		available at (add URL):				
		ww.lenovo.com/us/en/compliance/eco-declaration				
		packaging g and packaging components do not contain more than 0,01% lead, mercur	, andmium s	and M		
		g and packaging components do not contain more than 0,01% lead, mercury nt chromium by weight of these together.	y, cadmium a	and 🔀		
		aging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	l(s)		
P5.3* TI	he prod	uct packaging material is free from ozone depleting substances as specified in the N I reference).	Montreal Proto	col 🔀		
C	ommen	r reference). t: Legal reference has no maximum concentration values.				
		nt information				
P6.1* In	formatio	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	mber *	82XK	Logo	Lon	01/0	
Issue dat	e *	2023-3-30		Len) _{TH}
Product	- Enviro	mental attributes - Market requirements (See General NOTE GNonmental conscious design	below)	Require	ment i	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		t have to be treated separately are easily separable			<u>Ц</u>	Щ.
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
D7 7*	Product			<u> </u>		
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	<u> </u>
P7.8*		ng can be done using commonly available tools		\boxtimes		Ц.
P7.9		arts are available after end of production for: 5 years				Ц_
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements				
P7.11	Material Material Material	type: PC+ABS+Talc15% Material type: PC+20%GF Materia	al type: PC+30% al type: PC+10% al type: PA9T+4	GF .		
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulation	n materials of internal electrical cables are PVC free.				
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bi 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, an	% 🔀 d		
P7.15		circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ⊠ ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🛚		
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	TBBF	PA (additive), TBBPA (reactive) (See NOTE B3), ,XOther: DOPO , CAS #: 359 4	48-25-5	\boxtimes	Ш	
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: $FR(40)$	ents) > 25 g			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations i	n		
	1. Chem 2. Chem	ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: FR(40)			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which				
	assigned	I the following Risk phrases; and Hazard statements:		_	_	
		rce(s) for these classifications is/are found at (add URL(s)): , (See note	e B5)			
P7.20*	If YES; a	sumer recycled plastic material content is used in the product (See Note B6): It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 21.24%.	t (calculated as			
	b) The	weight of recycled material is 41.07 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82XK	Logo	Lenovo
Issue date *	2023-3-30		Leliovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

Material and substance requirements (continued) P7.21* Biobased plastic material content is used in the product (See NOTE B7):	
If YES; at least one of the two alternatives below shall be answered;	X L
a) Of total plastic parts, weight > 25 g, the biobased plastic material content (calculated as a percentage of	
total plastic by weight) is %.	
or	
b) The weight of the biobased plastic material is g.	
P7.22* Light sources are free from mercury, i.e. less than 0,1 mg/lamp.	
If mercury is used specify: Number of lamps: and maximum mercury content per lamp: mg P8 Batteries	
P8.1* Battery chemical composition: <i>LI-ION Polymer</i>	
P9 Energy consumption (See NOTE B8)	
P9.1 For the product the following power levels or energy consumptions are reported:	
Energy mode * Power level at Power level at Reference/Standard for energy mode *	gy
100 V AC 115 V AC 230 V AC modes and test method *	
Peak (On-max) W W Full load	
Category 1	
Short Idle State - WOL 4.40 W 4.39 W 5.02 W ENERGY STAR Computers Vol	3
Enabled (P _{idle})	
Long Idle State - WOL 2.64 W 2.48 W 2.27 W ENERGY STAR Computers Vo	3
Enabled (Pide)	
Sleep (S3) - WOL Disabled 0.49 W 0.5 W ENERGY STAR Computers Vi	3
Off (S5) - WOL Disabled 0.4 W 0.4 W 0.41 W ENERGY STAR Computers Vo	3
EPS No-load 0.098 W 0.098 W 0.098 W	
(External power supply / charger plugged in the wall outlet but disconnected from the product.)	
ETEC * 1: 16.27 kWh/year 1: 16.08 kWh/year 1: 17.62 kWh/year E _{TEC} = (8760/1000) x (P _{off} x 0.2	5
Annual Energy Consumption + P _{sleep} x 0.35 + P _{long_Idle} x 0.10	+ _
P _{short Idle} x 0.30) P _{off} : Off Mode(S5) - WOL Enabled; P _{sleep} : Sleep Mode(S3) - WOL Enabled; P _{idle} : Idle State - WOL Enabled	
External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI	
Display resolution *: 2.4 megapixels	
	-
Default time to enter energy save mode: 5 minutes P9.2* Information about the energy save function is provided with the product.	_
[
P9.3 Energy efficiency class (monitors only):	
P10 Emissions Noise emission – Declared according to ISO 9296 (See NOTE B9)	
P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L	(B)
Idle * Idle * 2.5	-WA,c (D)
Operation * CPU Operating * 2.6	H
Other mode	
$L_{p{\sf Am}}$	
Other mode $Declared A$ -weighted sound pressure level (dB) 17.5 (operator position desktop – operating) $L_{p,Am}$	
Measured according to: SISO 7779 ECMA-74	
Other (only if not covered by ECMA-74)	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nui	nber *	82XK					Logo	Long	W/0	
Issue date	*	2023-3-30						Lenc	, VO ,	
Product	environn	nental attributes	- Market requiren	nents (con	tinued)			Require	ment	met
Item				•	-			Yes	No	n.a.
	Electron	magnetic emission	S							
P10.4	program	(s): MPŔ-II	requirement for low	frequency el	ectromagnetic field	s of the foll	lowing voluntary	/		
P12		mics for computing							<u></u> _	
P12.1*	-		omic requirements o		•	-	gies.	\boxtimes		
P12.2*	The phys	sical input device m	eets the requirement	s of ISO 999	5 and ISO 9241-41	0.				
P13		ng and documenta								
P13.1*	Product Product Product Product Product Product	packaging material packaging material packaging material packaging material packaging material packaging material packaging material	type(s): LDPE Bag type(s): type(s):	ugated Sing ion weight (kg weight (kg weight (kg weight (kg	gle wall weight (k weight (kg): 0.0533): 0.0108): 0.002):	(g): 0.2022 (g): 0.0406 3				
P13.2*			aging is free from P\							<u>Ц</u>
P13.3*	consume	er recovered fiber co			·	percentage	of minimum p	ost-		
P13.4*			product documentation Other	on (tick box):						
P13.5	Ùser and		em if paper documer ation on paper media							
	Element	hlorine-free al chlorine-free ed chlorine-free								
P14		ry programs								
P14.1	The prod	duct meets the requi	rements of the follow	ing voluntar	y program(s):					
		Y STAR®	Criteria version: 8.0	0	Date: 2023/2/17		category: 1			
	Eco-labe		Criteria version:		Date:		category:			
D45	Eco-labe		Criteria version:		Date:	Product	category:			
P15 P9		nal information (Se			description of the	tootod nr	aduat aanfiauu	otion		
rs	NOTE: S the info supplier informa Accoun	Supplier makes no rmation contained r's knowledge avai tion. The informati t Representative fo	ecific configuration representations, gu in this document. A lable at the time of on provided here is or more information	iarantees, a All informati completion, approxima	ssurances or war on provided by su and supplier sha te and provided fo	ranties wh upplier in t II have no or informa	ether express his document obligation to u	or implied, is provided ipdate such	based	on
P9			Notebooks & Table							_
	http://w	ww.energystar.gov	<u>/index.cfm?fuseact</u>	ion=find_a_	product.showPro	ductGroup	p&pgw_code=	CO		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing
 Directive 2009/125/EC of the European Parliament and of the Council with regard to
 ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Duet 3 11IAN8	Logo
Model Number	82XK	
Product Type	Notebook Computer	Lenovo
Issue Date	2023-3-30	
Additional information		

	roduct environmental attributes		
(1)	year of manufacture:		2023
(2)	Network Standby Classification	LoNA Equipment	
	Off Mode Power (Watts)	0.4 Watts	
	Standby Mode	Watts ☑Mode Not Applicable	
		minutes Default Delay Time	
	Description of how to enable Network Standby Mode	Included in the User Manual	
	Description of how to manually enter Network Standby Mode	Included in the User Manual	
	Default Delay time to Network Standby Mode	5.0 minutes	
	Reactivation Function from Network Standby Mode	Included in the User Manual	
			_

	Network Port	Wired Ethernet	Wireless Ethernet	USB-A	USB-C	HDMI	BlueTooth	Other:	
	Present in Product								
	Activated at Shipment								
	Active in Network Standby Mode								
	Location of Network Port	Choose	N/A	Choose	Choose	Choose	Choose	Choose	
	Network Port Maximum Performance	GB/s	0.2 GB/s	GB/s	GB/s	GB/s	GB/s	GB/s	
	Network Protocol		802.11abgn +ac+ax with wi-Fi 6e						
	Network Standby Mode Power	Watts	0.5 Watts	Watts	Watts	Watts	Watts	Watts	
	Network Standby Power – All Connections				0.5 Watts				
(4)	Test parameters for r	neasurements,							
	ambient temperat	ure,		2	2.8 degrees Cels	ius			
	test voltage in V a	nd frequency ir	ı Hz,	2	230 V / 50 Hz				
	total harmonic dis	tortion of the e	lectricity supply	, 0					
	, · ·				.07%				
	information and d	ocumentation	on the		.07%				
	information and d instrumentation, s testing			ctrical	.07%				
(5)	instrumentation, s	et-up and circu	uits used for ele	ctrical	.07%				
(5)	instrumentation, s testing External power suppl Model	y efficiency (if ap Output Voltage	pplicable)*: Output Current	Output Power	Average Active Efficiency	10% Load Efficiency	/ Power	•	
(5)	instrumentation, s testing External power suppl	y efficiency (if ap Output Voltage 20 V	oplicable)*: Output Current 2.25 A	Output Power 45 W	Average Active		Power 0.140 V	V	
(5)	instrumentation, s testing External power suppl Model	y efficiency (if ap Output Voltage	oplicable)*: Output Current 2.25 A A	Output Power	Average Active Efficiency	Efficiency	Power 0.140 V	V W	
(5)	instrumentation, s testing External power suppl Model	y efficiency (if ap Output Voltage 20 V V V	oplicable)*: Output Current 2.25 A	Output Power 45 W W W	Average Active Efficiency	Efficiency	0.140 V	V	
(5)	instrumentation, s testing External power suppl Model	y efficiency (if ap Output Voltage 20 V V	oplicable)*: Output Current 2.25 A A A	Output Power 45 W W	Average Active Efficiency	Efficiency	9 Power 0.140 V	V V V	
(5)	instrumentation, s testing External power suppl Model	y efficiency (if ap Output Voltage 20 V V V V	oplicable)*: Output Current 2.25 A A A A	Output Power 45 W W W	Average Active Efficiency	Efficiency	9 Power 0.140 V	V W W	
(5)	instrumentation, s testing External power suppl Model ADLX45YDC3D	y efficiency (if ap Output Voltage 20 V V V V V 50Hz	oplicable)*: Output Current 2.25 A A A A A Betermine informa	Output Power 45 W W W W	Average Active Efficiency 89% ed in points (5) –	Efficiency 89%	Power 0.140 k	V W W	
(6)	instrumentation, s testing External power suppl Model ADLX45YDC3D *Values are tested at 230V /	y efficiency (if ap Output Voltage 20 V V V V V 50Hz	oplicable)*: Output Current 2.25 A A A A A Betermine informa	Output Power 45 W W W W W ation mentione	Average Active Efficiency 89% ed in points (5) –	Efficiency 89%	Power 0.140 k	V W W	