



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	IdeaPad Flex 5 14IRU8 / Lenovo Flex 7 14IRU8
Model number *	82Y0,82Y2
Issue date *	2023/1/12
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nu	mber *	82Y0,82Y2	Logo	Long	10	
Issue dat	e *	2023/1/12		Lenov	/ U _M	
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item		<u> </u>		Yes	No	n.a.
P1	Hazardo	ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		s do not contain Asbestos (see legal reference).				
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			_	
•	hydrobro trichloro concentr	omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no material reference has no material reference.	naximum			
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in	the 🔀		
P1.6*	Parts wit	th direct and prolonged skin contact do not release nickel in concentrations above Cal reference). In the contract of the cont),5 μg/cm²/we	eek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC	contact):			
P2	Batterie	s				
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the Information on proper disposal is provided in user manual. (See legal reference)	the disposal	\boxtimes		
P2.2*		or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	nium. (See le	gal 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\square		
P3	Conform	nity verification & Eco design (ErP)				
P3.1*	The prod The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal legal requirements) laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference). 🔀		
P3.2*		duct complies with the Eco design requirements for energy-related products,		\square		П
		al reference).			_	
	Required	d information is; given in item P15 or added to this document,			Ш	\sqcup
		available at (add URL):				- 1
D.F.		www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging	, andreitier	and M	_	
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature ϵ be legal reference).				
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference).	Montreal Prote	ocol 🔀		
		nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Information for recyclers/treatment facilities is available (see legal reference).

P6.1*

Model number * Issue date *	82Y0,82Y2 2023/1/12	Logo	Lend	OVO) _{tH}
	mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	ment	met
Item *=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a

Produc		Require	ment	met
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design, Disassembly, recycling			
P7.1*	Parts that have to be treated separately are easily separable		_Ц	
P7.2*	Plastic materials in covers/housing have no surface coating.			
P7.3*	Plastic parts > 100 g consist of one material or of easily separable materials.	\boxtimes		
P7.4*	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.	\boxtimes		
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	\boxtimes		
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	\boxtimes		
	Product lifetime			
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	\boxtimes		
P7.8*	Upgrading can be done using commonly available tools	\boxtimes		
P7.9	Spare parts are available after end of production for: 5 years			
P7.10	Service is available after end of production for: 5 years			
	Material and substance requirements			
P7.11*	Product cover/housing material type (e.g. plastics, metal, aluminum):			
D7.40	Material type: PC+GF Material type: ABS+PC Material type:			
P7.12	Insulation materials of external electrical cables are PVC free.		Щ.	
P7.13	Insulation materials of internal electrical cables are PVC free.		<u>Ц</u>	Щ.
P7.14	External plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts containing more than 25% post-consumer recycled content.			
P7.15	Printed circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g are low halogen as defined in IEC 61249-2-21. (See 1NOTE B2)			
P7.16	Flame retarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: Marking: FR(40)			
P7.17	Alt. 1: Chemical specifications of flame retardants in printed circuit boards > 25 g (without components):	-		
	☐TBBPA (additive), ☐TBBPA (reactive) (See NOTE B3), ☒ Other: DOPO , CAS #: 35948-25-5	\boxtimes		
	Alt. 2: Chemical specifications of flame retardants in printed circuit boards (without components) > 25 g according ISO 1043-4: FR(40)	\boxtimes		
P7.18	Alt. 1: Flame retarded plastic parts > 25 g contain the following flame retardant substances/preparations in			
7.10	concentrations above 0,1%: 1. Chemical name: <i>Bisphenol A diphosphate</i> , CAS #: <i>181028-79-5</i> 2.			
	Alt. 2: Chemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: FR(40)			
P7.19	In plastic parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been assigned the following Risk phrases; <i>R52</i> and Hazard statements: H413 The source(s) for these classifications is/are found at (add URL(s)): List of R-phrases - Wikipedia, GHS			
P7.20*	Hazard Statements - List. Codes & Implementation BRADY (bradyid.com), (See note B5) Postconsumer recycled plastic material content is used in the product (See Note B6):			
1 7.20	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the postconsumer recycled plastic material content (calculated as a percentage of total plastic by weight) is 2.76%. or b) The weight of recycled material is 13.87g			
L	b) The weight of recycled material is 13.07g			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82Y0,82Y2	Logo	Lonovo
Issue date *	2023/1/12		LEI IOVO.

Product environmental attributes - Market requirements (continued)	Requir	emen	t met
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic n	naterial content is used	d in the product (See N	OTE B7):		
	a) Of total plasti		es below shall be answe the biobased plastic m		ted as a percentage of	
		f the biobased plastic r	material is g.			
P7.22*	Light sources are	free from mercury, i.e.	less than 0,1 mg/lamp.		\boxtimes	
		specify: Number of lar	mps: and maxim	um mercury content pe	er lamp: mg	
P8 P8.1*	Batteries	omnocition: Lithium L	on/Lithium Manganes	o Diovido		
P9		•	Un/Litinum manganes	e Dioxide		
P9.1		tion (See NOTE B8)	s or energy consumption	ons are reported:		
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	4.224 W	4.212 W	4.248 W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle Enabled	State - WOL	2.088 W	2.004 W	2.076 W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)	- WOL Disabled	0.252 W	0.288 W	0.276 W	ENERGY STAR Computers V8	
Off (S5) - I	WOL Disabled	0.156 W	0.156 W	0.156 W	ENERGY STAR Computers V8	
ETEC *(2) Annual En	ergy Consumption	14.04 Wh/year	14.05 kWh/year	14.17 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)	
					ed; P _{idle} : Idle State - WOL Enabled	
External P	ower Supply Efficier	ncy Level (Internationa	I Efficiency Marking Pro	otocol) *: VI		
Display res	solution * : 3.136 me	egapixels				
Default tim	e to enter energy sa	ave mode: 10 minutes				
P9.2*	Information about	the energy save functi	on is provided with the	product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
			ISO 9296 (See NOTE			
P10.1		Node description			t A-weighted sound power level, $L_{WA,c}$ (<u>(B)</u>
		Idle mode		* 1.9		<u>Ц</u>
	Operation *	Operating (CPU)		* 3.3		
			d pressure level (dB) $L_{p m Am}$	21.6 (operator posit	tion desktop – idle)	
			d pressure level (dB) $L_{p{ m Am}}$	34.8 (operator posit	tion desktop – operating)	
	Measured accordi	ng to: X ISO 7779 COTHER	ECMA-74 (only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Product environmental attributes - Market requirements (continued) Requirement met	Model numb	er *	82Y0,82Y2				Logo	Long	VO	
Electromagnetic emissions	Issue date *		2023/1/12					Lelio	VO,	
P10.4 Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MRP-II(3 pin AC adapter only) P12 Ergonomics for computing products	Product en	vironm	ental attributes	- Market requirements (c	ontinued)			Require	ment	met
Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program(s): MPR-II(3 pin AC adapter only)	Item							Yes	No	n.a.
program(s): MPR-II(3 pin AC adapter only) P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Single layer corrugated paper Product packaging material type(s): Single layer corrugated paper Product packaging material type(s): LDPE weight (kg): 0.0326 Product packaging material type(s): LDPE weight (kg): 0.0039 Product packaging materi										
P12.1* The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies. □ P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. □ P3.1* Packaging and documentation P13.1* Product packaging material type(s): Single layer corrugated paper Product packaging material type(s): Single layer corrugated paper Product packaging material type(s): Single layer corrugated paper Product packaging material type(s): LDPE Weight (kg): 0.089 Product packaging material type(s): LDPE Weight (kg): 0.089 Product packaging material type(s): LDPE Weight (kg): 0.0039 P13.2* Product plastic primary packaging is free from PVC. □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	р	rogram(s): MPŔ-II(3 pin A(C adapter only)	electromagnetic fields	of the foll	owing voluntary	′ 🗵		
P12.2* The physical input device meets the requirements of ISO 9995 and ISO 9241-410. P13.1* Product packaging material type(s): Single layer corrugated paper weight (kg): 0.2555 Product packaging material type(s): Single layer corrugated paper weight (kg): 0.0326 Product packaging material type(s): LDPE weight (kg): 0.089 Product packaging material type(s): LDPE weight (kg): 0.0135 Product packaging material type(s): LDPE weight (kg): 0.0135 Product packaging material type(s): Tacing paper weight (kg): 0.0326 Product packaging material type(s): Tracing paper weight (kg): 0.039 Product packaging material type(s): Tracing paper weight (kg): 0.039 Product packaging material type(s): Tracing paper weight (kg): 0.039 Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70% P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14.1 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: Product category: Criteria version: Date: Product category: Date: Product category: Product category: Product category: Date: Product category:										
P13.1* Product packaging material type(s): Single layer corrugated paper weight (kg): 0.2555 Product packaging material type(s): Single layer corrugated paper weight (kg): 0.0326 Product packaging material type(s): LDPE weight (kg): 0.089 Product packaging material type(s): LDPE weight (kg): 0.089 Product packaging material type(s): LDPE weight (kg): 0.0039 Product packaging material type(s): Tacing paper weight (kg): 0.0039 Product packaging material type(s): Tacing paper weight (kg): 0.0039 Product packaging material type(s): Tacing paper weight (kg): 0.0039 Product packaging material type(s): Tacing paper weight (kg): 0.0039 Product packaging material type(s): Tacing paper weight (kg): 0.0039 Product plastic primary packaging is free from PVC. P13.2* Product plastic primary packaging is free from PVC. P13.4* Specify media for user and product documentation (tick box): □ Lectronic. □ Paper. □ Other P13.4* Specify media for user and product documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: Product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: Date: Product category: 2 Eco-label: Criteria version: Date: Product category: Product category: Product category: 2 Eco-label: Criteria version: Date: Product category: Product category: 2 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information is pr				•			gies.			
P13.1* Product packaging material type(s): Single layer corrugated paper Product packaging material type(s): LDPE weight (kg): 0.099 Product packaging material type(s): LDPE weight (kg): 0.0099 Product packaging material type(s): LDPE weight (kg): 0.0135 Product packaging material type(s): LDPE weight (kg): 0.0135 Product packaging material type(s): Tracing paper Weight (kg): 0.0039 P13.2* Product packaging material type(s): Tracing paper Weight (kg): 0.0039 P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70% P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5* (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: 2 Eco-label: Criteria version: Date: Product category: Product category: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Product category: P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier in this document is		he phys	ical input device me	eets the requirements of ISO 9	9995 and ISO 9241-410).		\boxtimes		
Product packaging material type(s): Single layer corrugated paper weight (kg): 0.0326 Product packaging material type(s): LDPE weight (kg): 0.0135 Product packaging material type(s): LDPE weight (kg): 0.0135 Product packaging material type(s): Tracing paper weight (kg): 0.0039 P13.2* Product plastic primary packaging is free from PVC. P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70% P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Processed chlorine-free Processed chlorine-free Processed chlorine-free P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: Eco-label: EPEAT Criteria version: Date: Product category: Eco-label: EPEAT Criteria version: Date: Product category: Eco-label: For specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.										
P13.3* For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 70% P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other	P P	Product p Product p Product p	packaging material t packaging material t packaging material t	type(s): Single layer corrugal type(s): LDPE weight type(s): LDPE weight	ted paper weight (kg (kg): 0.089 (kg): 0.0135					
consumer recovered fiber content: 70% P13.4* Specify media for user and product documentation (tick box): Electronic, Paper, Other P13.5 (Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free Processed chlorine-free Elemental chlorine-free Processed chlorine-free Proce	P13.2* P	Product p	lastic primary pack	aging is free from PVC.				\boxtimes		
Placetronic, Paper, Other	С	onsume	r recovered fiber co	ontent: 70%	•	ercentage	of minimum p	ost-		
User and product documentation on paper media is chlorine-free: If Yes, please specify: Totally chlorine-free Elemental chlorine-free Processed chlorine-free ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: Product category: Eco-label: Criteria version: Date: Product category: Product					x):					
Elemental chlorine-free Processed chlorine-free P14 Voluntary programs P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Eco-label: Product category: Eco-label: Product category: P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	ĺ	Jser and	product documenta							
P14.1 The product meets the requirements of the following voluntary program(s): ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: Product categor	E	Elementa	l chlorine-free							
ENERGY STAR® Criteria version: V8.0 Date: 2022/12/26 Product category: 2 Eco-label: EPEAT Criteria version: Date: Product category: Product category: Criteria version: Date: Product category: Product category: Product category: P15 Additional information (See NOTE B10) P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	P14 V	/oluntar	y programs							
Eco-label: EPEAT Criteria version: Date: Product category: Eco-label: Criteria version: Date: Product category: Product	P14.1 T	he prod	uct meets the requi	rements of the following volun	tary program(s):					
P9 Energy consumption of specific configuration may vary; description of the tested product configuration: NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:	E	co-label	: EPEAT :	Criteria version: Criteria version:	Date:	Product of	category:			
NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information. P9 See Energy Star Qualified Notebooks & Tablet Computers for the latest information:										
	N ti s	NOTE: S he infor supplier nformat	upplier makes no mation contained 's knowledge avai ion. The informati	representations, guarantees in this document. All inform lable at the time of completion on provided here is approxii	s, assurances or warr ation provided by sup on, and supplier shall	anties wh oplier in t have no	ether express his document l obligation to u	or implied, r is provided l pdate such	based	on
							o&pgw_code=(co		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	IdeaPad Flex 5 14IRU8 / Lenovo Flex 7 14IRU8	Logo	
Model Number	82Y0,82Y2		Lonovo
Issue Date	2023/1/12		Lenovo.
Additional information			·

d)	year of manufacture:				2022	
)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are	
)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when a	all discrete graphics o	cards (dGfx) are	
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)	
	Memory over base [GB]	16				
ents ting	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)	
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)	
	Category of discrete graphics Card(s)					
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	6.52				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled					
g)	Idle state power demand (Watts);	1			2.076	
1)	Sleep mode power demand (Watts);				0.276	
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.276	
)	Off mode power demand (Watts);				0.156	
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.156	
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):		
	10% 20% 50%	100% Avera	age			
n)	external power supply efficiency (if appli	cable)*:				
	Average active efficiency: 89.5% - 65W A	dapter				
	*internal note: show values for all available external p					
0)	Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers):					
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA					
p-2)	Measurement methodology used to dete	ermine information men	ntioned in points (m) –	external PSU efficience	CV:	

(p-3)	Measurement metho	dology used to determine information mentioned in p EN 61960 measurement methodology		
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:			
		EN 62623:2013 measurement methodo	ology	
(q)	Sequence of steps for achieving a stable condition with respect to power demand::			
EN 62623:2013 measurement methodology				
(r)	Description of how sleep and/or off mode was selected or programmed:			
Based on user manual				
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:			
		Based on user manual		
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):			10 minutes
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):			
(v)				10 mins
(w) Information on the energy-saving potential of power management functionality:				70 111110
Based on user manual				
(x) user information on how to enable the power management functionality:				
Based on user manual				
(z)	test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:			
230V, 50GHz, Total Harmonic Distortion <2 %				
Additional Notebook Battery Information:				
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)		
Internal/built-in Battery				
External/detachable Battery				
Bios Backup Battery				
Other:				
Additional information				
<u> </u> 				
<i>)</i> he battervlies	al in this product cannot be e	asily replaced by users themselves.		

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuottéen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.