



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo)		
Company name *	Lenovo		_		
Contact information *	Lenovo Global Environmental Affairs	1			
e-mail address Alvin L Carter			Lenovo		
	<u>alcarter@lenovo.com</u>				
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	IdeaPad Pro 5 16IRH8, XiaoXin Pro 16 IRH8				
Model number *	83AQ				
Issue date *	2023-1-11				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model no	umber *	83AQ Lo	go	one	N/6		
Issue da	te *	2023-1-11		enc	JVC) _{TH}	
Produc	t environ	mental attributes - Legal requirements	R	equire	ment	met	
Item				Yes	No	n.a.	
P1		ous substances and preparations					
P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	\boxtimes			
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.					
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.						
P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorir /I (PCT) in preparations (see legal reference).	nated				
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon entaining at least 48% per mass of chlorine in the SCCP (see legal reference).	atoms in the				
P1.6*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.						
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail cont www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	act):				
P2	Batterie						
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the of Information on proper disposal is provided in user manual. (See legal reference)	lisposal				
P2.2*	Batterie: reference	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmiume)	ı. (See legal				
P2.3*	Batteries	s and accumulators are readily removable. (See legal reference)		\boxtimes			
P3	Conform	nity verification & Eco design (ErP)					
P3.1*	The production The District https://d	duct is CE-marked to show conformance with applicable legal requirements (see legal reclaration of Conformity can be requested at (add link or e-mainwww.lenovo.com/us/en/compliance/eu-doc for EU and					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).					
	·	d information is;			Ш	Ш	
		www.lenovo.com/us/en/compliance/eco-declaration					
P5		packaging			_		
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cent chromium by weight of these together.			Ш		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of the legal reference).	e material(s)				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montal reference).	real Protocol				
	Comme	nt: Legal reference has no maximum concentration values.					

Treatment information
Information for recyclers/treatment facilities is available (see legal reference).

P6 P6.1*

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		83AQ	Logo	Lon	27/6	
Issue da	te *	2023-1-11		Len		тн
Product	t environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	nmental conscious design		Require	ment ı	net
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling t have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			 	\vdash
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.4*		, .			 	
P7.5	Plastic parts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.					
P7.6*	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. Labels are easily separable. (This requirement does not apply to safety/regulatory labels).					
1 7.0	Product					
P7.7*		g can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools			Ħ	Ħ
P7.9	Spare pa	arts are available after end of production for: 3 years				Ħ
P7.10	Service is	s available after end of production for: 5 years				Ħ
	Material	and substance requirements		•		
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
D7.40		type: aluminium Material type: plastic(PC+ABS)				
P7.12		n materials of external electrical cables are PVC free.				<u> </u>
P7.13		n materials of internal electrical cables are PVC free.		/ \		<u> </u>
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	e retardants, an	d 🔼		
P7.15		ircuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ed in IEC 61249-2-21. (See 1NOTE B2)	are low haloge	n 🛚		
P7.16	Flame re Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: FR(40)				
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components):		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g			
P7.18	concentra 1. Chemi 2. Chemi 3. Chemi	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: ical name: Oligomeric phosphorous compound CAS #: Confidential ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #:	s/preparations i	n		
		I specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; confidential and Hazard statements: H411;H43; ce(s) for these classifications is/are found at (add URL(s)): European Counties (See note B5)	13			
P7.20*	Postcons If YES; a a) Of t	sumer recycled plastic material content is used in the product (See Note B6): t least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material contenercentage of total plastic by weight) is 2.58%.	nt (calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

The weight of recycled material is 4.6 g.

or b)

Model number * Issue date *	83AQ 2023-1-11	Logo	Lenovo.
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No n.a.

1						
		stance requirements				
P7.21*	Biobased plastic r	naterial content is used	I in the product (See NO	OTE B7):		
			s below shall be answe the biobased plastic ma		ed as a percentage of	
	total plastic b		'	•	, 3	
	or					
P7.22*		f the biobased plastic r				
P1.22		free from mercury, i.e. specify: Number of lan		um mercury content per	r lamp: mg	
P8	Batteries	Specify: Number of fair	npo. una maximo	an mercary content per	namp. mg	
P8.1*		composition: LI-ION Po	lymer battery			
P9		otion (See NOTE B8)				
P9.1			s or energy consumption	ons are reported:		
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	
Peak (On-r	nax)	170 W	170 W	170 W	Full load	
Category	<u>y 2</u>					
Short Idle	State - WOL	5.88 W	5.85 W	6.04 W	ENERGY STAR Computers V8	
Enabled					(P _{idle})	
Long Idle S	State - WOL	0.46 W	0.45 W	0.50 W	ENERGY STAR Computers V8 (Pidle)	
					(* lule)	
Sleep (S3)	- WOL Enabled	0.44 W	0.45 W	0.49 W	ENERGY STAR Computers V8	
Off (S5) - V	VOL Disabled	0.14 W	0.15 W	0.20 W	ENERGY STAR Computers V8	
EPS No-loa		0.092 W	0.092 W	0.092 W		
(External power s wall outlet but disc	upply / charger plugged in the connected from the product.)					
PTEC *		W	W	W		
	ergy Consumption					
ETEC * Annual Ene	ergy Consumption	17.51 kWh/year	17.48 kWh/year	18.25 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)	
		Poff: Off Mode(\$5) - WO	DL Enabled; P _{sleep} : Sleep	Mode(S3) - WOL Enable	d; P _{idle} : Idle State - WOL Enabled	
External Po	wer Supply Efficie		Efficiency Marking Pro			
	olution * : 4.096 me	, ,	, ,	,		
. ,		ave mode: 5 minutes				
P9.2*			on is provided with the	product		
P9.2		class (monitors only):	on is provided with the	product.		
		class (monitors only).				
P10	Emissions Noise emission	Declared according to	ISO 0206 (See NOTE	DO)		
Noise emission – Declared according to ISO 9296 (See NOTE B9) P10.1 Mode Mode description Statistical upper limit A-weighted sound power level, L _V						
1 10.1		* Idle (Operating)		* 2.6		
		* HDD:Operation		* 2.6		
	·	CPU:Operation		5.4		
	Other mode	Declared A-weighted sound	d pressure level (dB) L_{nAm}	17.3 (operator positi	ion NB – idle)	
		Declared A-weighted sound		43.3 (operator positi	ion NB – operating)	
	Measured accord	ing to: 🔀 ISO 7779	ECMA-74			
		Other	(only if not covered by	ECMA-74)		

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number * Issue date *	83AQ	Logo	Lenovo		
issue date	2023-1-11				

ISSUS GAR		2020 1 11							
Product	environr	mental attributes	- Market requirements (cor	ntinued)			Require	ment	met
Item			-	-			Yes	No	n.a.
	Electron	magnetic emission	5				*		
P10.4		er display meets the	requirement for low frequency e	lectromagnetic fields	s of the follow	ing voluntary	\boxtimes		
P12	Ergono	mics for computing	products						
P12.1*	The disp	olay meets the ergon	omic requirements of ISO 9241-	307 for visual displa	y technologie	es.	\boxtimes		
P12.2*	The phy	sical input device me	eets the requirements of ISO 999	95 and ISO 9241-41	0.		\boxtimes		
P13		ing and documenta							
P13.1*	Product Product Product Product	packaging material packaging material packaging material packaging material	type(s): Corrugated Fiberboard type(s): paper(manual) type(s): PET weight (kg): 0.018 type(s): PPE weight (kg): 0.108 type(s): POF weight (kg): 0.005 aging is free from PVC.	weight (kg): 0.040					
_			• •				\boxtimes		
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 80 %								
P13.4*		media for user and p ic ⊠, Paper ⊠, O	product documentation (tick box) ther	:					
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine-						
	,	chlorine-free al chlorine-free							
	Process	ed chlorine-free							
P14	Volunta	ry programs							
P14.1			rements of the following voluntar	ry program(s):					
	ENERG	Y STAR® el: <i>EPEAT</i>	Criteria version: 8.0 Criteria version: 1680.1-2018 Criteria version:	Date: 2023/1/12 Date: Date:	Product cat Product cat Product cat	egory:			
P15		nal information (Se							
P9	Energy	consumption of sp	ecific configuration may vary;	description of the	tested produ	uct configuration	on:		
	NOTE: Supplier makes no representations, guarantees, assurances or warranties whether express or implied, regarding the information contained in this document. All information provided by supplier in this document is provided based on supplier's knowledge available at the time of completion, and supplier shall have no obligation to update such information. The information provided here is approximate and provided for informational purposes only. See a Lenovo Account Representative for more information.								
P9			Notebooks & Tablet Computer s://www.energystar.gov/production			rs			
			-						

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	IdeaPad Pro 5 16IRH8, XiaoXin Pro 16 IRH8	Logo	
Model number *	83AQ		Longvo
Issue date *	2023-1-11		Lenovo.
Additional information			

d)	Year of manufacture:				2022		
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
F)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjust	tments applied when	all discrete graphics o	cards (dGfx) are		
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	, ,	16		, ,		
ents ing	Additional internal storage	(Yes / No)	Yes (Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	(Yes / No)	No (Yes / No)	(Yes / No)	(Yes / No)		
cape	Discrete graphics Card(s) [number / #]	#: (Yes / No)	Yes #: 20 (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)						
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)		4.55				
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
J)	Idle state power demand (Watts);				1.04		
1)	Sleep mode power demand (Watts);				0.69		
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		0.69		
)	Off mode power demand (Watts);				0.23		
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		0.23		
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	ver (if applicable):			
	10% 20% 50%	100% Avera	age				
n)	External power supply efficiency (if appli	cable)*:					
	Average active efficiency: 170W: 90.79	%, 90.27%, 90.03%					
	*internal note: show values for all available external p						
o)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to i	notebook computers):	300CYCLES		
o-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) -	nternal PSU efficiency:			
p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency:						

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology					
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	maximum, idle, sleep, off mode			
		EN 62623:2013 measurement methodo	ology			
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::			
	Power on → Wait 5 minutes → Stable condition					
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Power on → Wait 5 minutes → Stable co	ndition			
(s)	off mode:	required to reach the mode where the equipment au	, , ,			
(t)	Duration of idle sta	r to power management, 10 mins automatically r te condition before the computer automatically re not exceed the applicable power demand requirement	eaches sleep mode, or another	5		
(u)	Length of time after	a period of user inactivity in which the compute	r automatically reaches a power	NA		
(v)		ver power demand requirement than sleep mode (in re the display sleep mode is set to activate after		5		
(w)		nergy-saving potential of power management function				
	User information	described in User Guide and Power Manager un programs	nder Lenovo Vantage menu in all			
(x)	User information on I	now to enable the power management functionality:				
	User information	described in User Guide and Power Manager un programs	nder Lenovo Vantage menu in all			
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in sting: 230V, 50GHz, Total Harmonic Distortion	strumentation, set-up and circuits			
Additio	nal Notebook Batter		D-HEI	/-		
		Battery[ies] <u>not</u> user replaceable The battery[ies] in this product cannot be easily replaced by users themselves. 1)	Battery[ies] user replaceable	n/a		
Internal	/built-in Battery					
External/detachable Battery						
Bios Backup Battery						
Other:	Other:					
Addition	nal information			•		
<u> </u>						

The battery[ies] in this product cannot be easily replaced by users themselves.

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.