

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

| Brand * | Lenovo | Logo |
|------------------------|--|---------|
| Company name * | Lenovo | |
| Contact information * | Lenovo Global Environmental Affairs | |
| e-mail address | Alvin L Carter | Lenovo. |
| | alcarter@lenovo.com | |
| Internet site * | https://www.lenovo.com/us/en/sustainability-resources/ | |
| Additional information | The latest version of this document can be found at: | |
| | http://www.lenovo.com/ecodeclaration | |

| The company declares (based on product specification or test results based obtained from sample testing), that the product | | | | | | | |
|--|--|--|--|--|--|--|--|
| conforms to the statements given in this declaration. | | | | | | | |
| Type of product * | Type of product * Notebook | | | | | | |
| Commercial name * | IdeaPad Slim 3 15AMN8/ IdeaPad 15s AMN8 | | | | | | |
| Model number * | 82XQ | | | | | | |
| Issue date * | 2022-12-1 | | | | | | |
| Intended market * | 🔀 Global 📃 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other | | | | | | |
| Additional information | | | | | | | |

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

| Model n | umber * | 82XQ Logo | Lend | | |
|--------------|--|--|-------------|------|-------|
| Issue date * | | 2022-12-1 | | | |
| Produc | t environ | mental attributes - Legal requirements | Require | ment | t met |
| Item | | | Yes | No | n.a. |
| P1 | | ous substances and preparations | | | |
| P1.1* | Product | s do comply with current European RoHS Directive. (See legal reference and NOTE B1) | \square | | |
| P1.2* | | s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value. | \boxtimes | | |
| P1.3* | hydrobr trichloro | s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values. | | | |
| P1.4* | Product terphen | s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated yl (PCT) in preparations (see legal reference). | \boxtimes | | |
| P1.5* | | | | | |
| P1.6* | chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. | | | | |
| P1.7* | | Article 33 information about substances in articles is available at (add URL or mail contact): <pre>www.lenovo.com/us/en/Lenovo.REACH-SVHC-Disclosure</pre> | \boxtimes | | |
| P2 | Batterie | IS | | | |
| P2.1* | | oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference) | \boxtimes | | |
| P2.2* | | s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega | I 🛛 | | |
| P2.3* | | s and accumulators are readily removable. (See legal reference) | \square | | |
| P3 | | nity verification & Eco design (ErP) | | | |
| P3.1* | The pro The Dec https:// | duct is CE-marked to show conformance with applicable legal requirements (see legal reference). claration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK | | | |
| P3.2* | | duct complies with the Eco design requirements for energy-related products, | \boxtimes | | |
| | Require | al reference). d information is; | | | |
| | | www.lenovo.com/us/en/compliance/eco-declaration | | | |
| P5 | | t packaging | | | |
| P5.1* | hexaval | ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together. | | | |
| P5.2* | The pac | kaging materials are marked with abbreviations and numbers indicating the nature of the material(see legal reference). | s) 🔀 | | |
| P5.3* | The pro (see leg | duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values. | ol 🔀 | | |
| P6 | | ent information | | | |
| P6.1* | | ion for recyclers/treatment facilities is available (see legal reference). | | | |

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

| Model nu | umber * | 82XQ | Logo | | | |
|----------|------------------------|--|------------------|-------------|-------------|----------|
| Issue da | te * | 2022-12-1 | | Leng | | |
| Product | t environ | mental attributes - Market requirements (See General NOTE GN | below) | | | |
| | | onmental conscious design | | Requirer | | |
| Item | *=manda | tory to fill in. Additional information regarding each item may be found under P14. | | Yes | No | n. a. |
| P7 | Design, | Disassembly, recycling | | · · · · | | |
| P7.1* | Parts tha | t have to be treated separately are easily separable | | \square | | |
| P7.2* | | naterials in covers/housing have no surface coating. | | | \square | |
| P7.3* | Plastic p | arts > 100 g consist of one material or of easily separable materials. | | \boxtimes | | |
| P7.4* | Plastic p | arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4. | | \boxtimes | | |
| P7.5 | Plastic p | arts are free from metal inlays or have inlays that can be removed with commonly a | available tools. | \boxtimes | | |
| P7.6* | Labels a | re easily separable. (This requirement does not apply to safety/regulatory labels). | | \boxtimes | | |
| | Product | | | | | |
| P7.7* | 10 | ng can be done e.g. with processor, memory, cards or drives | | \square | | |
| P7.8* | | ng can be done using commonly available tools | | \square | | |
| P7.9 | | arts are available after end of production for: 3 years | | | | |
| P7.10 | Service i | s available after end of production for: 5 years | | | | |
| | | and substance requirements | | | | |
| P7.11* | | cover/housing material type (e.g. plastics, metal, aluminum): | | | | |
| P7.12 | Insulation | type: PC+ABS Material type: Stainless Steel n materials of external electrical cables are PVC free. | | | \square | |
| P7.13 | | n materials of internal electrical cables are PVC free. | | <u> </u> | | |
| P7.14 | | plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b | romine and 0.1 | <u> </u> | | - |
| 1 7.14 | weight (´ polyvinyl | 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content. | e retardants, ar | id 🗖 | | |
| P7.15 | Printed c | ircuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ed in IEC 61249-2-21. (See 1NOTE B2) | are low haloge | en 🗌 | \boxtimes | |
| P7.16 | | tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: | | \boxtimes | | |
| P7.17 | | nemical specifications of flame retardants in printed circuit boards > 25 g (without co | omponents): | | | |
| | TBBF | PA (additive), 🛛 TBBPA (reactive) (See NOTE B3), 🗌 Other: , CAS #: | | \boxtimes | | |
| | | nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: | ents) > 25 g | | | |
| P7.18 | | etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%: | s/preparations | in 🔀 | | |
| | 2. Chemi 3. Chemi | ical name: Oligomeric phosphorous compound CAS #: confidential ical name: CAS #: ical name: CAS #: ical name: , CAS #: | | | | |
| | | I specifications of flame retardants in plastic parts >25g according ISO 1043-4: | | | | |
| P7.19 | assigned | e parts > 25 g, flame retardant substances/preparations above 0,1% are used which I the following Risk phrases; <i>confidential</i> and Hazard statements: H411;H43 rec(s) for these classifications is/are found at (add URL(s)): European Count EEC , (See note B5) | 13 | | | |
| P7.20* | | sumer recycled plastic material content is used in the product (See Note B6): | | \square | | |
| | a) Oft ape or | It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <i>10.39%</i> . weight of recycled material is <i>69.65</i> g. | t (calculated as | | |] |

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

| Model number * 8 | 2XQ | | | | Logo | |
|---|-----------------------|--|--|--------------------------|--|--------------------------------|
| Issue date * 2 | 022-12- | 1 | | | | Lenovo |
| Product environme | ental at | tributes - Market r | equirements (conti | nued) | • | Requirement met |
| Item | | | · · | · | | Yes No n.a. |
| | | | | | | |
| | | tance requirements | | | | |
| P7.21* Biobased p | lastic m | aterial content is used | I in the product (See No | OTE B7): | | |
| | | | s below shall be answe | | | |
| a) Of tota | al plastic | c parts' weight > 25 g, weight) is 0 %. | | aterial content (calcula | ted as a percentag | ge of |
| or | nastic by | weight) is 0 70. | | | | |
| | | the biobased plastic r | | | | |
| | | ree from mercury, i.e. specify: Number of lan | less than 0,1 mg/lamp. | um mercury content pe | r lamp: mg | |
| P8 Batteries | | | | | <u></u> | |
| P8.1* Battery che | emical co | omposition: <i>LI-ION Po</i> | lymer battery | | | |
| | | ion (See NOTE B8) | | | | |
| P9.1 For the prov Energy mode * | duct the | following power level Power level at | s or energy consumption | Power level at | Poforonco/Stan | dard for energy |
| Energy mode | | 100 V AC | 115 V AC | 230 V AC | modes and test | |
| Peak (On-max) | | 65 W | 65 W | 65 W | Full load | |
| Category 1 | | | | | | |
| Short Idle State - WOL | | 3.43 W | 3.49 W | 4.29 W | ENERGY STAP | R Computers V8 |
| Enabled | | | | | | • |
| Long Idle State - WOL Enabled | | 2.22 W | 1.93 W | 1.88 W | ENERGY STAF | Computers V8 |
| Sleep (S3) - WOL Disa | abled | 0.44 W | 0.42 W | 0.47 W | ENERGY STAP | R Computers V8 |
| Off (S5) - WOL Disable | ed | 0.32 W | 0.32 W | 0.36 W | ENERGY STAF | R Computers V8 |
| EPS No-load (External power supply / charger plug wall outlet but disconnected from the | gged in the product.) | 0.089 W | 0.089 W | 0.090 W | | |
| PTEC * Typical Energy Consum | nption | W | W | W | | \boxtimes |
| ETEC * Annual Energy Consum | nption | 12.99kWh/year | 12.85kWh/year | 15.17kWh/year | | 00) x (P _{off} x 0.25 |
| | | Poff: Off Mode(S5) - WO | DL Enabled; P _{sleep} : Sleep | Mode(S3) - WOL Enable | ed; Pidle: Idle State | WOL Enabled |
| Category 2 | | | | | | |
| Short Idle State - WOL Enabled | _ | 3.87 W | 3.69 W | 4.16 W | ENERGY STAF | Computers V8 |
| Long Idle State - WOL Enabled | | 1.90 W | 1.95 W | 2.07 W | ENERGY STAF | Computers V8 |
| Sleep (S3) - WOL Disa | abled | 0.37 W | 0.36 W | 0.39 W | ENERGY STAF | R Computers V8 |
| Off (S5) - WOL Disable | ed | 0.26 W | 0.25 W | 0.35 W | ENERGY STAF | Computers V8 |
| EPS No-load (External power supply / charger plug wall outlet but disconnected from the | gged in the product.) | 0.089 W | 0.089 W | 0.090 W | | |
| PTEC * Typical Energy Consum | | W | W | W | | \boxtimes |
| ETEC * Annual Energy Consum | | 13.56 kWh/year | 13.04 kWh/year | 14.63 kWh/year | + P _{sleep} x 0.35 + P _{short_Idle} x 0.30) | |
| Fitzmal Di Quit | F6 | | | Mode(S3) - WOL Enable | ed; P _{idle} : Idle State - | WOL Enabled |
| External Power Supply | Efficience | cy Level (International | Efficiency Marking Pro | otocol) * : V/ | | |

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <u>http://www.ecma-international.org/publications/standards/Ecma-370.htm</u>

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

| Display r | esolution * : 2.07 | megapixels | | | | | | |
|------------|--|--|-------------------------|---------------------------|------------------------|-----|--|--|
| Default ti | me to enter energ | y save mode: <mark>5</mark> minutes | | | | | | |
| P9.2* | Information ab | Information about the energy save function is provided with the product. | | | | | | |
| P9.3 | Energy efficiency class (monitors only): | | | | | | | |
| P10 | Emissions | | | | | | | |
| | Noise emission – Declared according to ISO 9296 (See NOTE B9) | | | | | | | |
| P10.1 | Mode | Mode description | Statistical upper limit | A-weighted sound power le | vel, L _{WA.c} | (B) | | |
| | Idle | * Idle | * 2.5 | | | | | |
| | Operation | * Operation | * 4.4 | | | | | |
| | Other mode | Declared A-weighted sound pressure level (dB) $L_{p\rm Am}$ | 15.4 (operator positi | on desktop – idle) | | | | |
| | Other mode Declared A-weighted sound pressure level (dB) L _{pAm} 33.3 (operator position desktop – operating) | | | | | | | |
| | Measured according to: 🔀 ISO 7779 🗌 ECMA-74 | | | | | | | |
| | | Other (only if not covered by I | ECMA-74) | | | | | |

| Model nu | mber * | 82XQ | | | Logo | | | | |
|-----------|--|--|---|--|--|--|-----------------|-------|-----|
| Issue dat | :e * | 2022-12-1 | | | | Le | no | VO, | |
| Product | environr | nental attribute | s - Market requirements (cor | ntinued) | | Re | quirer | nent | me |
| ltem | | | | | | | Yes | No | n.a |
| | | nagnetic emissic | | | | | | | |
| P10.4 | | er display meets th (s): <i>MPR-II(3 pin</i> . | ne requirement for low frequency e AC adapter only) | lectromagnetic field | s of the following vo | luntary | \square | | |
| P12 | Ergono | mics for computi | ng products | | | | | | |
| P12.1* | The disp | olay meets the erg | pnomic requirements of ISO 9241- | 307 for visual displa | y technologies. | | \boxtimes | | |
| P12.2* | The phy | sical input device | meets the requirements of ISO 999 | 95 and ISO 9241-41 | 0. | | \boxtimes | | |
| P13 | Packag | ng and documen | tation | | | | | | |
| P13.1* | Product Product Product Product | packaging materia packaging materia packaging materia packaging materia | | weight (kg): 0.0037 g): 0.040 g): 0.104 | | | | | |
| P13.2* | Product | plastic primary pa | ckaging is free from PVC. | | | | \boxtimes | | |
| P13.3* | | duct primary corru er recovered fiber | igated fiberboard packaging, spec content: 82 % | cify the contained p | percentage of minir | num post- | | | |
| P13.4* | | media for user and ic 🔀, Paper 🔀, | l product documentation (tick box) Other | | | | | | |
| P13.5 | Ùser an | | item if paper documentation used ntation on paper media is chlorine- | | | | \boxtimes | | |
| | Element | hlorine-free al chlorine-free ed chlorine-free | | | | | \boxtimes | | |
| P14 | Volunta | ry programs | | | | · · · | <u> </u> | | |
| P14.1 | | | uirements of the following voluntar | y program(s): | | | | | |
| | Eco-labe Eco-labe | | Criteria version: <i>8.0</i> Criteria version: <i>1680.1-2018</i> Criteria version: | Date: 2020/7/15 Date: Date: | Product category: Product category: Product category: | | | | |
| P15 | | nal information (S | | | | | | | |
| <u>P9</u> | NOTE: S the info supplied informa | Supplier makes n rmation containe r's knowledge av tion. The informa | specific configuration may vary; o representations, guarantees, a d in this document. All informat ailable at the time of completion tion provided here is approxima for more information. | assurances or wari ion provided by su , and supplier shal | ranties whether ex pplier in this docu I have no obligatio | press or imp ment is prov on to update | vided b such | based | on |
| P9 | See Ene | ergy Star Qualifie | d Notebooks & Tablet Computer ov/index.cfm?fuseaction=find_a | | | :ode=CO | | | |

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

| Reference | Declaration item |
|---|------------------------|
| Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications. | P1.1 |
| Regulation (EC) 1907/2006(REACH, Annex XVII | P1.2, P1.4, P1.6, P1.7 |
| Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances) | P1.3, P5.3 |
| Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002 | P1.5 |
| Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator. | P2.1, P2.2, P2,3, P8.1 |
| Directive 2006/95/EC (Low Voltage Directive) | P3.1 |
| Directive 2004/108/EC (EMC Directive) | P3.1 |
| Directive 1999/5/EC (R&TTE Directive) | P3.1 |
| Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions | P3.1, P3.2 |
| Regulation (EC) No 1272/2008 (CLP Regulation) | P7.19 |
| Directive 2004/12/EC (Packaging Directive) | P5.1 |
| Decision 97/129/EC (Secondary packaging legislation) | P5.2 |
| Directive 2012/19/EU (WEEE directive) | P6.1 |

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

| Commercial name | IdeaPad Slim 3 15AMN8/ IdeaPad 15s AMN8 | Logo | |
|------------------------|---|--------|--|
| Model number * | 82XQ | Lonovo | |
| Issue date * | 2022-12-1 | Lenovo | |
| Additional information | | | |

| P7.1.1 | Product environmental attributes | | | | | | | |
|--|--|---|--|--|--|--|--|--|
| (d) | Year of manufacture: | | | | 2022 | | | |
| (e) | Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with | | | | cards (dGfx) are | | | |
| (f) | Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable | | | | | | | |
| | | Category A (according to ErP Lot 3) | Category B (according to ErP Lot 3) | Category C (according to ErP Lot 3) | Category D (according to ErP Lot 3) | | | |
| | Memory over base [GB] | 16 | | | | | | |
| lents sting | Additional internal storage | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) | | | |
| capability adjustments applied during testing | Discrete television tuner | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) | | | |
| ability a | Discrete Audio Card | No (Yes / No) | (Yes / No) | (Yes / No) | (Yes / No) | | | |
| cap | Discrete graphics Card(s) [number / #] | No #: (Yes / No) | #: (Yes / No) | #: (Yes / No) | #: (Yes / No) | | | |
| | Category of discrete graphics Card(s) | | | | | | | |
| Test results | Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx) | 7.46 | | | | | | |
| Test r | Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled | | | | | | | |
| (g) | Idle state power demand (Watts); | | | | 2.07 | | | |
| (h) | Sleep mode power demand (Watts); | | | | 0.39 | | | |
| (i) | Sleep mode with WOL enabled power de | emand (Watts) (where | enabled); | | 0.39 | | | |
| (j) | Off mode power demand (Watts); | | | | 0.32 | | | |
| (k) | Off mode with WOL enabled power dem | and (Watts) (where en | abled); | | 0.32 | | | |
| (I) | Internal power supply efficiency at 10 %, | 20 %, 50 % and 100 ° | % of rated output pow | er (if applicable): | | | | |
| | 10% 20% 50% | 100% Avera | age | | | | | |
| (m) | External power supply efficiency (if appli | cable)*: | | | | | | |
| | Average active efficiency: 89.56%;91.8 | 3%;89.63% | | | | | | |
| (0) | *internal note: show values for all available external po Minimum number of loading cycles that t | | tand (applies only to r | notebook computers): | | | | |
| | 0,7 | | | · , | 300CYCLES | | | |
| (p-1) | Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA | | | | | | | |
| (p-2) | Measurement methodology used to detect EN 5056 | rmine information mer 53:2011 measuremen | | external PSU efficiend | sy: | | | |

| (p-3) Measureme | b-3) Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology | | | | | | |
|---|---|--|-------------------------------------|-----|--|--|--|
| | | dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration: | naximum, idle, sleep, off mode | | | | |
| | EN 62623:2013 measurement methodology | | | | | | |
| (q) Sequence of | Sequence of steps for achieving a stable condition with respect to power demand:: | | | | | | |
| | EN 62623:2013 measurement methodology | | | | | | |
| (r) Description | Description of how sleep and/or off mode was selected or programmed: | | | | | | |
| | | EN 62623:2013 measurement methodo | blogy | | | | |
| (s) Sequence of off mode: | of events | required to reach the mode where the equipment au | tomatically changes to sleep and/or | | | | |
| | ref | er to power management, 5mins automatically re | aches sleep mode | | | | |
| | | te condition before the computer automatically re- not exceed the applicable power demand requirement | | 5 | | | |
| (u) Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes): | | | | NA | | | |
| | | re the display sleep mode is set to activate after | | 5 | | | |
| (w) Information | on the er | nergy-saving potential of power management functio | nality: | | | | |
| User infor | mation d | escribed in User Guide and Power Manager unde 15s AMN8 menu in all programs | r IdeaPad Slim 3 15AMN8/ IdeaPad | | | | |
| (x) User inform | nation on I | now to enable the power management functionality: | | | | | |
| User infor | mation d | escribed in User Guide and Power Manager unde 15s AMN8 menu in all programs | r IdeaPad Slim 3 15AMN8/ IdeaPad | | | | |
| the electrici | ity supply | measurements: — test voltage in V and frequency in system, — information and documentation on the in sting:230V, 50GHz, Total Harmonic Distortion <2 \$ | strumentation, set-up and circuits | | | | |
| Additional Noteboo | k Batter | y Information: | | | | | |
| | | Battery[ies] not user replaceable | Battery[ies] user replaceable | n/a | | | |
| | | The battery[ies] in this product cannot be easily replaced by users themselves. ¹⁾ | | | | | |
| Internal/built-in Batte | ry | | | | | | |
| External/detachable | Battery | | | | | | |
| Bios Backup Battery | | | | | | | |
| Other: | | | | | | | |
| Additional information | n | | | | | | |
| | | | | | | | |
| | | | | | | | |
| умулаторната[ите] батерия | [и] в този п | asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. | и. | | | | |
| ýměnu baterie/baterií v tomto rugeren kan ikke uden videre | výrobku by udskifte bat | neměli provádět sami uživatelé. teriet/batterierne i dette produkt. | verden. | | | | |
| asutajad ei saa selle toote aku μπαταρία[-ες] στο προϊόν αυτ | ut/akusid ise ró δεν μπορ | ούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες | | | | | |
| orisnik ne može lako zamijenil | ti Bateriju sa | it ne peuvent être facilement remplacée(s) par les utilisateurs eu im u ovom proizvodu. n può/possono essere facilmente sostituita/e dall'utente. | x-mêmes. | | | | |

- La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv. De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Uźytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores. Batterii(-ju tomto virothku nemôže vymieňář používateľ

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.