

ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

### Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	
e-mail address	Alvin L Carter	Lenovo.
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product							
conforms to the statement	nts given in this declaration.						
Type of product *	Notebook						
Commercial name *	Legion Pro 7 16IRX8, Legion Y9000P IRX8P						
Model number *	882WR						
Issue date *	2023-1-31						
Intended market *	ntended market * 🛛 🖾 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other						
Additional information							

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

#### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Model n	umber *	82WR Logo					
lssue da	ite *	2023-1-31	Leng	Lenovo			
Produc	t environ	mental attributes - Legal requirements	Require	ment	t met		
Item			Yes	No	n.a.		
P1		ous substances and preparations					
P1.1*	Product	s do comply with current European RoHS Directive. (See legal reference and NOTE B1)	$\square$				
P1.2*		s do not contain Asbestos (see legal reference). nt: Legal reference has no maximum concentration value.	$\boxtimes$				
P1.3*	hydrobro trichloro	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- ethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum ration values.					
P1.4*		s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated /l (PCT) in preparations (see legal reference).	$\square$				
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in th ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).					
P1.6*	(see leg	th direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/weel al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	κ 🔀				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail contact): www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	$\boxtimes$				
P2	Batterie	S					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with the disposal Information on proper disposal is provided in user manual. (See legal reference)	$\boxtimes$				
P2.2*		s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See lega	I 🛛				
P2.3*	Batterie	s and accumulators are readily removable. (See legal reference)	$\square$				
P3	Confor	nity verification & Eco design (ErP)					
P3.1*	The pro The Dec <u>https://</u>	duct is CE-marked to show conformance with applicable legal requirements (see legal reference). Itaration of Conformity can be requested at (add link or e-mail address): <a href="http://www.lenovo.com/us/en/compliance/uk-doc">www.lenovo.com/us/en/compliance/uk-doc</a> for EU ; <a href="http://www.lenovo.com/us/en/compliance/uk-doc">www.lenovo.com/us/en/compliance/uk-doc</a> for UK					
P3.2*		duct complies with the Eco design requirements for energy-related products, al reference).	$\boxtimes$				
	Require	d information is; given in item P15 or added to this document, available at (add URL):					
		www.lenovo.com/us/en/compliance/eco-declaration	<u> </u>				
P5	Produc	packaging					
P5.1*	hexaval	ng and packaging components do not contain more than 0,01% lead, mercury, cadmium ar ent chromium by weight of these together.					
P5.2*	used (se	kaging materials are marked with abbreviations and numbers indicating the nature of the material( ee legal reference).	, <b>C</b>				
P5.3*	(see leg	duct packaging material is free from ozone depleting substances as specified in the Montreal Protoc al reference). nt: Legal reference has no maximum concentration values.	ol 🔀				
P6		nt information					
		on for recyclers/treatment facilities is available (see legal reference).					

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model nu	umber *	82WR	Logo	Lon		
Issue dat	te *	2023-1-31		Len		<b>D</b> <sub>EM</sub>
Product		mental attributes - Market requirements (See General NOTE GN onmental conscious design	below)	Require	mont	mot
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		103	110	n.a.
P7.1*		at have to be treated separately are easily separable		$\square$		
P7.2*		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.				
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly a	available tools		╞	
P7.6*					<u> </u>	
P7.6"		re easily separable. (This requirement does not apply to safety/regulatory labels).			Ш.	
P7.7*	Product					
		ng can be done e.g. with processor, memory, cards or drives			<u> </u>	
P7.8*		ng can be done using commonly available tools		$\boxtimes$		
P7.9		arts are available after end of production for: <b>3</b> years				
P7.10	Service i	s available after end of production for: <b>5</b> years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
P7.12	Inaterial	type: <i>aluminium</i> Material type: <i>plastic(PC+ABS)</i> n materials of external electrical cables are PVC free.				
				<u> </u>		
P7.13		n materials of internal electrical cables are PVC free.				
P7.14	weight ( polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i in 25% post-consumer recycled content.	e retardants, an	d 💆		
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all 🗌 PCBs > 25 g 🔀	are low haloge	n 🖂		
P7.16	Flame re Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: <i>FR(40)</i>		$\boxtimes$		
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (witho additive), TBBPA (reactive) (See NOTE B3), Other: , CAS #:	out components	):		
		nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	ents) > 25 g	$\square$		
P7.18	concentr	etarded plastic parts >25g contain the following flame retardant substances ations above 0.1%:	s/preparations i	n		
	2. Chem 3. Chem 4. Chem Alt. 2	ical name: CAS #: ical name: CAS #: ical name: CAS #: ical name: CAS #:				
	Chemica FR(40)	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
P7.19	assigned	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases: and Hazard statements: H411; H4 rce(s) for these classifications is/are found at (add URL(s)): European Council EEC, (See note B5)	13			
P7.20*	Postcons If YES; a a) Of t a po or	sumer recycled plastic material content is used in the product (See Note B6): it least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten ercentage of total plastic by weight) is <b>3.97%</b> .	nt (calculated as			
	c)	· · ·				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model nu	nber *	82WR				Logo	Long		
Issue date	) *	2023-1-3	31				Leno	VO	
Product	environn	nental at	ttributes - Market r	equirements (conti	nued)		Requirer	nent met	
Item							Yes N	No n.a.	
			stance requirements						
P7.21*	Biobased	d plastic m	naterial content is used	I in the product (See No	DTE B7):				
	<ul> <li>If YES; at least one of the two alternatives below shall be answered;</li> <li>a) Of total plastic parts' weight &gt; 25 g, the biobased plastic material content (calculated as a percentage of total plastic by weight) is %.</li> <li>or</li> <li>b) The weight of the biobased plastic material is a set of the biobased plastic biobased plastic biobased plastic biobased plastic material content (calculated as a percentage of total plastic by weight) is %.</li> </ul>								
P7.22*			the biobased plastic r	naterial is g. less than 0,1 mg/lamp.					
1 1.22			specify: Number of lar		um mercury content pe	r lamp: mg	⊠ l		
P8	Batteries		· ·	•					
P8.1*			omposition: LI-ION Po	lymer battery					
<b>P9</b> P9.1			tion (See NOTE B8)		una aua nomente di				
Energy mo		roduct the	Power level at	s or energy consumption	Power level at	Reference/Stand		rgy	
Peak (On-	max)		100 V AC 300 W	115 V AC 300 W	230 V AC 300 W	modes and test r	method "		
Categor	y 2 -MT	82WR							
Short Idle Enabled	State - W	OL	18.28 W	18.56 W	18.70 W	ENERGY STAR	Computers V	8	
Long Idle Enabled	State - Wo	OL	12.90 W	12.78 W	13.68 W	ENERGY STAR	Computers V	8	
Sleep (S3)	- WOL EI	nabled	1.68 W	1.67 W	1.66 W	ENERGY STAR	Computers V	8	
Off (S5) - I	VOL Enal	oled	0.20 W	0.20 W	0.21 W	ENERGY STAR	Computers V	8	
EPS No-loa (External power s wall outlet but dis	upply / charger	plugged in the the product.)	0.098 W	0.098 W	0.098 W				
PTEC *	0		W	W	W			$\boxtimes$	
Typical Ene ETEC * Annual Ene			64.93 kWh/year	65.54 kWh/year	66.67 kWh/year	$E_{TEC} = (8760/100)$ + $P_{sleep} \times 0.35$ +			
			Port: Off Mode(\$5) - W	L Enabled: Palaas: Sleen	Mode(S3) - WOL Enable	P <sub>short Idle</sub> x 0.30) d: P <sub>idle</sub> : Idle State -	WOL Enabled		
External Po	ower Supp	ly Efficien		Efficiency Marking Pro					
Display res		-			•				
Default tim	e to enter	energy sa	ve mode: 15 minutes					— H	
P9.2*				on is provided with the	product.	1		7	
P9.3	Energy e	fficiency of	class (monitors only):				L		
P10	Emissio					•			
<b>D</b> 40.4				ISO 9296 (See NOTE		A		(D)	
P10.1	Mode Idle		Node description Idle (Operating)		Statistical upper limit	A-weighted sound	a power level, <i>L</i>	<sub>-WA,c</sub> (B)	
	Operatio	n *	HDD:Operation		* NA(No HDD)				
	CPU:Operation         5.4           Other mode         Declared A-weighted sound pressure level (dB) L <sub>pAm</sub> 17.2 (operator position desktop – idle)								
	Other mo			d pressure level (dB) <sub>L<sub>p</sub>Am</sub>	45.7 (operator positi		nting)		
	Measure	d accordir	ng to: 🔀 ISO 7779 🗌	ECMA-74	1				
	Other (only if not covered by ECMA-74)								

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B9 A Guidance document on Acoustic Noise is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

Model nu	ımber *	82WR				Logo			
Issue dat	te *	2023-1-31					Leno	VO.	
Product	environr	nental attribut	es - Market requirement	ts (continued)			Require	ment	me
ltem							Yes	No	n.a
	Electron	nagnetic emissi	ons						
P10.4			the requirement for low freque AC adapter only)	lency electromagneti	c fields of the fol	lowing volun	tary 🔀		
P12		nics for compu							
P12.1*			gonomic requirements of ISC	) 9241-307 for visual	display technolo	gies.			
P12.2*		-	meets the requirements of I			0		Ħ	┢
P13	Packaging and documentation								
P13.1*	Product Product Product Product	packaging mater packaging mater packaging mater packaging mater	ial type(s): Corrugated Fibe ial type(s): paper (Handle) ial type(s): paper (manual) ial type(s): EPE Cushion ial type(s): paper bag weig ial type(s): bamboo fiber sc	weight (kg): 0.006 weight (kg): 0.050 weight (kg): 0.146 ht (kg): 0.0135					
P13.2*			ackaging is free from PVC.				$\mathbf{X}$		
P13.3*		luct primary con	rugated fiberboard packagin	g, specify the conta	ined percentage	e of minimur			
P13.4*	Specify I		nd product documentation (tic	ck box):					
P13.5	Úser and	only complete th d product docum lease specify:	s item if paper documentatio entation on paper media is cl	n used) hlorine-free:					
	Element	hlorine-free al chlorine-free ed chlorine-free							
P14	-								_
P14.1		<b>ry programs</b> luct meets the re	quirements of the following v	voluntary program(s):					
	Eco-labe Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product	category: category: category:			
P15			See NOTE B10)						
<u>P9</u>	NOTE: \$ the info supplied informa Accoun	Supplier makes rmation contain ''s knowledge a tion. The inform t Representative	specific configuration may no representations, guarar ed in this document. All int vailable at the time of comp ation provided here is app e for more information.	ntees, assurances o formation provided pletion, and supplie roximate and provid	r warranties wh by supplier in t r shall have no ded for informa	ether expre his docume obligation	ess or implied, i ent is provided to update such	based	on
P9			ed Notebooks & Tablet Cor ttps://www.energystar.gov/			iters			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name *	Legion Pro 7 16IRX8, Legion Y9000P IRX8P	Logo
Model number *	82WR	
Issue date *	2023-1-31	Lenovo
Additional information		

d)	Year of manufacture:				2023						
e)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are disabled and if the system is tested with switchable graphics mode with UMA driving the display.										
f)	Etec value (kWh) per ErP Lot 3 Categor enable	y and capability adjust	ments applied when <b>a</b>	II discrete graphics o	cards (dGfx) are						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)						
	Memory over base [GB]			32							
ents sting	Additional internal storage	(Yes / No)	(Yes / No)	Yes (Yes / No)	(Yes / No)						
capability adjustments applied during testing	Discrete television tuner	(Yes / No)	(Yes / No)	No (Yes / No)	(Yes / No)						
ability a lied du	Discrete Audio Card	(Yes / No)	(Yes / No)	<mark>No</mark> (Yes / No)	(Yes / No)						
cape appl	Discrete graphics Card(s) [number / #]	# <i>:</i> (Yes / No)	# <i>:</i> (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)						
	Category of discrete graphics Card(s)			G6							
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)										
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled			38.51							
g)	Idle state power demand (Watts);	L	L	l	13.68						
h)	Sleep mode power demand (Watts);				1.66						
i)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		1.66						
j)	Off mode power demand (Watts);				0.21						
k)	Off mode with WOL enabled power dema	and (Watts) (where en	abled);		0.21						
[1)	Internal power supply efficiency at 10 %,	20 %, 50 % and 100 %	% of rated output powe	er (if applicable):							
	10% 20% 50%	100% Avera	ige								
m)	External power supply efficiency (if applicable)*:										
	Average active efficiency: 300W: 93.33 330W: 93.33%, 93.75%	%, 92.97%, 91.70%									
(o)	*internal note: show values for all available external po Minimum number of loading cycles that t		tand (applies only to n	otebook computers):	300CYCLE						
(p-1)	Measurement methodology used to dete	rmine information men	tioned in points (I) – ir	nternal PSI Lefficiency							

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: EN 50563:2011 measurement methodology								
(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology								
(p-4)		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode						
	EN 62623:2013 measurement methodology								
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::						
	Power on → Wait 5 minutes → Stable condition								
(r)	Description of how s	eep and/or off mode was selected or programmed:							
		Power on $\rightarrow$ Wait 5 minutes $\rightarrow$ Stable co	ndition						
(s)	off mode:	required to reach the mode where the equipment au							
(t)		er to power management, 15 mins automatically r te condition before the computer automatically re		5					
	condition which does	not exceed the applicable power demand requirement	ents for sleep mode (in minutes):	5					
(u)		r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA					
(v)		re the display sleep mode is set to activate after		15					
(w)	Information on the er	nergy-saving potential of power management functio	nality:						
	User informatior	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all						
(x)	User information on	how to enable the power management functionality:							
	User informatior	n described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all						
(Z)			strumentation, set-up and circuits						
		230V, 50GHz, Total Harmonic Distortion	1 ~ 2 %						
Additio	nal Notebook Batter			(					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a					
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{1)} \ensuremath{D}$							
Internal/	built-in Battery								
External	/detachable Battery								
Bios Ba	Bios Backup Battery								
Other:	Other:								
Addition	al information								
кумулаторн as baterías d ýměnu bater rugeren kan	ата[ите] батерия[и] в този п le este producto no pueden s ie/baterií v tomto výrobku by ikke uden videre udskifte bat	asily replaced by users themselves. родукт не може да се замени[ят] лесно от самите потребител er sustituidas fácilmente por los propios usuarios. neměli provádět sami uživatelé. teriet/batterierne i dette produkt. kônnen nicht ohne weiteres vom Benutzer selbst ausgetauscht w							

H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotăji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji fdan il-prodott ma tistax/jistgħux tiġ/ijígu sostitivitári mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.