

Annex B2 - Product environmental attributes Computers and computer monitors

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo	
Company name *	Lenovo		
Contact information *	Lenovo Global Environmental Affairs		Lenovo
e-mail address	Alvin L Carter		LEIIUVU
	alcarter@Jenovo.com		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/		
Additional information	The latest version of this document can be found at:		
	http://www.lenovo.com/ecodeclaration		

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook Computer
Commercial name *	Lenovo 100e Chromebook Gen 4
Model number *	82W0,82W1
Issue date *	2023-01-03
Intended market *	🛛 Global 🗌 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🗌 Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products.

Issue date * 2023-07-03 Lenov Product environmental attributes - Logal requirements Requirement Yes No P1 Hazardous substances and preparations No P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) No P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. No P1.3* Products do not contain nore than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated No No P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated No No P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated No No P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated No No P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated No No P1.5* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated No No P1.6* Prats with direct and prolonged sits no contact in the lesese nickel in concentratio	Model nu	umber *	82W0,82W1	Logo				
Item Yes No P1 Hzazrdous substances and preparations Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) Image: Comment: Legal reference has no maximum concentration value. P1.2* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Comment Max limit no (1% short chain chioroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Comment Max limit negal reference when tested according to EN1811:2011-5. P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Image: Comment Max limit negal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo.FEACH-SVHC-Disclosure P2.4* Batteries or a accumulators are readily removable. (See legal reference) </th <th>lssue da</th> <th>te *</th> <th>2023-01-03</th> <th></th> <th>Le</th> <th>nc</th> <th></th> <th>O</th>	lssue da	te *	2023-01-03		Le	nc		O
P1 Hazardous substances and preparations P1.1* Products do comply with current European RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Asbestos (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCI) in preparations (see legal reference). Image: Comment: Legal reference). P1.4* Products do not contain more than: 0.1% short chain chloroparafins (SCCP) with 10-13 carbon atoms in the contain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Comment: Maximit in legal reference when tested according to EN1811:2011-5. P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm²/week (see legal reference). Image: Comment: Maximit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries Image: reference) Image: reference) P2.1* If the product contains a battery or an accumul	Product	t environr	nental attributes - Legal requirements		R	equire	ment	met
P1.1* Products do comply with current Éuropean RoHS Directive. (See legal reference and NOTE B1) P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorcarbons (CFC), hydrobrom6lurocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than; 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Comment: Maximit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): bit/bis//www.lenovo.com/us/on/Lenovo-REACH-SVHC-Disclosure P2 Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* Batteries						Yes	No	n.a.
P1.2* Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value. Image: Comment: Legal reference has no maximum concentration value. P1.3* Products do not contain 2000 Expleiting Substances: Chlorofluorocarbons (CFC), halons, carbonettrachloride, 1, 1, 1-trichlorechane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated in containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5* Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 µg/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): mitps://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2.4* Batteries P2.4* Batteries on accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.4* Documentation ini								
Comment: Legal reference has no maximum concentration value. □ P1.3* Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrochlorofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values. P1.4* Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated terphenyl (PCT) in preparations (see legal reference). P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenvoy.com/us/en/Lenvo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the batter/naccumulator is labeled with the disposal symbol. Information and proper disposal is provided in user manual. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference). P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprof	P1.1*	Products	s do comply with current European RoHS Directive. (See legal reference and N	IOTE B1)		\bowtie		
hydrobrom6luorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1- Image: hydrobrom2 in the intervent of the inttervent of the intervent of the intervent of the inte	P1.2*	Comme	nt: Legal reference has no maximum concentration value.			\square		
P1.4* Products do not contain more than: 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference). Image: Containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.5* Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Image: Containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week (see legal reference). Image: Containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P3.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P3.6* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the externa	P1.3*	hydrobro trichloro	pmofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontel ethane, methyl bromide (see legal reference). Comment: Legal reference has r					
P1.5* Products do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 µg/cm ² /week Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P3.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P3.4* Documentation includes the show conformance with applicable legal reference) P3.4* Documents/sen/compliance/uk-doc for EU ; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product is CE-marked to show conformance with applicable legal reference). P4.4* Docunorentation is; given in item	P1.4*	Products	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% pc	olychlorina	ted	\square		
P1.6* Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5. P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): <i>https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure</i> P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product compliance/et-doc for FU ; https://www.lenovo.com/us/en/compliance/et-doc for FU ; https://www.lenovo.com/us/en/compliance/et-doc for FU ; https://www.lenovo.com/us/en/compliance/et-doc for FU ; https://www.lenovo.com/us/en/compliance/et-doc for FU ; http://www.lenovo.com/us/en/compliance/et-doc for FU ; http://www.lenovo.com/us/en/compliance/et-doc for FU ; http://www.lenovo.com/us/en/compliance/et-doc for FU ; htttp://www.lenovo.com/us/en/compliance/et-d	P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13	carbon a	toms in the	\square		
P1.7* REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo.REACH-SVHC-Disclosure P2 Batteries P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (EFP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). P3.2* The product complies with the applicable Eco design requirements for energy-related products,	P1.6*	(see leg	al reference).	ove 0,5 μg	/cm²/week			
P2.1* If the product contains a battery or an accumulator, the battery/accumulator is labeled with the disposal symbol. Information on proper disposal is provided in user manual. (See legal reference) P2.2* Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference) P2.3* Batteries and accumulators are readily removable. (See legal reference) P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product compliance/uk-doc for UL ; https://www.lenovo.com/us/en/compliance/uk-doc for UL ; https://www.lenovo.com/us/en/compliance/uk-doc for UL ; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). </td <td>P1.7*</td> <td>REACH</td> <td>Article 33 information about substances in articles is available at (add URL or r</td> <td>mail conta</td> <td>ct):</td> <td>\square</td> <td></td> <td></td>	P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or r	mail conta	ct):	\square		
symbol. Information on proper disposal is provided in user manual. (See legal reference) Image: Symbol. Sector	P2	Batterie	S					
reference) Image: Section 2.3 (Section 2.3 (Sectio	P2.1*	symbol.	Information on proper disposal is provided in user manual. (See legal reference	e)		\boxtimes		
P2.4* Documentation includes the number of cycles the (secondary) battery can withstand. (See legal reference) P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). Nttps://www.lenovo.com/us/en/compliance/u-doc for EU; https://www.lenovo.com/us/en/compliance/u-doc for EU; https://www.lenovo.com/us/en/compliance/u-doc for EU; Nttps://www.lenovo.com/us/en/compliance/u-doc for EU; https://www.lenovo.com/us/en/compliance/u-doc for EU; Nttps://www.lenovo.com/us/en/compliance/u-doc for UK P3.2* P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, N available at (add URL): http://www.lenovo.com/ecodeclaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the materi	P2.2*			cadmium.	(See legal	\square		
P2.5* When internal batteries of a notebook computer cannot be "accessed and replaced by a nonprofessional user", the related text is present and legible on the external packaging (see legal reference) □ P3 Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ The product is CE-marked to show conformance with applicable legal requirements (see legal reference). □ The poduct is CE-marked to show conformance with applicable legal requirements (see legal reference). □ The poduct complexity environments and the requested at (add link or e-mail address): Inttps://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). □ Required information is; □ given in item P15 or added to this document, □ ■ available at (add URL): http://www.lenovo.com/ecodeclaration P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. □ P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) □ P5.3* The product packaging material is free from ozone depleting substances as specified in the Mont	P2.3*	Batteries	and accumulators are readily removable. (See legal reference)			\boxtimes		
user", the related text is present and legible on the external packaging (see legal reference) Image: Conformity verification & Eco design (ErP) P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). Image: Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Image: Conformity can be requested at (add URL): http://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Image: Conformation is: Image: Conformaticon is: Image: Conformaticon is:	P2.4*	Docume	ntation includes the number of cycles the (secondary) battery can withstand. (S	See legal i	eference)	\boxtimes		
P3.1* The product is CE-marked to show conformance with applicable legal requirements (see legal reference). The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/eu-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference). P6 Treatment information	P2.5*				essional	\square		
The Declaration of Conformity can be requested at (add link or e-mail address): https://www.lenovo.com/us/en/compliance/eu-doc for EU; https://www.lenovo.com/us/en/compliance/uk-doc for UK P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Required information is; given in item P15 or added to this document, available at (add URL): http://www.lenovo.com/ecodeclaration P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The product packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P3	Conform	nity verification & Eco design (ErP)					
P3.2* The product complies with the applicable Eco design requirements for energy-related products, (see legal reference). Image: Complex Structure Required information is; Image: Complex Structure Image: Complex Structure Image: Complex Structure P5 Product packaging Image: Complex Structure Image: Complex Structure Image: Complex Structure P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. Image: Complex Structure Image: Complex Structure P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) Image: Complex Structure Image: Complex Structure P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Image: Comment: Legal reference has no maximum concentration values. P6 Treatment information Image: Complex Structure Image: Complex Structure Image: Complex Structure	P3.1*	The Dec <u>https://v</u>	laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU ;	e legal re	ference).			
Required information is; given in item P15 or added to this document, Image: Constraint of the second	P3.2*	The proc	duct complies with the applicable Eco design requirements for energy-related p	roducts,		\square		
P5 Product packaging P5.1* Packaging and packaging components do not contain more than 0,01% lead, mercury, cadmium and hexavalent chromium by weight of these together. P5.2* The packaging materials are marked with abbreviations and numbers indicating the nature of the material(s) is used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal is free freence). P6 Treatment information		· ·	d information is; i given in item P15 or added to this document,	odeclara	tion	\square		
hexavalent chromium by weight of these together. Image: Comparison of the set of the s	P5		packaging					
used (see legal reference). P5.3* The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5.1*	hexavale	ent chromium by weight of these together.			\boxtimes		
Protocol (see legal reference). Comment: Legal reference has no maximum concentration values. P6 Treatment information	P5.2*			ture of the	material(s)	\square		
		The proc Protocol Comme	duct packaging material is free from ozone depleting substances as specified ir (see legal reference). nt: Legal reference has no maximum concentration values.	n the Mont	real			
P6.1* Information for recyclers/treatment facilities is available (<u>https://lenovo.com/recycling</u>).	P6	Treatme	nt information					
	P6.1*	Informati	on for recyclers/treatment facilities is available (<u>https://lenovo.com/recycling</u>).		\square		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	82W0,82W1 Logo			
lssue da	ite *	2023-01-03	Ler	10	VC
Produc	- Enviro	mental attributes - Market requirements (See General NOTE GN below) onmental conscious design	Require	ement	met
ltem		tory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P7	Design	and the second large			
P7.1*		mbly, recycling at have to be treated separately are easily separable			
P7.2*		naterials in covers/housing have no surface coating.			⊢
P7.3*		arts > 100 g consist of one material or of easily separable materials.			
-				<u> </u>	<u> </u>
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		<u> </u>	<u>Ц</u>
P7.5	-	arts are free from metal inlays or have inlays that can be removed with commonly available tools.			
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).	\square		
	Product				
P7.7*		ng can be done e.g. with processor, memory, cards or drives			
P7.8*		ng can be done using commonly available tools			
P7.9	Spare pa	arts are available after end of production for: 5 years			
P7.10	Service i	s available after end of production for: 5 years			
		and substance requirements			
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC/ABS Material type: Material type:			
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\square	
P7.13	Insulatio	n materials of internal electrical cables are PVC free.	\square		
P7.14	weight (1 polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) bromine and 0,1 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in parts ng more than 25% post-consumer recycled content.	% 🔀		
P7.15		:ircuit boards, PCBs (without components) are low halogen: all	\boxtimes		
P7.16	Marking:		\square		
P7.17	TBBPA (nemical specifications of flame retardants in printed circuit boards > 25 g (without components): additive) , TBBPA (reactive) (See NOTE B3), Other; chemical name: ad A diphosphate, CAS #: 181028-79-5			
		nemical specifications of flame retardants in printed circuit boards (without components) > 25 g g ISO 1043-4:			
P7.18	<u>Alt. 1:</u> Fla concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances/preparations ir ations above 0,1%: ical name: , CAS #: (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "			
P7.19	In plastic	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043-4: <i>FR(40)</i> c parts > 25 g, flame retardant substances/preparations above 0,1% are used which have been and Hazard statements:			
		the following Risk phrases; and Hazard statements: ce(s) for these classifications is/are found at (add URL(s)): , (See NOTE B5)			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

Model number	82W0,82	W1			Logo		
Issue date *	2023-01-	03				Leno	VO
Product envir	onmental at	tributes - Market r	requirements (cont	tinued)		Requireme	nt met
Item						Yes No	n.a.
		tance requirements					
	S; at least one	e of the two alternative	es below shall be ansv	,			
a) or	percentage of	total plastic by weigh	nt) is <mark>9.36</mark> %.	cycled plastic material	content (calculated as	а	
b) P7.21* Biob	The weight of	recycled material is	50.6 g. d in the product (See I				
lf YE a)	S; at least one	e of the two alternative c parts' weight > 25 g	es below shall be ansv		ated as a percentage	of	
or b)	The weight of	the biobased plastic	material is q.				
P7.22* Ligh	t sources are f	ree from mercury, i.e.	less than 0,1 mg/lam				
		specify: Number of la		num mercury content p nt in the integrated disp			
-	eries	an mogra appay, a			nay. 0.0 mg		
		omposition: <i>Lithium</i>	ion				
D A		tion (See NOTE B8)					
			els or energy consumption	tions are reported:			
Energy mode *	<u> </u>	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standar modes and test me		
Peak (On-Max)		65 W	65 W	65 W	Full Load		
Device Categor	y 2						
Short Idle State Enabled (P _{short_i}		2.49 W	2.52 W	2.54 W	ENERGY STAR C	omputers V8.0	
Long Idle State Enabled (P _{long_id}		0.91 W	0.91 W	0.99 W	ENERGY STAR C	omputers V8.0	
Sleep (S3) – W0 (P _{Sleep})		0.32 W	0.32 W	0.34 W	ENERGY STAR C	-	
Off Mode (S5) – Enabled (P _{off})	WOL	0.17 W	0.17 W	0.19 W	ENERGY STAR Co	omputers V8.0	
PTEC * Typical Energy (Consumption	W	W	W			
ETEC * Annual Energy (Consumption	8.69 kWh/year	8.77 kWh/year	9.00 kWh/year	$E_{TEC} = (8760/1000) \\ P_{sleep} \times 0.05 + P_{long} \\ P_{short_Idle} \times 0.35)$	_ _{Idle} x 0.15+	
External Power	Supply Efficien	cy Level (Internationa	al Efficiency Marking P	Protocol) * : VI	International Effic Protocol (IEMP) fo Power Supplies		
Display resolutio	n * : 1.049 me	egapixels			1366*768		
Default time to e	nter energy sa	ve mode: 7 minutes			ENERGY STAR C	omputers V8.0	
			ion is provided with the	e product.			H-
		lass (monitors only):	*				
	J,J, e	(

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

Model number *	82W0,82W1	Logo	
Issue date *	2023-01-03		Lenovo

	t environmenta	I attributes - Market requirements (cont	linued)	Require		
Item				Yes	No	n.a
P10	Emissions					
	Noise emissio	n – Declared according to ISO 9296 (See NOT				
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound por $L_{WA,c}$ (B)	wer level,		
	Idle	* Idle Mode	* 2.5			
	Operation	* Operating (CPU)	* 2.5			
	Other Mode	Declared A-weighted sound pressure level (dB)	NA (operator position desktop – idle)			
	Other mode	Declared A-weighted sound pressure level (dB)	NA (operator position desktop – operating- NA (operator position desktop – operating-0			
		ording to: ISO 7779 ECMA-74	by ECMA-74)			
	Electromagne					
P10.4	program(s): M	lay meets the requirement for low frequency ele PR-II(3 pin AC adapter only)	ectromagnetic fields of the following voluntary			
P12		or computing products				
P12.1*		ets the ergonomic requirements of ISO 9241-3	.,	\bowtie		
P12.2*		put device meets the requirements of ISO 9995	5 and ISO 9241-410.	\boxtimes		
P13	Packaging an	d documentation				
P13.1*	Product package Product package Product package	ging material type(s): Cardboard weight (kg) ging material type(s): Paper weight (kg) ging material type(s): LDPE weight (kg) ging material type(s): EPE weight (kg) ging material type(s): EPE weight (kg)	: 0.02 : 0.01			
P13.2*		primary packaging is free from PVC.		\boxtimes		
P13.3*	consumer reco	mary corrugated fiberboard packaging, specify vered fiber content: 80 %	the contained percentage of minimum post-			
P13.4*		for user and product documentation (tick box): Paper 🔀, Other 🗌				
P13.5		omplete this item if paper documentation used) uct documentation on paper media is chlorine-fi specify:	ree:	\boxtimes		
	Totally chlorine	-free				
	Elemental chlo					
	Processed chlo					
P14	Voluntary pro					
P14.1	The product m	eets the requirements of the following voluntary	program(s):			
	ENERGY STA Eco-label: <i>EPE</i>		Date:2022/12/5Product category:2Date:2023/1/13Product category:Notebook	ok		
	Eco-label: TCC		Date: 2023/1/13 Product category: Noteboo	ok		
	Additional info	ormation (See NOTE B10)				
P15						

NOTE B9 A Guidance document on Acoustic Noise is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm.

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive)* * Specific exemptions apply for certain products and applications.	P1.1, P3.1
Regulation (EC) 1907/2006 (REACH Regulation), annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2006/66/EC (Battery and accumulators Directive), as amended.* * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2014/35/EU (Low Voltage Directive)	P3.1
Directive 2014/30/EU (EMC Directive)	P3.1
Directive 2014/53/EU (RE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Commission Regulation (EC) No 278/2009 of 6 April 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for no-load condition electric power demand and average active efficiency of external power supplies	P3.1, P3.2, P9.1
COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers	P2.4, P2.5, P3.1, P3.2, P7.23, P9.1
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1
Implementing Regulation (EU) 2019/290 establishing the format for registration and reporting of producers of electrical and electronic equipment to the register.	
Commission Implementing Regulation 2017/699 establishing a common methodology for the calculation of the weight of electrical and electronic equipment (EEE) placed on the national market in each Member State and a common methodology for the calculation of the quantity of waste electrical and electronic equipment (WEEE) generated by weight in each Member State.	

Lenovo ErP Lot26 Information Sheet - Network Equipment -

As required by_

- Commission Regulation (EC) No 1275/2008 of 17 December 2008 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for standby and off-mode electric power consumption of electrical and electronic household equipment (ErP Lot 6)
- Commission Regulation (EU) No 801/2013 of 22 August 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for (ErP Lot 26).

Products scope of this sheet:

Notebook/Tablet Computer < 6 W Idle

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo 100e Chromebook Gen 4	Logo
Model Number	82W0,82W1	
Product Type	Notebook Computer with Idle Power < 6 W	Lenovo
Issue Date	2023-01-03	
Additional information		

P7.1.1 Product environmental attributes

	2023
Network Standby Classification	LoNA Equipment
Off Mode Power (Watts)	0.21 Watts
Standby Mode	Watts Mode Not Applicable
	minutes Default Delay Time
Description of how to enable Network Standby Mode	Network Standby Mode is enabled at Shipment
Description of how to manually enter Network Standby Mode	1) Press the Power Button once
	2) Click on the Power Button and choose Sleep
Default Delay time to Network Standby Mode	7.5 minutes
Reactivation Function from Network Standby Mode	Open Notebook, Press Keyboard or power button, activate USB

	Network Port	Wired Ethernet	Wireless Ethernet	USB-A	USB-C	HDMI	BlueTooth	Other: USB-A			
	Present in Product										
	Activated at Shipment										
	Active in Network										
	Standby Mode Location of	N/A	N/A	Left	Left	Right	N/A	Right			
	Network Port	N/A	N/A	Len	Len	Kigin		Kigint			
	Maximum Performance	GB/s	0.15 GB/s	GB/s	GB/s	GB/s	GB/s	GB/s			
	Network Protocol		Wi-Fi 6; 802.11ax	USB 3.2			BT5.2	USB 3.2			
	Network Standby Mode Power	Watts	0.38Watts	Watts	Watts	Watts	Watts	Watts			
	Network Standby										
	Power – All	0.38Watts									
	Active										
		-		ig nom mor	ess networks is in						
)	Test parameters fo		\$,								
	ambient temper				25.3 degree Cels	ius					
	test voltage in V total harmonic o			ply system,	230 ∨ / 50 Hz 0.36%						
	information and set-up and circu	l documentatio	n on the instru		Power Meter: HI APF-500W	TESTER HIOK	1 3332; AC Sou	rce: ALLPOWE			
)	External power su			Output		e 10% Lo	ad No.				
	Model	Output Voltage	Current	Output Power	Average Active Efficiency	Efficier	ncy Po	Load wer			
	Delta Chicony	20 V 20 V	2.25 A 2.25 A	45 W 45 W	<u>90%</u> 89%	<u>88%</u> 88%		7 W 5 W			
	Liteon	20 V	2.25 A	45 W	90%	88%	0.0	7 W			
	Acbel	20 V	2.25 A	45 W	81%	81%		6 W			
	Delta Chicony	20 V 20 V	3.25 A 3.25 A	65 W 65 W	<u>92%</u> 91%	<u>91%</u> 89%		6 W 7 W			
		20 V	3.25 A	65 W	90%	90%	0.0				
	Liteon			65 14/	8.7%		<u> </u>				
	Liteon Acbel *Values are tested at 230	20 V	3.25 A	65 W	82%	01/6	0.0	6 W			