



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/			
Additional information	ion The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product						
conforms to the statemen	conforms to the statements given in this declaration.					
Type of product *	Portable Computer Tablet					
Commercial name *	Lenovo Tab QT K10c					
Model number *	ZA9T,ZA9U					
Issue date *	2023.3.13					
Intended market *	☐ Global ☑ Europe ☑ Asia, Pacific & Japan ☐ Americas ☐ Other					
Additional information						

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ZA9T,ZA9U		Leno	VO	
Issue dat	e *	2023.3.13		Leilo	VU.	R
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.					
P1.3*				\square	$\overline{\Box}$	
11.5	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-					
	trichloroe					
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.				
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated	lorinated	\boxtimes		
D4 5*		I (PCT) in preparations (see legal reference).		<u> </u>	_	
P1.5*		edo not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tr	ie 🔀	Ш	
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	k 🔀		
		al reference).		_	_	
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail of	contact):	\boxtimes		
		vww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure				
P2 P2.1*	Batterie		ha diamanal		_	
P2.1"		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	ne disposai	\boxtimes	Ш	Ш
P2.2*	Batteries	s or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadm	ium. (See lega	al 🔀		
	reference	e)	, 3			
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).			
		laration of Conformity can be requested at (add link or e-mail address):				
		vww.lenovo.com/us/en/compliance/eu-doc for EU; vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\square	$\overline{}$	
1 0.2		al reference).			ш	ш
		d information is; given in item P15 or added to this document,				
	•	available at (add URL):		_		_
	https://v	www.lenovo.com/us/en/compliance/eco-declaration				
P5	Product	packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	, cadmium ar	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*		caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material(s) 🔀		
P5.3*		e legal releiele). luct packaging material is free from ozone depleting substances as specified in the N	Iontreal Protoc	ol 🔀	П	
. 0.0		al reference).				
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number		ZA9T,ZA9U	Logo	Len	OVC	
Issue dat	te *	2023.3.13		Leii		ты
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
	- Enviro	onmental conscious design	,	Require	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable naterials in covers/housing have no surface coating.				-
P7.2*		<u> </u>				
P7.3*	Plastic p		Щ.	\boxtimes		
P7.4*	Plastic p			\boxtimes		
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available tool	s. 🔀		
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
D7 7*	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives				
P7.8*		ng can be done using commonly available tools				
P7.9		arts are available after end of production for: 1 years				
P7.10	Service i	s available after end of production for: 1 years				
D7 44		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: PC+ABS Material type: PC+20%GF Materi	al type: 5053	uээ		
P7.12		n materials of external electrical cables are PVC free.	ai type. 3033	 		$\overline{}$
P7.13		n materials of internal electrical cables are PVC free.		\square	∺	\pm
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and (+
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam				ш
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% past apparatus	n parts contai	ining		
P7.15		ın 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all ⊠ PCBs > 25 g ☐	are low half	ogen 🔀		$\overline{}$
	as define	ed in IEC 61249-2-21. (See 1NOTE B2)			<u> </u>	
P7.16	Marking:					
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c	omponents):			
		PA (additive), TBBPA (reactive) (See NOTE B3), Other: POTASSIUM LUOROBUTANESULFONATE, CAS #: 29420-49-3				Ш
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g		Ш_	Ш
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	es/preparation	ns in		
		ations above 0,1%: ical name: , CAS #: (See NOTE B4)			Ш	ш
		ical name: , CAS #: (GGE NOTE B4)				
	3. Chem	ical name: , CAS #: "				
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 104	3-4:			
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	n have been		$\overline{\Box}$	
	•	I the following Risk phrases; and Hazard statements: R36/37/38:Irritating	y to eyes,			
		ory system and skin . rce(s) for these classifications is/are found at (add URL(s)):				
	me soul	https://m.chemicalbook.com/CASEN_29420-49-3.htm, (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	If YES: a	at least one of the two alternatives below shall be answered;				
	a) Of t	otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter	t (calculated	as a		
	•	centage of total plastic by weight) is 0%.				
	or b) The	weight of recycled material is 0 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	ZA9T,ZA9U	Logo	Lenovo
Issue date *	2023.3.13		Leliovo
Product environ	mental attributes - Market requirements (continued)		Requirement met
Item		•	Yes No n.a.

	N4-4:	4	(ti					
P7.21*		stance requirements		OTE D7\:				
P7.21"	•	material content is used		•				
	If YES; at least one of the two alternatives below shall be answered; a) Of total plastic parts' weight > 25 g, the biobased plastic material content (calculated as a percentage of							
		tic parts' weight > 25 g, by weight) is %.	the biobased plastic m	iaterial content (calcula	ted as a percentage of			
	or	by weight) is 70.						
		of the biobased plastic r						
P7.22*	U	t sources are free from mercury, i.e. less than 0,1 mg/lamp.						
P8	Batteries	I specify: Number of lar	nps: and maxim	um mercury content pe	er lamp: mg			
P8.1*		composition: Li-ion Po	lymer					
P9	<u> </u>	ption (See NOTE B8)	iyinci					
P9.1		ne following power level	s or energy consumption	ons are reported:				
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy			
,		100 V AC	115 V AC	230 V AC	modes and test method *			
Peak (On-	max)	9.1 W	9.1 W	9.1 W	Full load			
Short Idle	State - WOL	3.84 W	3.83 W	3.88 W	ENERGY STAR Computers V8			
Enabled					(P _{idle})			
Long Idle	State - WOL	0.19 W	0.16 W	0.18 W	ENERGY STAR Computers V8			
Enabled					(P _{idle})			
Sleep (S3)	- WOL Disabled	0.19 W	0.16 W	0.18 W	ENERGY STAR Computers V8			
,					,			
Off (OF)	WOL Disabled	0.400 \\	0.440.104	0.45410/	ENERGY OTAR Comments of 1/0			
Oπ (S5) - I	WOL Disabled	0.138 W	0.142 W	0.154 W	ENERGY STAR Computers V8			
EPS No-loa		W	W	W				
(External power s wall outlet but dis	supply / charger plugged in the connected from the product.)							
ETEC *		W	W	W	$E_{TEC} = (8760/1000) \times (0,60 \times Poff)$			
Annual En	ergy Consumption	D - 05 M - 4- (05) - 14(Ol Freshleds B Olean	M-1-(00) M(0) F	+ 0,10 x Psleep + 0,30 x Pidle) ed; P _{idle} : Idle State - WOL Enabled			
External D	ower Supply Efficie	ncy Level (International	OL Enabled; P _{sleep} : Sleep					
		• •	Elliciency Marking Pro	olocoi) .				
	solution * : 2.304 m							
		ave mode: 0.5 minutes						
P9.2*		the energy save function	on is provided with the	product.				
P9.3		class (monitors only):						
P10	Emissions	Dealared asserting to	100 0006 (Can NOTE	. DO)				
P10.1		 Declared according to Mode description 	130 9290 (See NOTE	_ , '	it A-weighted sound power level, $L_{WA,c}$ (B)			
1 10.1	Idle	*		*	It A-weighted sound power level, $Z_{WA,c}(D)$			
	Operation	*		*				
	<u> </u>	Declared A-weighted soun	d pressure level (dR) I	(operator po	sition desktop – idle)			
	011		1	1 17 7	· ,			
	Other mode	Declared A-weighted soun	d pressure level (dB) $L_{p\! m Am}$	(operator po	sition desktop – operating)			
	Measured accord	ing to: 🔲 ISO 7779 🗌	ECMA-74					
	Other (only if not covered by ECMA-74)							

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		ZA9T,ZA9U			Logo	Long	1/0	
Issue date	*	2023.3.13				Leno	VO.	
Product	environr	nental attributes	- Market requiremen	ts (continued)		Require	ment	met
Item						Yes	No	n.a.
	Electron	magnetic emission	S					
P10.4	Compute program	. ,	requirement for low frequirement	uency electromagnetic field	ds of the following volunta	ıry		
P12	Ergonoi	mics for computing	products					
P12.1*	The disp	lay meets the ergor	omic requirements of IS0	O 9241-307 for visual displ	ay technologies.			
P12.2*	. ,	<u> </u>	<u>'</u>	ISO 9995 and ISO 9241-4	10.	X		
P13		ng and documenta						
P13.1*	Product	packaging material packaging material packaging material	type(s): paper(manual) \	eight (kg): 0.176 weight (kg): 0.0031 eight (kg): 0.00456				
P13.2*	Product	plastic primary pack	aging is free from PVC.			\square		
P13.3*		duct primary corrugater recovered fiber co		ng, specify the contained	percentage of minimum	post-		
P13.4*		media for user and pronic, Paper,	oroduct documentation (ti Other	ck box):				
P13.5	Ùser and		em if paper documentation on paper media is c					
	,	hlorine-free al chlorine-free						
	Process	ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requi	rements of the following	voluntary program(s):				
	Eco-labe	el:	Criteria version: Criteria version: Criteria version:	Date: Date: Date:	Product category: Product category: Product category:			
P15		nal information (Se						
P9				y vary; description of the				
	the info supplied informa	rmation contained r's knowledge avai tion. The informati	in this document. All in lable at the time of com	ntees, assurances or wa nformation provided by s pletion, and supplier sha proximate and provided t	upplier in this documen all have no obligation to	t is provided update such	based	on
P9	See Ene	ergy Star Qualified	Notebooks & Tablet Co	mputers for the latest in =find_a_product.showPr	formation:	-00		
			<u>/index.ctm/tuseaction=</u> an external power supp		ouuciGroup&pgw_code	-00		
	Product	uoes noi monde i	an external power supp	пу				

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo Tab QT K10c	Logo	
Model Number	ZA9T,ZA9U		Lonovo
Issue Date	2023.3.13		Lenovo.
Additional information	Product does not ship with an external power supply		

(d)	Year of manufacture:				2023
(e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
(f)	Etec value (kWh) per ErP Lot 3 Categorenable	ry and capability adjus	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	3			
ents	Additional internal storage	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	No			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	7.899			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	I		l	2.58216
h)	Sleep mode power demand (Watts);				0.28812
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		
j)	Off mode power demand (Watts);				0.1638
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		011000
T)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100	% of rated output pow	er (if applicable):	
. ,	10% 20% 50%	100% Avera	age	, , ,	
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency:				
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that		tand (applies only to n	otebook computers):	800cls ,≥70% (capacity
(p-1)	Measurement methodology used to dete	ermine information mer NA	ntioned in points (I) – i	nternal PSU efficiency:	
p-2)	Measurement methodology used to dete				

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: 0.5C Charge/Discharge							
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:							
(q)	Sequence of steps for achieving a stable condition with respect to power demand::							
(r)	Description of how s	eep and/or off mode was selected or programmed:						
	refer to power man	agement, sleep mode: ACPI system level G1/S3 (ACPI system level G2/S5 ('soft off') s						
(s)	Sequence of events off mode:	required to reach the mode where the equipment au	tomatically changes to sleep and/or					
		r to power management, 0.5mins automatically r	eaches sleep mode					
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		0.5				
(u)	Length of time after	a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA				
(v)		re the display sleep mode is set to activate after		1				
(w)		nergy-saving potential of power management function		· ·				
(x)	User information on	now to enable the power management functionality: <i>r</i>	efer to user manual					
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the in- sting:						
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301					
Addition	nal Notebook Batter	y Information:						
710010101		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a				
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)	7. 1					
Internal/l	ouilt-in Battery							
External	detachable Battery							
Bios Bac	kup Battery							
Other:								
Additiona	al information			,				
\								

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.