



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

## Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with \* are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information *	Lenovo Global Environmental Affairs	Lenovo
e-mail address	Alvin L Carter	LETIOVO
	alcarter@lenovo.com	
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

	based on product specification or test results based obtained from sample testing), that the product nts given in this declaration.
Type of product *	Notebook
Commercial name *	Lenovo V15 G4 IRU
Model number *	83A1,83CC
Issue date *	2023-4-3
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other
Additional information	

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

### About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model nui	nber *	83A1、83CC	Logo	Lone		
Issue date	*	2023-4-3		Lend		
Product	environ	mental attributes - Legal requirements		Require	ment n	net
Item				Yes	No r	ı.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	$\boxtimes$		
P1.2*		do not contain Asbestos (see legal reference).		$\boxtimes$		
		nt: Legal reference has no maximum concentration value.				
P1.3*	hydrobro trichloroe concentr	s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach ethane, methyl bromide (see legal reference). Comment: Legal reference has no mation values.	aximum			
P1.4*	terpheny	s do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych l (PCT) in preparations (see legal reference).				
P1.5*		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in tl	ne 🔀		
P1.6*	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above 0 al reference). nt: Max limit in legal reference when tested according to EN1811:2011-5.	,5 μg/cm²/wee	ek 🔀		
P1.7*	REACH	Article 33 information about substances in articles is available at (add URL or mail oww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
P2	Batterie					
P2.1*	symbol.	duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	•			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmet	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		$\boxtimes$		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	duct is CE-marked to show conformance with applicable legal requirements (see legal acquirements) laration of Conformity can be requested at (add link or e-mail address):  www.lenovo.com/us/en/compliance/eu-doc for EU;  www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*	The prod	luct complies with the Eco design requirements for energy-related products,		X		
	(see lega	al reference).			_ :	
	Required	I information is; given in item P15 or added to this document,				
		available at (add URL):				
		www.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.			Ш	
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the material	(s) 🔀		
P5.3*	The prod (see lega	luct packaging material is free from ozone depleting substances as specified in the N al reference). nt: Legal reference has no maximum concentration values.	Montreal Proto	col 🔀		
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model n	umber *	83A1、83CC	Logo	Lone	21/0	
Issue da	ite *	2023-4-3		Lend		
Produc	t environ	mental attributes - Market requirements (See General NOTE GN				
		onmental conscious design		Requirer		
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
<b>P7</b> P7.1*		Disassembly, recycling  It have to be treated separately are easily separable				
P7.2*		naterials in covers/housing have no surface coating.			X	╫
P7.3*		arts > 100 g consist of one material or of easily separable materials.			-	∺
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<del>-  -</del>	╫
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly	available toole			井
		· · · · · · · · · · · · · · · · · · ·	avaliable tools.		-#-	뷰
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).				
P7.7*	Product	g can be done e.g. with processor, memory, cards or drives				_
P7.8*		ng can be done e.g. with processor, memory, cards or drives			<del>-  -</del>	╫
P7.9		· · · · · · · · · · · · · · · · · · ·				뷰
		arts are available after end of production for: 5 years				井
P7.10		s available after end of production for: 5 years				
P7.11*		and substance requirements cover/housing material type (e.g. plastics, metal, aluminum):				
7.11		type: <i>PC+ABS</i> Material type: <i>Fe</i>				
P7.12		n materials of external electrical cables are PVC free.			$\boxtimes$	
P7.13	Insulation	n materials of internal electrical cables are PVC free.				Ħ
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	promine and 0,1%	6 🛛	Ħ	Ħ
		1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flam				
		chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in 25% post-consumer recycled content.	n parts containin	3		
P7.15		irr 2376 post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g	are low balone	n		
	as define	ed in IEC 61249-2-21. (See 1NOTE B2)	_			
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without c				
		<sup>p</sup> A (additive),TBBPA (reactive) (See NOTE B3),Other: <i>bisphenol A/tetrab</i> .	romobisphenol	$\boxtimes$		
	A/epichl	orohydrin polymer, CAS #: 26265-08-7				
		nemical specifications of flame retardants in printed circuit boards (without compon g ISO 1043-4:	ents) > 25 g			
P7.18	Alt. 1	g.00 10 10 11				
		etarded plastic parts >25g contain the following flame retardant substance	s/preparations i	ก 🔲		
		ations above 0.1%: ical name: CAS #:				
		ical name: CAS #:				
	3. Chem	ical name: CAS #:				
		ical name: , CAS #:				
	Alt. 2	Il specifications of flame retardants in plastic parts >25g according ISO 1043-4:				
	FR(40)	is specifications of fiathe retardants in plastic parts 7259 according 100 1045-4.				
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which	h have been		-#-	╫
1 7.13		I the following Risk phrases; and Hazard statements: H411;H413	THAVE DECIT		Ш	ш
		rce(s) for these classifications is/are found at (add URL(s)): European Cour	ncil Directive			
P7.20*	Postcons	Sumer recycled plastic material content is used in the product (See Note B6):				$\overline{}$
		t least one of the two alternatives below shall be answered;		_		
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conter centage of total plastic by weight) is 1.84% for 30%PCC adapter,4.95% for 90% F		1		
	or	To the second by Holying to Holying to the Total Color	- o adaptor.			
1	b) The	weight of recycled material is 12.55g For 30% PCC;33.55g For 90% PCC.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	83A1, 83CC	Logo	Lonovo
Issue date *	2023-4-3		Lei IOVO.

Product environmental attributes - Market requirements (continued)	Requir	remen	t met
Item	Yes	No	n.a.

		stance requirements				
P7.21*	Biobased plastic m	naterial content is use	d in the product (See	NOTE B7):		
	a) Of total plastic	e of the two alternativ c parts' weight > 25 g y weight) is 0 %		wered; material content (calcul	lated as a percentage of	
	or	, ,				
P7.22*	Light sources are f		. less than 0,1 mg/lam	ıp.		
P8	Batteries	specify: Number of la	mps: and maxi	mum mercury content p	per lamp: mg	
P8.1*		omnosition: LLION P	olymer battery and l	ithium-metal hattery		
P9		tion (See NOTE B8)	orymer buttery und n	tanum metar battery		
P9.1			els or energy consump	itions are reported:		
Energy mo		Power level at	Power level at	Power level at	Reference/Standard for energy	
Peak (On-	·max)	100 V AC 65 W	115 V AC 65 W	230 V AC 65 W	modes and test method *  Full load	
Categor	<u>y 1</u>					
Short Idle Enabled	State - WOL	5.49 W	5.48 W	5.41 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )	
Long Idle Enabled	State - WOL	1.06 W	1.03 W	1.10 W	ENERGY STAR Computers V8 (P <sub>idle</sub> )	
Sleep (S3)	) - WOL Enabled	1.06 W	1.03 W	1.10 W	ENERGY STAR Computers V8(P <sub>sleep</sub> )	
Off (S5) -	WOL Enabled	0.29 W	0.30 W	0.31 W	ENERGY STAR Computers V8(P <sub>off</sub> )	
EPS No-Io (External power wall outlet but dis	supply / charger plugged in the sconnected from the product.)	0.108 W	0.108 W	0.108 W		
PTEC * Typical En	ergy Consumption	W	W	W		
ETEC * Annual En	ergy Consumption	19.25 kWh/year	<b>19.12</b> kWh/year	<b>19.24</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_ldle} \times 0.10 + P_{short\_ldle} \times 0.30)$	
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Sleep	ep Mode(S3) - WOL Enab	led; P <sub>idle</sub> : Idle State - WOL Enabled	
Categor	<u>y 2</u>					
Short Idle Enabled	State - WOL	5.60 W	5.66 W	5.71 W	ENERGY STAR Computers V8	
Long Idle Enabled	State - WOL	0.83 W	0.84 W	0.85 W	ENERGY STAR Computers V8	
Sleep (S3)	) - WOL Disabled	0.83 W	0.84 W	0.85 W	ENERGY STAR Computers V8	
Off (S5) -	WOL Disabled	0.28 W	<b>0.27</b> W	0.32 W	ENERGY STAR Computers V8	
EPS No-lo (External power	supply / charger plugged in the sconnected from the product.)	0.108 W	0.108 W	0.108 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	<b>18.60</b> kWh/year	18.78 kWh/year	<b>19.06</b> kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long\_Idle} \times 0.10 + P_{short\_Idle} \times 0.30)$	
		P Off Modo(SE) M	(OL Enabled: Pour Sle	on Mode(\$3) - WOL Engh	Jod: P: Idlo Stato - WOL Enabled	

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$ 

NOTE B9 A Guidance document on Acoustic Noise is available;

see <a href="http://www.ecma-international.org/publications/standards/Ecma-370.htm">http://www.ecma-international.org/publications/standards/Ecma-370.htm</a>

External P	ower Supply Effic	ciency Level (International Efficiency Marking Prote	ocol) * : VI	
Display res	solution * : <b>2.07</b> r	negapixels		
Default tim	e to enter energy	y save mode: 5 minutes		
P9.2*	Information abo	out the energy save function is provided with the p	roduct.	
P9.3	Energy efficien	cy class (monitors only):		
P10	Emissions			
	Noise emissio	on - Declared according to ISO 9296 (See NOTE B	B9)	
P10.1	Mode	Mode description	Statistical upper limit	A-weighted sound power level, L <sub>WA,c</sub> (B)
	Idle	* Idle	* 2.5	
	Operation	* Operation	* 3.9	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p { m Am}}$	17.7 (operator positi	on desktop – idle)
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p {\rm Am}}$	31.4 (operator position	on desktop – operating)
	Measured acco	ording to: X ISO 7779 ECMA-74		
		Other (only if not covered by E	ECMA-74)	

Model num	ber *	83A1、83CC				Logo	Long	1/0	
Issue date	*	2023-4-3					Leno	VO.	·
Product e	nvironn	nental attributes	- Market requirements (co	ntinued)			Require	ment	met
Item			•	•			Yes	No	n.a.
		nagnetic emissions							
P10.4	Compute program(	er display meets the (s): <b>MPR-II(3 pin A</b> 0	requirement for low frequency of adapter only)	electromagnetic fields	s of the follo	wing voluntary			
		nics for computing							
1	-		omic requirements of ISO 9241	•		ies.	$\boxtimes$		
P12.2*	The phys	sical input device me	eets the requirements of ISO 99	95 and ISO 9241-41	0.		$\boxtimes$		
P13		ng and documenta							
	Product   Product   Product   Product   Product	packaging material t packaging material t packaging material t packaging material t packaging material t		ll all nded polyethylene)	weigh weigh weigh weigh	nt (kg): 0.32 nt (kg): 0.04 nt (kg): 0.005 nt (kg): 0.104 nt (kg): 0.015 nt (kg): 0.003			
P13.2*	Product	plastic primary pack	aging is free from PVC.				$\boxtimes$		
	consume	er recovered fiber co			ercentage	of minimum po	ost-		
		media for user and p c ⊠, Paper ⊠, O	product documentation (tick box	):					
	Ùser and		em if paper documentation used ation on paper media is chlorine						
	Elementa	hlorine-free al chlorine-free							
		ed chlorine-free							
		ry programs							
P14.1	ENERGY	Y STAR® el: <b>EPEAT</b>	rements of the following volunta  Criteria version: 8.0  Criteria version: 1680.1  Criteria version:	Date: 2020/7/15 Date: 2018/2 Date:		ategory: <b>1&amp;2</b> ategory: <b>Noteb</b> ategory:	ook		
P15	Addition	nal information (Se	e NOTE B10)						
P9	<b>Energy</b>	consumption of sp	ecific configuration may vary						
	the information of the informati	rmation contained 's knowledge avail tion. The informati t Representative fo	representations, guarantees, in this document. All informa lable at the time of completion on provided here is approxim or more information. Notebooks & Tablet Compute	tion provided by su n, and supplier shal ate and provided fo	pplier in the I have no o or information	is document is bligation to up	s provided o date such	based	on
			/index.cfm?fuseaction=find_a			&pgw_code=C	<b>:</b> 0		
	•					- <del>-</del>			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) *  * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC ( Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

# Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

### **Products scope of this sheet:**

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V15 G4 IRU	Logo	
Model number *	83A1,83CC		Lonovo
Issue date *	2023-4-3		Lenovo.
Additional information			
•			

d)	Year of manufacture:				2022
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
f)	Etec value (kWh) per ErP Lot 3 Categor enable	ry and capability adjust	tments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	N/A			
saults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.76			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);				A:3.11
n)	Sleep mode power demand (Watts);				A:1.03
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:1.03
)	Off mode power demand (Watts);				A:0.32
k)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.32
l)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 91.10%; 89.2	23%;89.22%;90.76%;8	9.04%;89.49%;90.94	<b>%</b> ;	
	*internal note: show values for all available external p	ower supplies			
0)	Minimum number of loading cycles that t		tand (applies only to r	otebook computers):	300CYCLES
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – i	nternal PSU efficiency	:
p-2)	Measurement methodology used to dete	ermine information mer 63:2011 measuremen		external PSU efficiend	cy:

(p-3)	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology	
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:	
	EN 62623:2013 measurement methodology	
(q)	Sequence of steps for achieving a stable condition with respect to power demand::	
	EN 62623:2013 measurement methodology	
(r)	Description of how sleep and/or off mode was selected or programmed:	
	EN 62623:2013 measurement methodology	
(s)	Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode:	
	refer to power management, 30mins automatically reaches sleep mode	
(t)	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes):	5
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):	NA
(v)	Length of time before the display sleep mode is set to activate after user inactivity (in minutes):	5
(w)	Information on the energy-saving potential of power management functionality:	-
	User information described in User Guide and Power Manager under Lenovo Vantage menu in all programs	
(x)	User information on how to enable the power management functionality:	
	User information described in User Guide and Power Manager under Lenovo Vantage menu in all programs	
(z)	Test parameters for measurements: — test voltage in V and frequency in Hz, — total harmonic distortion of the electricity supply system, — information and documentation on the instrumentation, set-up and circuits used for electrical testing:	
	230V, 50GHz, Total Harmonic Distortion <2 %	

Additional Notebook Battery Information:					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a		
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/built-in Battery	$\boxtimes$				
External/detachable Battery					
Bios Backup Battery	$\boxtimes$				
Other:					
Additional information					

1)
The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

Korisiik ne nioże tako zamijeniu bateriju sami u ovomi proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.
Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti.

A termék akkumulatorat/akkumulatorat/a a felhasználó nem tudja egysdül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.