



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Lenovo V17 G4 IRU				
Model number *	83A2				
Issue date *	2023-04-07				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other <i>EMEA</i>				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		er * 83A2 L		Long	N/0	
		2023-04-07		Lend	JVC	DH.
Product	environ	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
P1		us substances and preparations				
P1.1*	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)	\boxtimes		
P1.2*		do not contain Asbestos (see legal reference). It: Legal reference has no maximum concentration value.				
P1.3*		do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\boxtimes	$\overline{}$	
1 1.0	hydrobro trichloroe concentr					
P1.4*	Products terpheny					
P1.5*	Products chain co	ne 🔀				
P1.6*	chain containing at least 48% per mass of chlorine in the SCCP (see legal reference). Parts with direct and prolonged skin contact do not release nickel in concentrations above 0,5 μg/cm²/week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:2011-5.					
P1.7*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): https://www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure					
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries reference	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*	The Dec	luct is CE-marked to show conformance with applicable legal requirements (see legal arequirements) (see legal arequirements): www.lenovo.com/us/en/compliance/eu-doc for EU; www.lenovo.com/us/en/compliance/uk-doc for UK	gal reference).			
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).		\boxtimes		
	Required	I information is;				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury	/. cadmium a	nd 🔀		
	hexavale	ent chromium by weight of these together.				
P5.2*	used (se	caging materials are marked with abbreviations and numbers indicating the nature of elegal reference).			<u> Ц</u>	
P5.3*	(see lega	luct packaging material is free from ozone depleting substances as specified in the Mal reference).	nontreal Protoc	col 🔀		
P6		nt: Legal reference has no maximum concentration values.				_
		on for recyclers/treatment facilities is available (see legal reference).				
1 0.1	miormati	on to recycle of teatine it inclines is available (see legal releable).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		83A2	Logo	Lond	21/2		
Issue da	te *	2023-04-07		Lend			
Product		mental attributes - Market requirements (See General NOTE GN	,			-4	
Item		onmental conscious design tory to fill in. Additional information regarding each item may be found under P14.	<u> </u>	Requiren Yes	nent m No		
P7		Disassembly, recycling		168	INO	n.a.	
P7.1*		at have to be treated separately are easily separable		\square		$\overline{\Box}$	
P7.2*	Plastic m	naterials in covers/housing have no surface coating.				一一	
P7.3*	Plastic p	earts > 100 g consist of one material or of easily separable materials.				Ħ	
P7.4*	•	erts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.				Ħ	
P7.5	Plastic p	earts are free from metal inlays or have inlays that can be removed with commonly	available tools.		$\overline{}$	Ħ	
P7.6*	Labels a		\dashv	Ħ			
		lifetime					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\square		\Box	
P7.8*	Upgradir	ng can be done using commonly available tools			$\overline{\Box}$	$\overline{\Box}$	
P7.9	Spare pa	arts are available after end of production for: 5 years				$\overline{\Box}$	
P7.10	Service is available after end of production for: 5 years						
	Material	and substance requirements					
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):					
D7.40		type: PC+ABS Material type: Fe					
P7.12		n materials of external electrical cables are PVC free.		_ <u> </u> _		<u>Ц</u>	
P7.13		n materials of internal electrical cables are PVC free.				<u>Ц</u>	
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) between 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame					
	polyvinyl	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine i					
D7.45		an 25% post-consumer recycled content.					
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all 🔀 PCBs > 25 g 🗌 ed in IEC 61249-2-21. (See 1NOTE B2)	_				
P7.16	Marking:						
P7.17		hemical specifications of flame retardants in printed circuit boards > 25 g (without c					
		PA (additive),	enoi A type		Ш	Ш	
		hemical specifications of flame retardants in printed circuit boards (without compon	uonto) > 25 a				
		g ISO 1043-4:	ens) > 25 g		ш	ш	
P7.18	Alt. 1	retarded plastic parts >25g contain the following flame retardant substance	e/proparations in				
		rations above 0.1%:	s/preparations in		Ш	Ш	
		ical name: CAS #:					
		ical name: CAS #: ical name: CAS #:					
		ical name: , CAS #:					
	Alt. 2						
	FR(40)	al specifications of flame retardants in plastic parts >25g according ISO 1043-4:					
57.40		05 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				Щ.	
P7.19		c parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; and Hazard statements: H411;H413	n have been	\boxtimes		Ш	
		rce(s) for these classifications is/are found at (add URL(s)): European Cour	ncil Directive				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):					
		at least one of the two alternatives below shall be answered;	at (calculated as a		_	_	
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material conter centage of total plastic by weight) is 1.46%.	it (calculated as a				
1	or	J J J /					

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

The weight of recycled material is 12.63 g.

Model number *	83A2	Logo	Lenovo
Issue date *	2023-04-07		Lei Iovo.
Product environr		Requirement met	
Item			Yes No n.a.

P7.21*	Material and substance requirements (continued) Biobased plastic material content is used in the product (See NOTE B7):						
P1.21	•			•			
			s below shall be answer		ated as a percentage of		
		weight) is 0 %.	the biobased plastic in	iateriai content (calcula	ateu as a percentage of		
	or	3 /					
		the biobased plastic n					
P7.22*			less than 0,1 mg/lamp.		or lamp:		
P8	Batteries	specify: Number of lan	nps. and maxim	um mercury content p	er lamp: mg		
P8.1*		omposition: LI-ION Po	lymer battery and lith	hium-metal battery		7	
P9		tion (See NOTE B8)	,	· · · · · · · · · · · · · · · · · · ·			
P9.1			s or energy consumption	ons are reported:			
Energy mod		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *		
Peak (On-I	max)	65 W	65 W	65 W	Full load		
Category	<u>y 1</u>						
Short Idle Enabled	State - WOL	4.46 W	4.49 W	4.51 W	ENERGY STAR Computers V8 (P _{idle})		
Long Idle S Enabled	State - WOL	0.43 W	0.44 W	0.45 W	ENERGY STAR Computers V8 (P _{idle})		
Sleep (S3)	- WOL Enabled	0.43 W	0.44 W	0.45 W	ENERGY STAR Computers V8(P _{sleep})		
Off (S5) - W	VOL Enabled	0.19 W	0.18 W	0.24 W	ENERGY STAR Computers V8(P _{off})		
ETEC *		13.83 kWh/year	13.93 kWh/year	16.04 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25)$		
Annual Ene	ergy Consumption				+ P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short_idle} x 0.30)		
Categor	<u>y 2</u>				snort idie X 0.00)		
Short Idle Enabled	State - WOL	6.17 W	6.21 W	6.12 W	ENERGY STAR Computers V8		
Long Idle S	State - WOL	0.6 W	0.61 W	0.71 W	ENERGY STAR Computers V8		
Sleep (S3)	- WOL Disabled	0.6 W	0.61 W	0.71 W	ENERGY STAR Computers V8		
Off (S5) - V	VOL Enabled	0.17 W	0.18 W	0.24 W	ENERGY STAR Computers V8		
EPS No-loa (External power s wall outlet but disc	ad upply / charger plugged in the connected from the product.)	0.108 W	0.108 W	0.108 W			
PTEC *		W	W	W		\leq	
ETEC *	ergy Consumption	18.97 kWh/year	19.12 kWh/year	19.41 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_ldle} x 0.10+		
		Post Off Mode(\$5) = W/	 	Mode(S3) - WOL Frahl	P _{short Idle} X 0.30)		
External Po	Port: Off Mode(S5) - WOL Enabled; Psleep: Sleep Mode(S3) - WOL Enabled; Pidle: Idle State - WOL Enabled External Power Supply Efficiency Level (International Efficiency Marking Protocol) *: VI						
	olution * : 2.07 meg				-	+	
Default time to enter energy save mode: 5 minutes					┪		
P9.2*			on is provided with the	product		┿	
P9 3							

NOTE B8 A Guidance document on Energy Efficiency is available;

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available;

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

see http://www.ecma-international.org/publications/standards/Ecma-370.htm

P10	Emissions		
	Noise emission	on – Declared according to ISO 9296 (See NOTE	B9)
P10.1	Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)
Ì	Idle	* Idle	* 2.7
	Operation	* CPU:Operation	*4.5
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	
	Other mode	Declared A-weighted sound pressure level (dB) $L_{p m Am}$	34.5 (operator position desktop – operating)
	Measured acco	ording to: ISO 7779 ECMA-74	
		Other (only if not covered by E	ECMA-74)

Model number *		83A2			Logo	Long	1/0	
Issue date *		2023-04-07				Lenc		
Product	environr	nental attributes	- Market requirements (co	ontinued)		Require	ment	met
Item			•			Yes	No	n.a.
		nagnetic emission:						
P10.4	program	(s): MPR-II(3 pin AC		electromagnetic field	s of the following volunta	ary 🔀		
P12		mics for computing						
P12.1*		,	omic requirements of ISO 924	<u>'</u>	, ,			
P12.2*	The phys	sical input device me	eets the requirements of ISO 9	995 and ISO 9241-41	0.	\boxtimes		
P13		ng and documenta						
P13.1*	Product Product Product Product Product	packaging material t packaging material t packaging material t packaging material t packaging material t	type(s): Corrugated single wa type(s): Ppaer-from offset / re type(s): Corrugated single wa type(s): Solid EPE (solid Expa type(s): LDPE (low density po type(s): PP (polypropylene)	ecycled source all weight (kg): 0.048 anded polyethylene)				
P13.2*	Product plastic primary packaging is free from PVC.							
P13.3*	For product primary corrugated fiberboard packaging, specify the contained percentage of minimum post-consumer recovered fiber content: 82 %							
P13.4*	Specify media for user and product documentation (tick box):							
P13.5	(Please only complete this item if paper documentation used) User and product documentation on paper media is chlorine-free: If Yes, please specify:							
	Totally chlorine-free Elemental chlorine-free Processed chlorine-free							
P14	Volunta	ry programs						
P14.1			rements of the following volunt	ary program(s):				
	ENERG' Eco-labe		Criteria version: 8.0 Criteria version: Criteria version:	Date: 2020/7/15 Date: Date:	Product category: 1&2 Product category: Product category:	?		
P15		nal information (Se						
P9			ecific configuration may var					
P9	the info supplier informa Accoun	rn ation contained r's knowledge avail tion. The information t Representative fo	representations, guarantees in this document. All informa lable at the time of completic on provided here is approxin or more information. Notebooks & Tablet Comput	ation provided by su on, and supplier sha nate and provided fo	applier in this documen Il have no obligation to or informational purpos	nt is provided o update such	based	on
L.3			Notebooks & rablet Comput /index.cfm?fuseaction=find			:=CO		
		gy otan gov			code			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Lenovo V17 G4 IRU	Logo	
Model number *	83A2		Lonovo
Issue date *	2023-04-07		Lenovo.
Additional information			

d)	Year of manufacture:				2023
;)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
)	Etec value (kWh) per ErP Lot 3 Categorienable	ry and capability adjust	ments applied when a	all discrete graphics	cards (dGfx) are
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	12			
ents	Additional internal storage	Yes (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	No (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cap	Discrete graphics Card(s) [number / #]	No #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)				
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	8.58			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
J)	Idle state power demand (Watts);	l		l	A:2.51
ı)	Sleep mode power demand (Watts);				A:0.58
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		A:0.58
)	Off mode power demand (Watts);				A:0.28
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		A:0.28
)	Internal power supply efficiency at 10 %,	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 91.83%; 89.5	56%;89.63%			
	*internal note: show values for all available external p	ower supplies			
)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300CYCLES
p-1)	Measurement methodology used to dete	ermine information mer NA	itioned in points (I) – ii	nternal PSU efficiency:	:
o-2)	Measurement methodology used to dete	ermine information men	tioned in points (m) –	external PSU efficienc	cv.

(p-3)	Measurement metho	t methodology used to determine information mentioned in points (o) – loading cycles batteries: EN 50563:2011 measurement methodology					
(p-4)	Measurement metho power as defined in f	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode				
		EN 62623:2013 measurement methodo	ology				
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		EN 62623:2013 measurement methodo	ology				
(r)	Description of how sl	eep and/or off mode was selected or programmed:					
	EN 62623:2013 measurement methodology						
(s)	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: refer to power management, 30mins automatically reaches sleep mode						
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		5			
(u)	Length of time after	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	r automatically reaches a power	NA			
(v)		re the display sleep mode is set to activate after		5			
(w)							
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all				
(x)	User information on I	now to enable the power management functionality:					
	User information	described in User Guide and Power Manager un programs	der Lenovo Vantage menu in all				
(z)	the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V, 50GHz, Total Harmonic Distortion <2 9	strumentation, set-up and circuits				
Addition	al Notebook Batter	v Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	ouilt-in Battery						
External/detachable Battery							
Bios Backup Battery							
Other:							
Additiona	l information						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé. Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada. Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [bateriju] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgñux tiģi/jigu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériu(-ie) v tomto výrobku nemôže vymieñať používateľ.

Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati. Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna.

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.