



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo			
Company name *	Lenovo				
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo			
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/				
Additional information	The latest version of this document can be found at:				
	http://www.lenovo.com/ecodeclaration				

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	ThinkBook 16 G5+ IRH			
Model number *	21HX			
Issue date *	2022/11/16			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☒ Other <i>China</i>			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		ber* 21HX		Lend	N/0	
Issue date	*	2022/11/16		Leik		TH.
Product e	environi	mental attributes - Legal requirements		Require	ment	met
Item				Yes	No	n.a.
		us substances and preparations				
	Products	do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
	Products Commen					
		t: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),		\square		
	hydrobro trichloroe concentr	mofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach thane, methyl bromide (see legal reference). Comment: Legal reference has no m ation values.	naximum			
	terpheny	do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychl (PCT) in preparations (see legal reference).				
		do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carl ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in th	ne 🔀		
	(see lega	h direct and prolonged skin contact do not release nickel in concentrations above (il reference). t: Max limit in legal reference when tested according to EN1811:2011-5.),5 μg/cm²/wee	ek 🔀		
P1.7*	REACH A	Article 33 information about substances in articles is available at (add URL or mail www.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):			
	Batteries					
		duct contains a battery or an accumulator, the battery/accumulator is labeled with nformation on proper disposal is provided in user manual. (See legal reference)	the disposal			
	Batteries or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadmium. (See legal reference)					
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3	Conform	nity verification & Eco design (ErP)				
	The Do	uct is CE-marked to show conformance with applicable legal requirements (see legeclaration of Conformity can be requested at (add link or e-ww.lenovo.com/us/en/compliance/eu-doc for EU and www.lenovo.com/us/en/compliance/uk-doc for UK	,	s):		
		uct complies with the Eco design requirements for energy-related products,		\square		
	(see lega	ıl reference).				
	Required	information is; Siven in item P15 or added to this document,		\boxtimes		
		available at (add URL):				
		/ww.lenovo.com/us/en/compliance/eco-declaration				
		packaging		. 🗖		
	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury nt chromium by weight of these together.				
		aging materials are marked with abbreviations and numbers indicating the nature elegal reference).	of the material	(s)		
P5.3*	The prod (see lega	uct packaging material is free from ozone depleting substances as specified in the N Il reference).	Montreal Protoc	col 🔀		
		t: Legal reference has no maximum concentration values.				
		nt information			_	
P6.1* I	information	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		Ш

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodei ni	ımber "	21HX	Logo	Len		
Issue dat	te *	2022/11/16		Leii		TH.
Product		mental attributes - Market requirements (See General NOTE GN bonmental conscious design	oelow)	Require	ment i	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*	Parts tha	t have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				X
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 5 years				
P7.10	Service i	s available after end of production for: 5 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum): type: <i>PC+ABS+15% Talc</i> Material type: <i>PC</i> Materia	l type: POM			
P7.12	Insulation	n materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (* polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in n 25% post-consumer recycled content.	retardants, and			
P7.15	Printed of	circuit boards, PCBs (without components) are low halogen: all ⊠PCBs > 25 g ⊠ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16	Marking:	tarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: >PC+ABS-TD15FR(40)<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
	Alt. 2: Ch	PA (additive), TBBPA (reactive) (See NOTE B3), Other: <i>DOPO</i> CAS #: 35948 - nemical specifications of flame retardants in printed circuit boards (without compone			Ш	Ш
	accordin	g ISO 1043-4: <i>FR(16)</i>				
				\boxtimes		
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substances ations above 0,1%: ical name: BPADP, CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations in			
	Alt. 2: Ch	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <i>FR(40)</i>	\square		
P7.19	In plastic	e parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; <i>P273</i> , <i>P391</i> , <i>P501</i> and Hazard statements: <i>H411</i>				
		ce(s) for these classifications is/are found at (add URL(s)):				
	https://china.guidechem.com/cas/31822.html, (See note B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):		\boxtimes		
	a) Of to	It least one of the two alternatives below shall be answered; otal plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 13.92%. • weight of recycled material is 43.85 g.	(calculated as			

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	21HX	Logo	Len	01/0	
Issue date *	2022/11/16		Len) _{TH}
Product environmental attributes - Market requirements (continued) Requirement met					
Item			Yes	No	n.a.

D7.04*		stance requirements (NOTE DZV		_	<u> </u>	_	
P7.21*	•	naterial content is used		,		Ш	\boxtimes		
		e of the two alternatives			tout (aslaulated as a				
		tic parts' weight > 25 f total plastic by weight)		iastic material con	tent (calculated as a				
	or	i total plactic 2) itolgiti,	70.						
		the biobased plastic m							_
P7.22*		ree from mercury, i.e. le specify: Number of lam		ıp. mum mercury contei	nt per lamp: mg	\boxtimes			ı
P8	Batteries	specify. Number of lamp	ps. and maxii	main mercury conte	nt per lamp. mg				
P8.1*		omposition: Lithium io	n			\boxtimes		Т	Г
P9	Energy consumpt	tion (See NOTE B8)							_
P9.1		following power levels	or energy consump	tions are reported:					
Energy mo	de *	Power level at	Power level at	Power level at	Reference/Standard	for	energy		
Dook (On		100 V AC	115 V AC	230 V AC	modes and test method	* to			_
Peak (On-	max)	100 W	700 VV	100 W	Full load				
Categor	<u>y2</u>								
Short Idle	State - WOL	8.22 W	8.25 W	8.34 W	ENERGY STAR Comp	outers	V8		
Enabled					(P _{idle})				
Long Idle	State - WOL	0.82 W	0.82 W	0.83 W	ENERGY STAR Comp	outers	V8		_
Enabled					(P _{idle})				
Sleep (S3)	- WOL Enabled	0.87 W	0.89 W	0.92 W	ENERGY STAR Comp V8(P _{sleep})	outers			
									_
Sleep (S3)	- WOL Disabled	0.82 W	0.82 W	0.83 W	ENERGY STAR Comp	outers	V8		
Off (S5) - V	NOL Enabled	0.66 W	0.66 W	0.64 W	ENERGY STAR Comp	outers			
					V8(P _{off})				
Off (S5) - V	WOL Disabled	0.35 W	0.35 W	0.36 W	ENERGY STAR Comp	outers	V8		
EPS No-loa		0.02 W	0.02 W	0.02 W					_
(External power s	supply / charger plugged in the connected from the product.)								
PTEC *		W	W	W				X	Γ
	ergy Consumption								
ETEC *	ergy Consumption	25.60 kWh/year	25.68 kWh/year	25.98 kWh/year	$E_{TEC} = (8760/1000) \times (1000) \times (100$				
Alliuai Elie	ergy Consumption				$P_{\text{sleep}} \times 0.35 + P_{\text{long_Idle}}$ $P_{\text{short Idle}} \times 0.30$	X 0.70	,+		
1		Poff: Off Mode(S5) - WO	L Disabled; P _{sleep} : Sle	eep Mode(S3) - WOL I	Disabled; P _{idle} : Idle State -	WOL I	Disabled		_
ETEC *		26.43 kWh/year	26.53 kWh/year	26.87 kWh/year	$E_{TEC} = (8760/1000) \times ($	P _{off} x	0.25 +		
Annual Ene	ergy Consumption				P _{sleep} x 0.35 + P _{long_Idle}	x 0.1	0 +		
		D Off Modo/CE\ 14/0	L Enabled: B Cla	on Modo(\$3) MCL F	P _{short_Idle} x 0.30)	VOL E	aphled		_
External Da	ower Sunnly Efficien	cy Level (International I			nabled; P _{idle} : Idle State - V	VUL EI	iabieu		Г
		•	Emoicincy Marking F	1010001) . 🕶				누	L
Display resolution * : 2560*1600 megapixels Default time to enter energy save mode: 10 minutes								┾	
P9.2*									
D0 2		place (manitare anly):	ii is piovided with th	io product.		\triangle			L

NOTE B8 A Guidance document on Energy Efficiency is available;

 $see \hspace{0.2cm} \underline{\text{http://www.ecma-international.org/publications/standards/Ecma-370.htm}}$

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Emissions							
Noise emission – Declared according to ISO 9296 (See NOTE B9)							
Mode	Mode description	Statistical upper limit A-weighted sound power level, $L_{WA,c}$ (B)					
Idle	* System Idle	* 3.3					
Operation	* CPU;Operation	* 3.8					
Other mode	Declared A-weighted sound pressure level (dB)	22 (operator position desktop – idle)					
	L_{pAm}						
Other mode	Declared A-weighted sound pressure level (dB)	39.7 (operator position desktop – operating)					
	L_{pAm}						
Measured according to: X ISO 7779 ECMA-74							
	Other (only if not covered by ECMA-74)						
	Noise emission Mode Idle Operation Other mode Other mode	Noise emission – Declared according to ISO 9296 (See NO) Mode Mode description Idle * System Idle Operation * CPU; Operation Other mode Declared A-weighted sound pressure level (dB) L_{pAm} Other mode Declared A-weighted sound pressure level (dB) L_{pAm} Measured according to: ISO 7779 ECMA-74					

Model number *		21HX			Logo	Lon	21/2	
Issue date	*	2022/11/16				Lend		н
Product e	nvironn	nental attributes	- Market requirements (cor	ntinued)		Requir	ement	met
Item			-	-		Yes	No	n.a.
	Electron	nagnetic emission	s					
P10.4	program	(s): MPR-II(3 pin A		lectromagnetic	fields of the following volunta	ary 🔀		
P12		mics for computing						
P12.1*		, ,	nomic requirements of ISO 9241-			\boxtimes		
P12.2*	The phys	sical input device m	eets the requirements of ISO 999	95 and ISO 924	11-410.	\boxtimes		
P13		ng and documenta						
P13.1	Product Product Product	packaging material packaging material packaging material	type(s): Multi layer corrugated type(s): Single layer corrugated type(s): White EPE type(s): PE type(s): Vitriol paper		weight (kg): 0.319 weight (kg): 0.0325 weight (kg): 0.086 weight (kg): 0.015 weight (kg): 0.0035			
P13.2*	Product	plastic primary pack	aging is free from PVC.			\boxtimes		
P13.3*	For proc	duct primary corrug	ated fiberboard packaging, spec ontent: 84 %	cify the contain	ned percentage of minimum			
P13.4*			product documentation (tick box) Other	:				
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine-					
	Element	hlorine-free al chlorine-free ed chlorine-free						
P14	Volunta	ry programs						
P14.1	The prod	duct meets the requi	rements of the following voluntar	y program(s):				
	Eco-labe	el:	Criteria version: 8 Criteria version: 1680.1-2018 Criteria version:	Date: Date: Date:	Product category: 2 Product category: Product category:			
P15		nal information (Se	,					
P9			pecific configuration may vary;					
	informati knowled provided informati	ion contained in this ge available at the t I here is approximat ion.	epresentations, guarantees, assu document. All information providing ime of completion, and supplier s e and provided for informational	ded by supplier shall have no ob purposes only.	in this document is provided bligation to update such infor See a Lenovo Account Repr	based on sup mation. The i	oplier's nformati	ion
P9			lotebooks & Tablet Computers for ndex.cfm?fuseaction=find_a_prod					

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	21HX	Logo
Model Number	ThinkBook 16 G5+ IRH	Lenovo
Issue Date	2022/11/16	reliovo.
Additional information		

d)	Year of manufacture:				
e) f)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with	n switchable graphics n	node with UMA driving	the display.	, ,
• /	enable	Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	32	16	(according to ETP Lot 3)	(according to ETP Lot 3)
ents	Additional internal storage	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
djustm ing tes	Discrete television tuner	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete Audio Card	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capa	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO	G4		
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	10.48			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		9.17		
3)	Idle state power demand (Watts);			•	3.092
1)	Sleep mode power demand (Watts);				0.602
)	Sleep mode with WOL enabled power de	emand (Watts) (where	enabled);		NA
)	Off mode power demand (Watts);				0.348
()	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	ige		
n)	External power supply efficiency (if appli	cable)*:			
	Average active efficiency: 85.76%, 85.	27%,84.09%,83.45	%, 84.64%		
p)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles				
p-1)	Measurement methodology used to determine information mentioned in points (I) – internal PSU efficiency: NA				

	p-2) Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3) Measurement metho	Measurement methodology used to determine information mentioned in points (o) – loading cycles batteries: ≥70% of Cmin					
	dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode				
	IEC 62623					
(q) Sequence of steps for	or achieving a stable condition with respect to power	demand::				
	Power on -> Wait 5 minutes -> Stable cor	ndition				
(r) Description of how sl	eep and/or off mode was selected or programmed:					
	Begin menu -> Power -> Select sleep or o	ff mode				
(s) Sequence of events off mode:	required to reach the mode where the equipment au	omatically changes to sleep and/or				
	NA					
	te condition before the computer automatically researched the applicable power demand requirement		30min			
1 \ /	r a period of user inactivity in which the compute ver power demand requirement than sleep mode (in	•	NA			
(v) Length of time befo						
(w) Information on the er	nergy-saving potential of power management function	nality:				
	Refer to User Guide					
(x) User information on h	now to enable the power management functionality:					
	Refer to User Guide					
	measurements: — test voltage in V and frequency in system, — information and documentation on the institution:					
	230V50HZ-2%-Edition 2.0, 2011-01, Section 4	, IEC62301				
Additional Notebook Batter	y Information:					
	Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
	The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/built-in Battery						
External/detachable Battery						
Bios Backup Battery						
Other:	Other:					
Additional information			·			
<u> </u>)						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

Annex B1 of ECMA-370 5th edition (Lenovo) 2015-04-08

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ.
Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.
Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.
Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.
Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.