



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Yoga 7 14ARP8, Yoga 14c ARP8			
Model number *	82YM			
Issue date *	2023/02/02			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82YM	Logo	Long	Lenovo.	
Issue date	*	2023/02/02		Len		
Product	environ	mental attributes - Legal requirements		Require	ment met	
Item				Yes	No n.a.	
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		do not contain Asbestos (see legal reference).				
D4 0*		nt: Legal reference has no maximum concentration value.			$\overline{}$	
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	\boxtimes		
	trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum					
	concentration values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych (PCT) in preparations (see legal reference).	lorinated			
P1.5*	Products	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 cart	oon atoms in the	ne 🔀		
		ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).				
P1.6*		h direct and prolonged skin contact do not release nickel in concentrations above 0),5 μg/cm²/wee	ek 🔀		
		al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	contact):			
F 1.1		www.lenovo.com/us/en/Lenovo-REACH-SVHC-	contact).		ш ш	
	Disclos					
P2	Batterie					
P2.1*		duct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal			
Do ot		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	referenc		nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)		\boxtimes		
P3		nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).			
		laration of Conformity can be requested at (add link or e-mail address): www.lenovo.com/us/en/compliance/eu-doc for EU;				
		vww.lenovo.com/us/en/compliance/eu-doc for EU ; vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\square		
. 0.2		al reference).				
	Required	I information is; given in item P15 or added to this document,				
	•	available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	hexavale	ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.				
P5.2*	The pack used (se	kaging materials are marked with abbreviations and numbers indicating the nature $\mathfrak c$ e legal reference).	of the material	(s) 🔀		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference).		col 🔀			
		nt: Legal reference has no maximum concentration values.				
P6	Treatme	nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).		\boxtimes		

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

Model number *		82YM	Logo	l on	01/0	
Issue dat	te *	2023/02/02		OVC	O _{th}	
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design	R	Require		met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7 P7.1*		Disassembly, recycling at have to be treated separately are easily separable		<u> </u>		
P7.1*		<u> </u>				<u> </u>
		naterials in covers/housing have no surface coating.				
P7.3*		arts > 100 g consist of one material or of easily separable materials.			<u> </u>	
P7.4*		arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.			<u>Ц</u>	
P7.5		arts are free from metal inlays or have inlays that can be removed with commonly a	available tools.		<u> </u>	
P7.6*		re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
D= =+	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives			<u>Ц</u>	
P7.8*		ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 3 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):	-1 h AL EL EOE			
		type: PC+ABS Material type: PC+ABS+15%Talc Materia type: AL5052RC	al type: AL5L52R			
P7.12		n materials of external electrical cables are PVC free.				
P7.13		n materials of internal electrical cables are PVC free.			Ħ	H
P7.14		plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) b	romine and 0.1%		H	H
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	e retardants, and		Ш	ш
	polyvinyl	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in				
D7.45		in 25% post-consumer recycled content.	1	<u> </u>		
P7.15	as define	circuit boards, PCBs (without components) are low halogen: all ☐ PCBs > 25 g ⊠ed in IEC 61249-2-21. (See 1NOTE B2)				
P7.16	Flame re Marking:	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co	omponents):			
	ТВВР	A (additive),TBBPA (reactive) (See NOTE B3), \(\subseteq Other: chemical name: \begin{align*} \bar{Dihydro} \end{align*}	oxa-	\boxtimes		
	phosp	hophen- antreneoxid CAS #: 35948-25-5				
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 g	\bowtie		
	accordin	g ISO 1043-4: <i>FR(16)</i>	, -			
P7.18		ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
		rations above 0,1%:		\boxtimes	Ш	Ш
		ical name: Bisphenol A diphosphate CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: "				
		ical name: , CAS #: "				
D7.40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 104			 	
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; P273 , P391 , P501 and Hazard statements:	H411		Ш	Ш
	•	rce(s) for these classifications is/are found at (add URL(s)):				
		hina.guidechem.com/cas/31822.html, https://china.guidechem.com/cas/3182	2.html (See note			
D7.00t	B5)					
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):			Ш	Ш
		at least one of the two alternatives below shall be answered;				
		total plastic parts' weight > 25 g, the postconsumer recycled plastic material content	t (calculated as			
	a pe	ercentage of total plastic by weight) is 24.09 %.				
		weight of recycled material is 48.28 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82YM	Logo	Lenovo
Issue date *	2023/02/02		Leliovo
Product environr	nental attributes - Market requirements (continued)		Requirement met
Item			Yes No na

P7.21*		ostance requirements material content is use		NOTE B7\·		_			
F1.21	•			•		┙			
	,	ne of the two alternativ		,	ated as a percentage of				
		by weight) is %.	, trie biobaseu piastic	material content (calcula	ateu as a percentage of				
	or	,g,							
D7 00*		of the biobased plastic				_			
P7.22*		free from mercury, i.e d specify: Number of la		p. num mercury content p	per lamp: mg	┙			
P8	Batteries	a specify. Number of la	inps. and maxii	num mercury content p	oriamp. mg				
P8.1*		composition: Lithium	ion		X	┰			
P9	Energy consum	nergy consumption (See NOTE B8)							
P9.1		ne following power leve							
Energy mod	de *	Power level at	Power level at	Power level at	Reference/Standard for energy]			
Peak (On-i	may)	100 V AC	115 V AC	230 V AC	modes and test method * Full load				
reak (OII-I	IIax)	03 VV	00 11	00 W	T un loca				
Category	<u>/2</u>								
Short Idle	State - WOL	6.43 W	6.45 W	6.76 W	ENERGY STAR Computers V8				
Enabled					(P _{idle})				
Long Idle	State - WOL	3.64 W	3.63 W	3.83 W	ENERGY STAR Computers V8				
Enabled	J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	0.04	0.00 11	0.00 11	(P _{idle})				
Sleep (S3)	- WOL Disabled	0.44 W	0.45 W	0.56 W	ENERGY STAR Computers V8				
Off (S5) - V	VOL Disabled	0.28 W	0.29 W	0.33 W	ENERGY STAR Computers V8				
EPS No-loa		0.30 W	0.30 W	0.30 W					
(External power s wall outlet but disc	upply / charger plugged in the connected from the product.)	9							
PTEC *		W	W	W		3			
	ergy Consumption	22.05 k\\/\b/\\	22 45 14\0/16/44000	22 56 k/Mb/y 22 7	F = (0760/4000) × (D × 0.25	_			
ETEC *	ergy Consumption	22.05 kWh/year	22.15 kWh/year	23.56 kWh/year	$E_{TEC} = (8760/1000) \times (P_{off} \times 0.25 + P_{sleep} \times 0.35 + P_{long_Idle} \times 0.10 +$	J			
, amaar Ene	ngy concumption				P _{short Idle} x 0.30)				
					led; P _{idle} : Idle State - WOL Enabled				
	,	ency Level (Internationa	al Efficiency Marking P	rotocol) * : V/					
Display res	olution * : 1920*1	200 megapixels							
		save mode: 5 minutes							
P9.2*	Information abou	t the energy save funct	ion is provided with the	e product.	🛮 🗖 🗖				
P9.3	Energy efficiency	class (monitors only):				<u> </u>			
P10	Emissions		100 0000 /0 1107						
P10.1		 Declared according to Mode description 	0 ISO 9296 (See NOT		nit A-weighted sound power level, L _{WA,c} (B)				
F 10.1	Idle	* System Idle		* 2.2	III. A-weighted sound power level, $L_{WA,c}$ (b)	<u>a</u>			
	Operation	* CPU;Operation		* 4.1	<u> </u>				
	Other mode	Declared A-weighted sour	nd pressure level (dB)		ition desktop – idle)	<u> </u>			
	Other mode	$L_{p ext{Am}}$		17.1 (operator pos	nion desktop – lale)				
	Other mode	Declared A-weighted sour	nd pressure level (dB)	37.6 (operator position desktop – operating)					
		L_{pAm}	_						
	Measured accord	ling to: 🔀 ISO 7779 🛚	ECMA-74						
		Other	(only if not covered b	y ECMA-74)					

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model number *		82YM				Logo	Long	V/0	
Issue date	*	2023/02/02					Leno	VO.	
Product	environr	nental attributes	- Market requirements (cor	ntinued)			Require	ment	met
Item				•			Yes	No	n.a.
	Electron	nagnetic emissions	5						
P10.4	program	(s): MPR-II(3 pin AC		lectromagnetic f	ields of the foll	owing voluntary	У		
P12		mics for computing					<u></u>		
P12.1*		,	omic requirements of ISO 9241-		. ,	gies.	\boxtimes		
P12.2*	The phys	sical input device me	eets the requirements of ISO 999	95 and ISO 9241	l - 410.		\boxtimes		
P13		ng and documenta							
P13.1	Product Product Product Product	packaging material t packaging material t packaging material t	ype(s): <i>Tracing Paper</i>		weight (kg): 0	.06 .04 .014 .004			
P13.2*	Product	plastic primary pack	aging is free from PVC.				\boxtimes		
P13.3*	consume	er recovered fiber co	ated fiberboard packaging, spec intent: 81 %	•	ed percentage	of minimum p	oost-		
P13.4*		media for user and p ronic, ⊠Paper, □	roduct documentation (tick box): Other						
P13.5	Ùser and		em if paper documentation used ation on paper media is chlorine-						
		hlorine-free al chlorine-free							
	Process	ed chlorine-free							
P14		ry programs							
P14.1	The prod	duct meets the requi	rements of the following voluntar	y program(s):					
		Y STAR® el: <i>EPEAT</i> el:	Criteria version: 8 Criteria version: 1680.1-2018 Criteria version:	Date: Date: Date:	Product of Product of Product of	0 ,			
P15		nal information (Se							
P9			ecific configuration may vary;						
	the info supplier informa Accoun	rmation contained r's knowledge avail tion. The information t Representative fo	representations, guarantees, a in this document. All information at the time of completion provided here is approximater more information.	ion provided by , and supplier s ite and provide	supplier in the shall have no defined for informate for informate for the same for	his document i obligation to u	is provided l ipdate such	based	on
P9			Notebooks & Tablet Computer /index.cfm?fuseaction=find_a			o&pgw_code=	СО		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 7 14ARP8/Yoga 14c ARP8	Logo	
Model Number	82YM		Longyo
Issue Date	2023/02/02		Lenovo.
Additional information			
•			-

(d)	Year of manufacture:						
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are		
f)	Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable						
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)		
	Memory over base [GB]	16					
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)		
cap	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)		
	Category of discrete graphics Card(s)	NO					
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	11.76					
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled						
g)	Idle state power demand (Watts);		•	•	3.655		
h)	Sleep mode power demand (Watts);				0.623		
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA		
j)	Off mode power demand (Watts);				0.307		
k)	Off mode with WOL enabled power dem	nand (Watts) (where en	abled);		NA		
I)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):			
	10% 20% 50%	100% Avera	age				
m)	External power supply efficiency (if appli	icable)*:					
	Average active efficiency: 85.76%, 85.	.27%, 84.09%, 83.45	%, 84.64%				
0)	*internal note: show values for all available external p Minimum number of loading cycles that		tand (applies only to n	otebook computers):	300 cycles		
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:			

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)						
(p-3)	Measurement metho	dology used to determine information mentioned in p <i>≥</i> 70% of Cmin	oints (o) – loading cycles batteries:				
(p-4)		Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration: <i>IEC</i> 62623					
(q)	Sequence of steps for	or achieving a stable condition with respect to power	demand::				
		Power on -> Wait 5 minutes -> Stable con	ndition				
(r)	Description of how s	eep and/or off mode was selected or programmed:					
		Begin menu -> Power -> Select sleep or o	ff mode				
(s)	Sequence of events off mode: NA	required to reach the mode where the equipment aut	omatically changes to sleep and/or				
(t)		te condition before the computer automatically re not exceed the applicable power demand requirement		5min			
(u)	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):						
(v)		re the display sleep mode is set to activate after		5min			
(w)	Information on the er	nergy-saving potential of power management function	nality: <i>Refer to User Guide</i>				
(x)	User information on	how to enable the power management functionality:	Refer to User Guide				
(z)		measurements: — test voltage in V and frequency in system, — information and documentation on the ins sting:					
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301				
Addition	al Notebook Batter	v Information:					
		Battery[ies] <u>not</u> user replaceable	Battery[ies] user replaceable	n/a			
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)					
Internal/b	ouilt-in Battery						
External/	detachable Battery						
Bios Backup Battery							
Other:	Other:						
Additiona	l information			•			
\							

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios.

Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.
Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.
Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Nasulaju el saa selle toule akturaktosi lse l'iolipsasi aseritudud.

H μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes.

Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us).

Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni. II-batterija/batteriji f'dan iI-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batterief [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie.

uzyrkownik nie moze sam w łatwy sposob wymienic baterii w tym produkcie.

A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi uşor înlocuită (înlocuite) de utilizatorii înşişi.

Batériilybaterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batteriema.

Bu tirtindeki batanzi(ala) kullanıcılar tarafinda kolaylıkla değistirilemez

Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.