



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo
Company name *	Lenovo	
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo.
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/	
Additional information	The latest version of this document can be found at:	
	http://www.lenovo.com/ecodeclaration	

The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.					
Type of product *	Notebook				
Commercial name *	Yoga 7 14IRL8				
Model number *	82YL				
Issue date *	2023/02/02				
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other				
Additional information					

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82YL	Logo	Long	N/0	
Issue date	e *	2023/02/02		Lend	JVO	тн
Product	environ	mental attributes - Legal requirements		Require		met
Item				Yes	No	n.a.
P1		ous substances and preparations				
P1.1*		do comply with current European RoHS Directive. (See legal reference and NOTE	B1)			
P1.2*		do not contain Asbestos (see legal reference).		\boxtimes		
P1.3*		nt: Legal reference has no maximum concentration value. do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC),			$\overline{}$	
F1.3		omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-		Ш	
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
		ation values.				
P1.4*	Products do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polychlorinated					
		(PCT) in preparations (see legal reference).			_	
P1.5*		on to contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in t	the 🔀	Ш	
P1.6*	Parts wit	h direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/we	ek 🔀		
		al reference).				
		nt: Max limit in legal reference when tested according to EN1811:2011-5.				
P1.7*		Article 33 information about substances in articles is available at (add URL or mail ovww.lenovo.com/us/en/Lenovo-REACH-SVHC-Disclosure	contact):		Ш	
P2	Batterie					
P2.1*		educt contains a battery or an accumulator, the battery/accumulator is labeled with t Information on proper disposal is provided in user manual. (See legal reference)	he disposal			
P2.2*	Batteries	or accumulators do not contain more than 0,0005% of mercury or 0,002% of cadme)	ium. (See leg	jal 🔀		
P2.3*		and accumulators are readily removable. (See legal reference)		\boxtimes	П	
P3	Conforn	nity verification & Eco design (ErP)				
P3.1*		luct is CE-marked to show conformance with applicable legal requirements (see leg	al reference).	. 🛛		
		laration of Conformity can be requested at (add link or e-mail address):			_	
		vww.lenovo.com/us/en/compliance/eu-doc for EU ;				
D0.0*		vww.lenovo.com/us/en/compliance/uk-doc for UK			_	
P3.2*		luct complies with the Eco design requirements for energy-related products, al reference).			Ш	ш
	, ,	I information is; given in item P15 or added to this document,				
	'	available at (add URL):		_		_
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*	Packagii	ng and packaging components do not contain more than 0,01% lead, mercury ant chromium by weight of these together.	/, cadmium a	and 🔀		
P5.2*	The pack	kaging materials are marked with abbreviations and numbers indicating the nature of elegal reference).	of the materia	l(s)		
P5.3*	The proc	luct packaging material is free from ozone depleting substances as specified in the N	Montreal Proto	ocol 🔀		
	(see lega Commer	al reference). nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodel number *		82YL	Logo	Len		
Issue dat	:e *	2023/02/02		Lell		тн
Product	environ	mental attributes - Market requirements (See General NOTE GN	below)			
		onmental conscious design		equire	ment i	met
Item	*=manda	tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling				
P7.1*		at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.			\boxtimes	
P7.3*	Plastic p	arts > 100 g consist of one material or of easily separable materials.				X
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	\boxtimes				
P7.6*	Labels a	\boxtimes				
	Product					
P7.7*		ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	. •	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 3 years				
		and substance requirements				
P7.11*		cover/housing material type (e.g. plastics, metal, aluminum):				
		type: PC+ABS Material type: PC+ABS+15%Talc Materia type: AL5052RC	al type: AL5L52R			
P7.12		n materials of external electrical cables are PVC free.				
P7.13	Insulation	n materials of internal electrical cables are PVC free.			Ħ	Ī
P7.14	External	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) but	romine and 0,1%	X	$\overline{\Box}$	Ē
	weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame	retardants, and			
	polyvinyl	chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in	n parts containing			
P7.15		in 25% post-consumer recycled content. circuit boards, PCBs (without components) are low halogen: all PCBs > 25 g ⊠	1 1			
7.13		ercuit boards, PCBs (without components) are low nalogen: all 🔲 PCBs > 25 g 🔼	are low nalogen			
P7.16	Flame re	starded plastic parts > 25 g in covers / housings are marked according ISO 1043-4:		\boxtimes		
		FR(40) ,				
P7.17	Alt. 1: Ch	nemical specifications of flame retardants in printed circuit boards > 25 g (without co A (additive),TBBPA (reactive) (See NOTE B3),Other: DOPO CAS #: 35948-25				
	Alt. 2: Ch	nemical specifications of flame retardants in printed circuit boards (without compone	ents) > 25 g			
	accordin	g ISO 1043-4: <i>FR(16)</i>		\boxtimes		
P7.18	Alt. 1: FI	ame retarded plastic parts > 25 g contain the following flame retardant substance	s/preparations in			
		ations above 0,1%:		\boxtimes		
		ical name: Bisphenol A bis-(diphenyl phos- phate), CAS #: 181028-79-5 (See N	IOTE B4)			
		ical name: , CAS #: " ical name: , CAS #: "				
		•				
D7.40		nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043			- -	<u> </u>
P7.19		parts > 25 g, flame retardant substances/preparations above 0,1% are used which the following Risk phrases; P273, P391, P501 and Hazard statements: H411	nave been	\boxtimes		Ш
	The sour	rce(s) for these classifications is/are found at (add URL(s)): https://mbd.baidu.com/ma/s/Ue4/QC7A, (See note B5)				
P7.20*	Postcons	sumer recycled plastic material content is used in the product (See Note B6):				
	If YES: a	it least one of the two alternatives below shall be answered;				
		otal plastic parts' weight > 25 g, the postconsumer recycled plastic material conten	t (calculated as			
	a pe	ercentage of total plastic by weight) is 24.09%.	•			
	or b) The	weight of recycled material is 48.28 a				
	b) The	e weight of recycled material is 48.28 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82YL	Logo	Len	01/0	
Issue date *	2023/02/02		Len) _{TH}
Product environn	nental attributes - Market requirements (continued)		Requir	emen	t met
Item			Yes	No	n.a.

						_
P7.21*		bstance requirements		JOTE D7\-		_
P1.21	•	material content is use		•		ı
	a) Of total plas	ne of the two alternative stic parts' weight > 25 g by weight) is %.		,	lated as a percentage of	
	or	, , ,				
D7 00*		of the biobased plastic		_		_
P7.22*		e free from mercury, i.e d specify: Number of la		o. num mercury content p	per lamp: mg	
P8	Batteries	a openiy. Hamber of ta	impo. una maxii	nam moroary contone p	ing	
P8.1*	Battery chemical	composition: Lithium	ion			
P9	Energy consum	ption (See NOTE B8)				
P9.1		he following power leve				
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	l
Peak (On-	max)	65 W	65 W	65 W	Full load	
Categor	<u>y2</u>					
Short Idle Enabled	State - WOL	6.66 W	6.68 W	6.82 W	ENERGY STAR Computers V8 (P _{idle})	
Long Idle Enabled	State - WOL	2.53 W	2.51 W	2.61 W	ENERGY STAR Computers V8 (P _{idle})	
Sleep (S3)	- WOL Disabled	0.50 W	0.51 W	0.53 W	ENERGY STAR Computers V8	
Off (S5) - I	WOL Disabled	0.39 W	0.39 W	0.43 W	ENERGY STAR Computers V8	
EPS No-loa (External power s	ad supply / charger plugged in th connected from the product.)	0.33 W	0.33 W	0.33 W		
PTEC *	ergy Consumption	W	W	W		
ETEC *	ergy Consumption	22.11 kWh/year	22.17 kWh/year	22.78 kWh/year	E _{TEC} = (8760/1000) x (P _{off} x 0.25 + P _{sleep} x 0.35 + P _{long_idle} x 0.10+ P _{short Idle} x 0.30)	
					led; P _{idle} : Idle State - WOL Enabled	
External Po	ower Supply Efficie	ency Level (Internationa	al Efficiency Marking P	rotocol) * : V/		Π
Display res	solution * : 2880*1	800 megapixels				
Default tim	e to enter energy	save mode: 5 minutes				
P9.2*	Information abou	t the energy save funct	tion is provided with the	e product.		
P9.3	Energy efficiency	class (monitors only):				
P10	Emissions					
		 Declared according t 	to ISO 9296 (See NOT			
P10.1	Mode	Mode description			nit A-weighted sound power level, $L_{WA,c}$ (B)	_
	Idle	* System Idle		* 2.3		_
	Operation	* CPU;Operation		* 4.0		
	Other mode	$L_{p{\rm Am}}$	nd pressure level (dB)	17.2 (operator pos	sition desktop – idle)	
	Other mode	Declared A-weighted soul $L_{p{\rm Am}}$	nd pressure level (dB)	37.7 (operator pos	sition desktop – operating)	
	Measured accord	ding to: ISO 7779 Other	ECMA-74 (only if not covered b	y ECMA-74)		

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

Model number *		82YL				Logo	Long	V/0	
Issue date	*	2023/02/02					Leno	VO.	·
Product	environn	nental attributes - Market	t requirements (cor	ntinued)			Require	ment	met
Item				-			Yes	No	n.a.
		nagnetic emissions							
P10.4	program	r display meets the requirements): MPR-II(3 pin AC adapter	only)	lectromagnetic f	ields of the foll	owing voluntary			
P12		nics for computing product							
P12.1*		ay meets the ergonomic requ			. ,	gies.	\boxtimes		
P12.2*	The phys	sical input device meets the re	equirements of ISO 999	95 and ISO 9241	I-410.				
P13		ng and documentation							
P13.1	Product Product Product Product	packaging material type(s): M packaging material type(s): S packaging material type(s): Po packaging material type(s): To packaging material type(s): C packaging material type(s): C	ingle layer corrugated IC Black EPE BP+PE racing Paper		weight (kg): 0).06 .04 .014 .004			
P13.2*	Product	olastic primary packaging is fr	ree from PVC.				\boxtimes		
P13.3*	consume	uct primary corrugated fiberl r recovered fiber content: 81	%	•	ed percentage	of minimum p	ost-		
P13.4*		nedia for user and product do onic, ⊠Paper, ⊡Other	cumentation (tick box):						
P13.5	Ùser and	only complete this item if pape product documentation on pa ease specify:							
		nlorine-free al chlorine-free							
	Process	ed chlorine-free							
P14		y programs							
P14.1	The prod	uct meets the requirements of	of the following voluntar	y program(s):					
	Eco-labe	l: EPEAT Criteria : Criteria :		Date: Date: Date:	Product of Product of Product of	0 ,			
P15		al information (See NOTE E							
P9		consumption of specific con							
	the info supplier informa Accoun	supplier makes no represen mation contained in this do 's knowledge available at th ion. The information provio Representative for more in	ocument. All informatine time of completion led here is approximation.	ion provided by , and supplier s ite and provide	/ supplier in the shall have no defined for informate for informate for the supplementation of the supplementation	his document i obligation to u	is provided l pdate such	based	on
P9		rgy Star Qualified Notebook vw.energystar.gov/index.cfi				o&pgw_code=0	00		

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga 7 14IRL8	Logo
Model Number	82YL	Lenovo
Issue Date	2023/02/02	reliovo.
Additional information		

(d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Catego disabled and if the system is tested with				cards (dGfx) are
Etec value (kWh) per ErP Lot 3 Category and capability adjustments applied when all discrete graphics cards (dGfx) are enable					
		Category A (according to ErP Lot 3)	Category B (according to ErP Lot 3)	Category C (according to ErP Lot 3)	Category D (according to ErP Lot 3)
	Memory over base [GB]	16			
ents	Additional internal storage	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
ability a lied du	Discrete Audio Card	NO (Yes / No)	(Yes / No)	(Yes / No)	(Yes / No)
cape	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	#: (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO			
sults	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.427			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled				
g)	Idle state power demand (Watts);	<u> </u>	'	'	0.477
h)	Sleep mode power demand (Watts);				0.477
i)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA
j)	Off mode power demand (Watts);				0.334
k)	Off mode with WOL enabled power dem	nand (Watts) (where en	abled);		NA
[1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
m)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 85.76%, 85.	.27%, 84.09%, 83.45	%, 84.64%		
0)	*internal note: show values for all available external power supplies Minimum number of loading cycles that the batteries can withstand (applies only to notebook computers): 300 cycles				
(p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – in	nternal PSU efficiency:	:

(p-2)	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3)	Measurement metho	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:			
(p-4)	Measurement methodology used to determine information mentioned in maximum, idle, sleep, off mode power as defined in Point P9.1 in the Product IT Eco Declaration:					
		IEC 62623				
(q)	Sequence of steps for achieving a stable condition with respect to power demand::					
		Power on -> Wait 5 minutes -> Stable con	ndition			
(r)	Description of how sl	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
(s)	Sequence of events off mode: NA	required to reach the mode where the equipment au	tomatically changes to sleep and/or			
(t)		te condition before the computer automatically re- not exceed the applicable power demand requirement		5 min		
(u)		a period of user inactivity in which the compute ver power demand requirement than sleep mode (in		NA		
(v)		re the display sleep mode is set to activate after		5 min		
(w)		nergy-saving potential of power management function				
(x)	User information on I	now to enable the power management functionality: *Refer to User Guide*				
(z)	the electricity supply	measurements: — test voltage in V and frequency in system, — information and documentation on the insting: 230V50HZ-2%-Edition 2.0, 2011-01, Section 4	strumentation, set-up and circuits			
Addition	al Notebook Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. 1)				
Internal/b	uilt-in Battery					
External/o	detachable Battery					
Bios Backup Battery						
Other:						
Additiona	l information					
\						

Aкумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители. Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden.

Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία εί sea selic tode adurancia les ποιροσών αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu.

La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente. Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti.

olo garinnio baronjos baronjos pateriorij pate vitokoja inegraja nedrata pateriori.

A termék akkumulátorát/akkumulátoráti a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess.

Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar. Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi usor înlocuită (înlocuite) de utilizatorii înșiși. Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa. Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.

The battery[ies] in this product cannot be easily replaced by users themselves.