



ECMA/TC38-TG3/2015/026 (Rev. 1 – 15 April 2015)

Annex B2 - Product environmental attributes Notebooks and Tablets

The declaration may be published only when all rows and/or fields marked with * are filled-in (n.a. for not applicable). Additional information regarding each item may be found under P15.

Brand *	Lenovo	Logo		
Company name *	Lenovo			
Contact information * e-mail address	Lenovo Global Environmental Affairs Alvin L Carter alcarter@lenovo.com	Lenovo		
Internet site *	https://www.lenovo.com/us/en/sustainability-resources/			
Additional information	The latest version of this document can be found at:			
	http://www.lenovo.com/ecodeclaration			

The company declares (based on product specification or test results based obtained from sample testing), that the product				
conforms to the statements given in this declaration.				
Type of product *	Notebook			
Commercial name *	Yoga Pro 7 14IRH8 / Lenovo Slim Pro 7 14IRH8			
Model number *	82Y7,83AV			
Issue date *	2023/01/05			
Intended market *	☐ Global ☐ Europe ☐ Asia, Pacific & Japan ☐ Americas ☐ Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

About Annex B2

Annex B2 reflects Product environmental attributes relevant for Computers and Computer Monitors. The following items from the ECMA-370 Main body are not shown in the template:

P4.1 – P4.3 Consumable materials

P9.1 TEC and Print speed

P10.2 - P10.3 Chemical emissions from printing products

P11.1 - P11.3 Consumable materials for printing products

Model number *		82Y7,83AV	Logo	Long	21/0	
Issue date	*	2023/01/05		Lend		
Product	environ	mental attributes - Legal requirements		Require	ment met	
Item				Yes	No n.a.	
P1		ous substances and preparations				
P1.1*		s do comply with current European RoHS Directive. (See legal reference and NOTE	EB1)			
P1.2*		s do not contain Asbestos (see legal reference).				
D4 0*		nt: Legal reference has no maximum concentration value.				
P1.3*		s do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), omofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrach	loride 111-	\boxtimes		
		ethane, methyl bromide (see legal reference). Comment: Legal reference has no m				
	concentration values.					
P1.4*		do not contain more than; 0,005% polychlorinated biphenyl (PCB), 0,005% polych	lorinated	\boxtimes		
D4 5*	terpheny	(PCT) in preparations (see legal reference).		<u> </u>		
P1.5*	chain co	s do not contain more than 0,1% short chain chloroparaffins (SCCP) with 10-13 carb ntaining at least 48% per mass of chlorine in the SCCP (see legal reference).	oon atoms in ti	ne 🔀		
P1.6*		th direct and prolonged skin contact do not release nickel in concentrations above 0	,5 μg/cm²/wee	ek 🔀		
		al reference).				
P1.7*		nt: Max limit in legal reference when tested according to EN1811:2011-5. Article 33 information about substances in articles is available at (add URL or mail	acatact):			
P1.7"		Article 33 information about substances in articles is available at (add ORL or mail on the content of the cont	contact):	\boxtimes		
	Disclos					
P2	Batterie					
P2.1*		oduct contains a battery or an accumulator, the battery/accumulator is labeled with t	he disposal	\boxtimes		
		Information on proper disposal is provided in user manual. (See legal reference)				
P2.2*	referenc		nium. (See lega	al 🔀		
P2.3*	Batteries	and accumulators are readily removable. (See legal reference)				
P3		nity verification & Eco design (ErP)				
P3.1*		duct is CE-marked to show conformance with applicable legal requirements (see leg	gal reference).	\boxtimes		
		laration of Conformity can be requested at (add link or e-mail address):				
		vww.lenovo.com/us/en/compliance/eu-doc for EU ; vww.lenovo.com/us/en/compliance/uk-doc for UK				
P3.2*		duct complies with the Eco design requirements for energy-related products,		\square	$\overline{}$	
1 0.2		al reference).			⊔ ⊔	
	Required	d information is; given in item P15 or added to this document,				
	•	available at (add URL):				
	https://v	vww.lenovo.com/us/en/compliance/eco-declaration				
P5		packaging				
P5.1*		ng and packaging components do not contain more than 0,01% lead, mercury ent chromium by weight of these together.	/, cadmium a	nd 🔀		
P5.2*		kaging materials are marked with abbreviations and numbers indicating the nature one legal reference).	of the material	(s) 🔀		
P5.3*	The proc	duct packaging material is free from ozone depleting substances as specified in the N al reference).	nontreal Protoc	col 🔀		
		nt: Legal reference has no maximum concentration values.				
P6		nt information				
P6.1*	Informati	on for recyclers/treatment facilities is available (see legal reference).				

NOTE B1 Restriction applies to the homogeneous material, unless other specified and expressed in weight %. Stating "Yes" means that the product is compliant with the mandatory requirements.

wodel number *		82Y7,83AV	Logo	Len	OVC	
Issue dat	e *	2023/01/05		-6111		тн
Product	- Enviro	mental attributes - Market requirements (See General NOTE GN lonmental conscious design	below)	equire	ment	met
Item		tory to fill in. Additional information regarding each item may be found under P14.		Yes	No	n.a.
P7		Disassembly, recycling		<u> </u>		
P7.1*	Parts tha	at have to be treated separately are easily separable		\boxtimes		
P7.2*	Plastic m	naterials in covers/housing have no surface coating.		\boxtimes		
P7.3*		arts > 100 g consist of one material or of easily separable materials.				X
P7.4*	Plastic p	arts > 25 g have material codes according to ISO 11469 referring ISO 1043-4.		\boxtimes		
P7.5	Plastic p	arts are free from metal inlays or have inlays that can be removed with commonly a	vailable tools.	\boxtimes		
P7.6*	Labels a	re easily separable. (This requirement does not apply to safety/regulatory labels).		\boxtimes		
	Product					
P7.7*	Upgradir	ng can be done e.g. with processor, memory, cards or drives		\boxtimes		
P7.8*	Upgradir	ng can be done using commonly available tools		\boxtimes		
P7.9	Spare pa	arts are available after end of production for: 3 years				
P7.10	Service i	s available after end of production for: 3 years				
		and substance requirements				
P7.11*	Material		al type: PC+30%G	i F		
P7.12	Insulatio	n materials of external electrical cables are PVC free.		\boxtimes		
P7.13	Insulatio	n materials of internal electrical cables are PVC free.		\boxtimes		
P7.14	weight (polyvinyl	plastic casing/cover parts > 25 g contain no more than 0,1% weight (1000 ppm) br 1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame chloride or 0,3% weight (3000 ppm) bromine and 0,3% weight (3000 ppm) chlorine in an 25% post-consumer recycled content.	e retardants, and			
P7.15		circuit boards, PCBs (without components) are low halogen: all 🔲 PCBs > 25 g 🔀 ed in IEC 61249-2-21. (See 1NOTE B2)	are low halogen			
P7.16	Marking:	etarded plastic parts > 25 g in covers / housings are marked according ISO 1043-4: > PC+ABS+15%talc<				
P7.17		nemical specifications of flame retardants in printed circuit boards > 25 g (without co				
		PA (additive), ⊠TBBPA (reactive) (See NOTE B3),⊠Other: 10-(2,5-Dihydroxyphohospha-phenantbrene-10-oxide CAS #: 99208-50-1	nenyl)-10H-9-		Ш	
	accordin	nemical specifications of flame retardants in printed circuit boards (without compone g ISO 1043-4: <i>FR(16)</i>	, ,			
P7.18	concentr 1. Chem 2. Chem	ame retarded plastic parts > 25 g contain the following flame retardant substance rations above 0,1%: ical name: <i>Bisphenol A diphosphate</i> , CAS #: 181028-79-5 (See NOTE B4) ical name: , CAS #: " ical name: , CAS #: "	s/preparations in			
	Alt. 2: Cl	nemical specifications of flame retardants in plastic parts > 25 g according ISO 1043	3-4: <i>FR(40)</i>	\boxtimes		
P7.19	In plastic	c parts > 25 g, flame retardant substances/preparations above 0,1% are used which if the following Risk phrases; <i>P273,P391,P501</i> and Hazard statements: <i>H411</i> rec(s) for these classifications is/are found at (add URL(s)):				
		https://china.guidechem.com/31822/detail.html, (See note B5)				
P7.20*	If YES; a a) Of t a po or	sumer recycled plastic material content is used in the product (See Note B6): at least one of the two alternatives below shall be answered; total plastic parts' weight > 25 g, the postconsumer recycled plastic material content ercentage of total plastic by weight) is 8.75%. we weight of recycled material is 19.95 g.	t (calculated as			
	<i>ν)</i> 1116	, worght or recycled material is 13.30 g.				

GENERAL NOTE Standard references should direct to the latest version of a standard. If an older version of a standard is used, section P15 shall be used for explanation.

NOTE B2 IEC 61249-2-21 defines maximum limits of 900 ppm for each of the substances chlorine and bromine and a maximum limit of 1500ppm of these substances combined. The standard does not address fluorine, iodine and astatine which are included in the group of halogens.

NOTE B3 and B4 A Guidance document on Chemical substances is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B5 If a certain substance has been assigned a certain risk phrases / hazard statement in the referenced source, this does not necessarily mean the substance has been tested for all of the hazards referred to by a certain customer.

NOTE B6 Applies to a product containing plastic parts whose combined weight exceeds 100 g with the exception of printed circuit boards, cables, connectors and electronic components and bio-based plastic material.

Model number *	82Y7,83AV	Logo	Lan	ovo	
Issue date *	2023/01/05		Leii	OVC	ТН
Product environr	nental attributes - Market requirements (continued)		Requi	remen	t met
Item			Yes	No	n.a.

	Metaviel		/aantimus-!\				
P7.21*		estance requirements material content is use		NOTE B7):			
	If YES; at least or	ne of the two alternativ	es below shall be ansv	wered;	lated as a percentage of		
	total plastic		, .	`	, ,		
		of the biobased plastic	material is g.				
P7.22*	U	free from mercury, i.e I specify: Number of la	, 0	p. mum mercury content p	per lamp: mg		
P8	Batteries	1	-				
P8.1*	Battery chemical	composition: Lithium	ion				
P9		otion (See NOTE B8)					
P9.1		e following power leve					
Energy mo		Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference/Standard for energy modes and test method *	Ш	
Peak (On-	max)	140 W	140 W	140 W	Full load		
Categor	y2						
Short Idle Enabled	State - WOL	5.03 W	5.02 W	5.05 W	ENERGY STAR Computers V8 (P _{idle})		
Long Idle Enabled	State - WOL	0.46 W	0.48 W	0.47 W	ENERGY STAR Computers V8 (P _{idle})		
Sleep (S3)	- WOL Disabled	0.46 W	0.48 W	0.47 W	ENERGY STAR Computers V8		
Off (S5) - I	WOL Disabled	0.21 W	0.22 W	0.23 W	ENERGY STAR Computers V8		
EPS No-loa (External power swall outlet but dis	ad supply / charger plugged in the connected from the product.)	0.39 W	0.39 W	0.39 W			
PTEC *	ergy Consumption	W	W	W			
ETEC * Annual En	ergy Consumption	15.49 kWh/year	15.57 kWh/year	15.63 kWh/year	$E_{TEC} = (8760/1000) \times (P_{\text{off}} \times 0.25 + P_{\text{sleep}} \times 0.35 + P_{\text{long_Idle}} \times 0.10 + P_{\text{short Idle}} \times 0.30)$		
		Poff: Off Mode(S5) - W	OL Enabled; Psleep: Slee	ep Mode(S3) - WOL Enab	led; P _{idle} : Idle State - WOL Enabled		
External Po	ower Supply Efficie	ncy Level (Internationa	al Efficiency Marking P	rotocol) * : VI			
Display res	solution * : 3072*1 9	20 megapixels					
Default tim	e to enter energy s	ave mode: 10 minutes	1				
P9.2*	Information about	the energy save funct	tion is provided with the	e product.			
P9.3	Energy efficiency	class (monitors only):				\boxtimes	
P10	Emissions				·		
		 Declared according t 	to ISO 9296 (See NOT				
P10.1	Mode Idle	Mode description		Statistical upper limit A-weighted sound power level, L _{WA,c} (f			
		* System Idle		* 2.59			
	Operation	* CPU;Operation	nd proceure level (dP)	* 4.36	Man de la constitución	\boxtimes	
		Declared A-weighted soul $L_{p{\sf Am}}$		10.9 (operator pos	sition desktop – idle)		
	Other mode	Declared A-weighted soul $L_{p{\sf Am}}$	nd pressure level (dB)	33.2 (operator pos	sition desktop – operating)		
	Measured according to: SO 7779 ECMA-74 Other (only if not covered by ECMA-74)						

NOTE B7 The following is to be excluded from the calculation of percentage: printed circuit boards, labels, cables, connectors and electronic components and postconsumer recycled plastic

NOTE B8 A Guidance document on Energy Efficiency is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

NOTE B9 A Guidance document on Acoustic Noise is available; see http://www.ecma-international.org/publications/standards/Ecma-370.htm

Model nur	nber *	82Y7,83AV			Logo		ono	V/0	
Issue date	*	2023/01/05				_ '	.eno	VO.	·
Product	environr	nental attributes -	- Market requirements (cor	ntinued)			Require	ment	met
Item				-			Yes	No	n.a.
		nagnetic emissions							
P10.4	program	(s): MPR-II(3 pin AC		lectromagnetic fields	s of the following \	oluntary/			
P12		mics for computing							
P12.1*			omic requirements of ISO 9241-				\boxtimes		
P12.2*	The phys	sical input device me	ets the requirements of ISO 999	95 and ISO 9241-41	0.		\boxtimes		
P13		ng and documentat							
P13.1	Product Product Product Product	packaging material ty packaging material ty packaging material ty packaging material ty	/pe(s): PAPER Cushion /pe(s): PolyEster		weight (kg): 0.29 weight (kg): 0.39 weight (kg): 0.00 weight (kg): 0.0 weight (kg): 0.0 weight (kg): 0.0	7 53 14 66			
P13.2*	Product	plastic primary packa	aging is free from PVC.				\boxtimes		
P13.3*	consume	er recovered fiber cor	ted fiberboard packaging, spectent: 80 %		ercentage of mir	nimum post	- 🛛		
P13.4*		media for user and pr ronic, ⊠Paper, ⊡C	roduct documentation (tick box): Other						
P13.5	Ùser and		em if paper documentation used tion on paper media is chlorine-						
		hlorine-free al chlorine-free							
	Process	ed chlorine-free							
P14		ry programs							
P14.1	The prod	luct meets the require	ements of the following voluntar	y program(s):					
	Eco-labe		Criteria version: 8 Criteria version: 1680.1-2018 Criteria version:	Date: Date: Date:	Product categor Product categor Product categor	y:			
P15		nal information (See							
P9			ecific configuration may vary;						
	the info supplier informa Accoun	rmation contained in a single of the contraction of the contraction. The information to the contraction of t		ion provided by su , and supplier shal te and provided fo	pplier in this doo I have no obligat r informational p	cument is partion to upd	rovided l ate such	based	on
P9			Notebooks & Tablet Computer index.cfm?fuseaction=find_a			_code=CO			

NOTE B10 Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B2

Reference	Declaration item
Directive 2011/65/EU (RoHS Directive) * * Specific exemptions apply for certain products and applications.	P1.1
Regulation (EC) 1907/2006(REACH, Annex XVII	P1.2, P1.4, P1.6, P1.7
Regulation (EC) 2037/2000, 2038/2000, 2039/2000 (Marketing and use of Ozone layer depleting substances)	P1.3, P5.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
Directive 2013/56/EC (Battery and accumulators Directive) * * These provisions shall not apply where, for safety, performance, medical or data integrity reasons, continuity of power supply is necessary and requires a permanent connection between the appliance and the battery or accumulator.	P2.1, P2.2, P2,3, P8.1
Directive 2006/95/EC (Low Voltage Directive)	P3.1
Directive 2004/108/EC (EMC Directive)	P3.1
Directive 1999/5/EC (R&TTE Directive)	P3.1
Regulation (EC) 801/2013 amending Regulation (EC) No 1275/2008 with regard to ecodesign requirements for standby, off mode electric power consumption of electrical and electronic household and office equipment, and amending Regulation (EC) No 642/2009 with regard to ecodesign requirements for televisions	P3.1, P3.2
Regulation (EC) No 1272/2008 (CLP Regulation)	P7.19
Directive 2004/12/EC (Packaging Directive)	P5.1
Decision 97/129/EC (Secondary packaging legislation)	P5.2
Directive 2012/19/EU (WEEE directive)	P6.1

Lenovo ErP Lot3 Information Sheet - PC / Notebook -

As required by COMMISSION REGULATION (EU) No 617/2013 of 26 June 2013 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for computers and computer servers (ErP Lot3).

Products scope of this sheet:

Desktop computer, integrated desktop computer, and notebook computer

This document is only valid in connection with the IT Eco Declaration of the specific Product.

Commercial name	Yoga Pro 7 14IRH8 / Lenovo Slim Pro 7 14IRH8	Logo	
Model Number	82Y7,83AV		Lonovo
Issue Date	2023/01/05		Lenovo.
Additional information			

d)	Year of manufacture:				
e)	Etec value (kWh) per ErP Lot 3 Categordisabled and if the system is tested with	n switchable graphics n	node with UMA driving	the display.	, ,
f)	Etec value (kWh) per ErP Lot 3 Categorenable	Category A	Category B	Category C	Category D
		(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)	(according to ErP Lot 3)
	Memory over base [GB]	32	32		
ents sting	Additional internal storage	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
capability adjustments applied during testing	Discrete television tuner	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
ability a	Discrete Audio Card	NO (Yes / No)	NO (Yes / No)	(Yes / No)	(Yes / No)
	Discrete graphics Card(s) [number / #]	NO #: (Yes / No)	Yes #: 1 (Yes / No)	#: (Yes / No)	#: (Yes / No)
	Category of discrete graphics Card(s)	NO	G4		
	Etec Value (kWh) - dGfx disabled all discrete graphics cards (dGfx) are disabled/ UMA is active for switchable graphics/ product has no graphics cards (dGfx)	3.047			
Test results	Etec Value (kWh) - dGfx enabled all discrete graphics cards (dGfx) are enabled		4.348		
3)	Idle state power demand (Watts);	1			0.629
1)	Sleep mode power demand (Watts);				0.629
)	Sleep mode with WOL enabled power d	emand (Watts) (where	enabled);		NA
)	Off mode power demand (Watts);				0.408
۲)	Off mode with WOL enabled power dem	and (Watts) (where en	abled);		NA
1)	Internal power supply efficiency at 10 %	, 20 %, 50 % and 100 °	% of rated output pow	er (if applicable):	
	10% 20% 50%	100% Avera	age		
n)	External power supply efficiency (if appli	icable)*:			
	Average active efficiency: 85.76%, 85.	.27%, 84.09%, 83.45	%, 84.64%		
	*internal note: show values for all available external p				
0)	Minimum number of loading cycles that	the batteries can withs	tand (applies only to n	otebook computers):	300 cycles
p-1)	Measurement methodology used to dete	ermine information mer	ntioned in points (I) – ir	nternal PSU efficiency:	

	Measurement methodology used to determine information mentioned in points (m) – external PSU efficiency: ENERGY STAR® Program Requirements for Single Voltage External Ac-Dc and Ac-Ac Power Supplies Eligibility Criteria (Version 2.0)					
(p-3) Measu	rement method	dology used to determine information mentioned in p ≥70% of Cmin	points (o) – loading cycles batteries:			
		dology used to determine information mentioned in r Point P9.1 in the Product IT Eco Declaration:	naximum, idle, sleep, off mode			
	IEC 62623					
(q) Sequer	nce of steps fo	r achieving a stable condition with respect to power	demand::			
		Power on -> Wait 5 minutes -> Stable col	ndition			
(r) Descrip	ption of how sle	eep and/or off mode was selected or programmed:				
		Begin menu -> Power -> Select sleep or o	ff mode			
	(s) Sequence of events required to reach the mode where the equipment automatically changes to sleep and/or off mode: NA					
	Duration of idle state condition before the computer automatically reaches sleep mode, or another condition which does not exceed the applicable power demand requirements for sleep mode (in minutes): 30min					
(u) Length	Length of time after a period of user inactivity in which the computer automatically reaches a power mode that has a lower power demand requirement than sleep mode (in minutes):					
	Length of time before the display sleep mode is set to activate after user inactivity (in minutes): 10min					
		ergy-saving potential of power management function				
(x) User in	nformation on h	now to enable the power management functionality:	Refer to User Guide			
the ele		neasurements: — test voltage in V and frequency in system, — information and documentation on the in- ting:				
		230V50HZ-2%-Edition 2.0, 2011-01, Section 4	I, IEC62301			
Additional Note	book Batter	y Information:				
		Battery[ies] not user replaceable	Battery[ies] user replaceable	n/a		
		The battery[ies] in this product cannot be easily replaced by users themselves. $^{\rm 1)}$				
Internal/built-in B	Battery					
External/detacha	ble Battery					
Bios Backup Battery						
Other:	Other:					
Additional informa	ation			_		
1						

The battery[ies] in this product cannot be easily replaced by users themselves.

Акумулаторната[ите] батерия[и] в този продукт не може да се замени[ят] лесно от самите потребители.

Las baterías de este producto no pueden ser sustituidas fácilmente por los propios usuarios. Výměnu baterie/baterií v tomto výrobku by neměli provádět sami uživatelé.

Brugeren kan ikke uden videre udskifte batteriet/batterierne i dette produkt.

Der Akku/die Akkus dieses Produkts kann/können nicht ohne weiteres vom Benutzer selbst ausgetauscht werden. Kasutajad ei saa selle toote akut/akusid ise hõlpsasti asendada.

Η μπαταρία[-ες] στο προϊόν αυτό δεν μπορούν να αντικατασταθούν εύκολα από τους ίδιους τους χρήστες

La/les batterie(s présente(s) dans ce produit ne peuvent être facilement remplacée(s) par les utilisateurs eux-mêmes. Korisnik ne može lako zamijeniti Bateriju sam u ovom proizvodu. La batteria/le batterie in questo prodotto non può/possono essere facilmente sostituita/e dall'utente.

Lietotāji paši nevar nomainīt šā ražojuma akumulatoru(-us). Šio gaminio baterijos [baterijų] pats vartotojas negali lengvai pakeisti. A termék akkumulátorát/akkumulátorait a felhasználó nem tudja egyedül egyszerűen kicserélni.

Il-batterija/batteriji f'dan il-prodott ma tistax/jistgħux tiġi/jiġu sostitwita/i mill-utenti stess. Batteriet [ene] i dette produktet kan ikke lett erstattes av brukerne selv.

De batterij(en) in dit product is (zijn) door de gebruiker niet gemakkelijk vervangbaar.

Użytkownik nie może sam w łatwy sposób wymienić baterii w tym produkcie. A ou as baterias deste produto não podem ser facilmente substituídas pelos próprios utilizadores.

Bateria (bateriile) din acest produs nu poate (pot) fi ușor înlocuită (înlocuite) de utilizatorii înșiși.

Batériu(-ie) v tomto výrobku nemôže vymieňať používateľ. Baterij/baterije v tem izdelku uporabniki sami ne morejo zlahka zamenjati.

Tämän tuotteen akku [akut] ei[vät] ole helposti käyttäjän vaihdettavissa.

Det är inte enkelt för kunden att själv byta ut batteriet/batterierna. Bu üründeki batarya(lar) kullanıcılar tarafından kolaylıkla değiştirilemez.