Date: October 8, 2014

Name of Product: Global Console Manager GCM16 and GCM32

# VPAT Summary

Criteria	Status	Remarks and Explanations
Section 1194.21 Software Applications and	Not applicable	Not applicable
Operating Systems		
Section 1194.22 Web-based Internet	Not applicable	Not applicable
information & applications		
Section 1194.23 Telecommunications	Not applicable	Refer to Section 1194.23 in VPAT Details
Products		section below.
Section 1194.24 Video and Multi-media	Not applicable	Not applicable
Products		
Section 1194.25 Self-Contained, Closed	Supports	Refer to Section 1194.25 in VPAT Details
Products		section below.
Section 1194.26 Desktop and Portable	Supports	Refer to Section 1194.26 in VPAT Details
Computers		section below.
Section 1194.31 Functional Performance	Supports	Refer to Section 1194.31 in VPAT Details
Criteria		section below.
Section 1194.41 Information, Documentation,	Supports	Refer to Section 1194.41 in VPAT Details
and Support		section below.

### VPAT Details

# Section 1194.23 Telecommunications Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not applicable	
(b) Telecommunications products which include voice communication functionality shall support all commonly used crossmanufacturer non proprietary standard TTY signal protocols.	Not applicable	
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not applicable	
(d) Voice mail, messaging, auto- attendant, and interactive voice response telecommunication systems that require a response from a user within a time interval,	Not applicable	

shall give an alert when the time		
interval is about to run out, and shall provide sufficient time for the		
user to indicate more time is		
required.		
(e) Where provided, caller	Not applicable	
identification and similar		
telecommunications functions shall		
also be available for users of TTYs		
and for users who cannot see		
displays.		
(f) For transmitted voice signals,	Not applicable	
telecommunications products shall		
provide a gain adjustable up to a		
minimum of 20 dB. For		
incremental volume control, at least one intermediate step of 12		
dB of gain shall be provided.		
(g) If the telecommunications	Not applicable	
product allows a user to adjust the	140t applicable	
receiver volume, a function shall		
be provided to automatically reset		
the volume to the default level		
after every use.		
(h) Where a telecommunications	Not applicable	
product delivers output by an		
audio transducer which is normally		
held up to the ear, a means for		
effective magnetic wireless		
coupling to hearing technologies		
shall be provided. (i) Interface to hearing	Not applicable	
technologies (including hearing	Тчот аррисаые	
aids, cochlear implants, and		
assistive listening devices) shall be		
reduced to the lowest possible		
level that allows a user of hearing		
technologies to utilize the		
telecommunications product.		
(j) Products that transmit or	Not applicable	
conduct information or		
communication, shall pass through		
cross-manufacturer, non- proprietary, industry-standard		
codes, translation protocols,		
formats or other information		
necessary to provide the		
information or communication in		
usable format. Technologies which		
use encoding, signal compression,		
format transformation, or similar		
techniques shall not remove		
information needed for access or		
shall restore it upon delivery.	Not applicable	The following compensations and
(k)(1) Products which have	Not applicable	The following component does not

mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	apply to this criterion: - Global Console Manger: - KVM Switch - No keys on unit.
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum	The following component does not apply to this criterion:  - Global Console Manger:  - KVM Switch - No controls or latches on HW.
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	The following component does not apply to this criterion:  - Global Console Manger:  - KVM Switch - No keys on unit.
(k)(4) Products which have mechanically operated controls or keys shall comply with the following: The status of all locking or toggle controls or keys shall be visually discernible, and discernible either through touch or sound.	The following component does not apply to this criterion:  - Global Console Manger:  - KVM Switch - No toggling keys on unit.

# Section 1194.25 Self-Contained, Closed Products - Detail

Criteria	Supporting Features	Remarks And Explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Not applicable	
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	
(d) When biometric forms of user	Not applicable	

identification or control are used, an alternative form of identification		
or activation, which does not		
require the user to possess		
particular biological characteristics		
shall also be provided.		
(e) When products provide	Not applicable	The following component does not
auditory output, the audio signal	Trot applicable	apply to this criterion:
shall be provided at a standard		apply to time enteriorii
signal level through an industry		- Global Console Manger:
standard connector that will allow		- KVM Switch - No sounds from
for private listening. The product		unit.
must provide the ability to		diff.
interrupt, pause, and restart the		
audio at anytime.		
(f) When products deliver voice	Not applicable	
output in a public area,	i vot applicable	
incremental volume control shall		
be provided with output		
amplification up to a level of at		
least 65 dB. Where the ambient		
noise level of the environment is		
above 45 dB, a volume gain of at		
least 20 dB above the ambient		
level shall be user selectable. A		
function shall be provided to		
automatically reset the volume to		
the default level after every use.		
(g) Color coding shall not be used	Supports:	The following component meets
as the only means of conveying	Color is used only as an	this criterion:
information, indicating an action,	enhancement, and an alternate	uns chenon.
prompting a response, or	means to convey information or	- Global Console Manger:
distinguishing a visual element.	indicate an action is available to	- KVM Switch - Ports are colored
distinguishing a visual element.	users with visual impairments.	but also have icons.
(h) When a product permits a user		but also have leons.
to adjust color and contrast	i vot applicable	
settings, a range of color		
selections capable of producing a		
variety of contrast levels shall be		
provided.		
(i) Products shall be designed to	Not applicable	
avoid causing the screen to flicker	μινοι αργιισασίσ	
with a frequency greater than 2 Hz		
with a frequency greater than 2 Hz and lower than 55 Hz.		
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following:	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on	Not applicable	
with a frequency greater than 2 Hz and lower than 55 Hz.  (j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is	Not applicable	

within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the	

# Section 1194.26 Desktop and Portable Computers - Detail

reference plane.

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Not applicable	The following component does not apply to this criterion:
		<ul> <li>Global Console Manger:</li> <li>KVM Switch - No controls or latches on HW.</li> </ul>
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be	Not applicable	The following component does not apply to this criterion:
provided that complies with §1194.23 (k) (1) through (4).		<ul> <li>Global Console Manger:</li> <li>KVM Switch - No touch operated controls on unit.</li> </ul>
(c) When biometric forms of user	Not applicable	The following component does not

identification or control are used,		apply to this criterion:
an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.		- Global Console Manger: - KVM Switch - No biometrics on unit.
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with	The product design uses industry	The following component meets this criterion:
publicly available industry standards.	equipment and assistive technologies can be accommodated.	<ul><li>Global Console Manger:</li><li>KVM Switch - USB ports on the unit for other devices.</li></ul>

# Section 1194.31 Functional Performance - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports:  See the following for supporting features: - 1194.23 k1, k4 - 1194.25 a, b, c, e, f, g - 1194.26 b, d	The following component meets this criterion:  - Global Console Manger:  - KVM Switch
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people what are visually impaired shall be provided.	Supports: See the following for supporting features: - 1194.25 h - 1194.26 d	The following component meets this criterion:  - Global Console Manger:  - KVM Switch
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Not applicable	The following component does not apply to this criterion:  - Global Console Manger:  - KVM Switch
(d) Where audio information is important for the use of the product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Not applicable	The following component does not apply to this criterion:  - Global Console Manger:  - KVM Switch
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with	Not applicable	

disabilities shall be provided.		
(f) At least one mode of operation	Supports:	The following component meets
and information retrieval that does	Coo the following for augmenting	this criterion:
not require fine motor control or simultaneous actions and that is	See the following for supporting features:	- Global Console Manger:
	- 1194.23 k1, k2, k3	- KVM Switch
strength shall be provided.	- 1194.25 b, j1, j2, j3, j4	TOWN SWILOTT
	- 1194.26 d	

### Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Not applicable	
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.		
(c) Support services for products shall accommodate the communication needs of endusers with disabilities.	Supports: In addition to standard IBM help desk and support Web sites, IBM has established a TTY telephone service for use by deaf or hard of hearing customers to access sales and support services.	

This document is for informational purposes only. THE INFORMATION PROVIDED IN THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED. Supporting features apply to product families as a whole. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. For information on third party software and applications please contact the software manufacturer. Lenovo may make changes to the information in this document or to the products described in this document at any time without notice.