Date: October 8, 2014
Name of Product: System x3200 M3

VPAT Summary

Criteria	Status	Remarks and Explanations
Section 1194.21 Software Applications and Operating Systems	Not applicable	Not applicable
Section 1194.22 Web-based Internet information & applications	Supports with exceptions	Refer to Section 1194.22 in VPAT Details section below.
Section 1194.23 Telecommunications Products	Supports	Refer to Section 1194.23 in VPAT Details section below.
Section 1194.24 Video and Multi-media Products	Not applicable	Not applicable
Section 1194.25 Self-Contained, Closed Products	Supports	Refer to Section 1194.25 in VPAT Details section below.
Section 1194.26 Desktop and Portable Computers	Supports	Refer to Section 1194.26 in VPAT Details section below.
Section 1194.31 Functional Performance Criteria	Supports with exceptions	Refer to Section 1194.31 in VPAT Details section below.
Section 1194.41 Information, Documentation, and Support	Supports	Refer to Section 1194.41 in VPAT Details section below.

VPAT Details

Section 1194.22 Web-based Internet information and applications - Detail			
Criteria	Supporting Features	Remarks and Explanations	
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Does not support	The following component does not meet this criterion: - Integrated Management Module (IMM): Web interface - System status icon and Refresh icon do not have alt text.	
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - No multimedia content.	
'	Color is used only as an enhancement,	The following component meets this criterion: - IMM: Web interface - The color-coded information is redundantly coded by shape (for example a red X versus a yellow!).	
	Supports: Web page content is readable without the use of a pre-defined style sheet, allowing low vision users to enable their own style sheets that enhance their viewing preferences.	The following component meets this criterion: - IMM: Web interface - There are some Cascading Style Sheets used. Turning them off still allows normal navigation though the cursor never changes to a pointer on a link on the left navigation area.	
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not applicable	The following component does not apply to this criterion: - IMM: Web interface - Image maps are not used.	
(f) Client-side image maps shall be provided instead of server-side image	Not applicable	The following component does not apply to this criterion:	

maps except where the regions cannot be defined with an available geometric shape.		- IMM: Web interface - Image maps are not used.
(g) Row and column headers shall be identified for data tables.	Does not support	The following component does not meet this criterion:
		- IMM: Web interface - Formal Accessibility Verification Testing has not been performed.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Does not support	The following component does not meet this criterion: - IMM: Web interface - Formal
		Accessibility Verification Testing has not been performed.
(i) Frames shall be titled with text that facilitates frame identification and navigation.	Does not support	The following component does not meet this criterion:
		- IMM: Web interface - Titles for frame elements are not provided.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower	Supports: The use of blinking text, objects or elements has been avoided, reducing	The following component meets this criterion:
than 55 Hz.	risk of seizures for users with photosensitive epilepsy.	- IMM: Web interface - No blinking or flickering content. There are some progress indicators that use a spinning wheel, but the wheel is stationary relative to its starting position on the screen.
		Blue location LED icon does blink, but less than 2 Hz frequency.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply	Not applicable	The following component does not apply to this criterion:
with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the textonly page shall be updated whenever the primary page changes.		- IMM: Web interface - There are no alternative text-only pages since the pages' content is already composed primarily text.
(I) When pages utilize scripting languages to display content, or to create interface elements, the	Does not support	The following component does not meet this criterion:
information provided by the script shall be identified with functional text that can be read by Assistive Technology.		- IMM: Web interface - Once focus was out of the Navigation Panel, user can no longer traverse up and down.
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret	Does not support	The following component does not meet this criterion:
page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (I).		- IMM: Web interface - Keyboard only navigation does not work on remote video menu but does on remote media applet. OS' contrast settings to not get applied to Video Viewer window.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology		The following component does not meet this criterion:
to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.		- IMM: Web interface - Formal Accessibility Verification Testing has not been performed.

(o) A method shall be provided that permits users to skip repetitive navigation links.	Not applicable	The following component does not apply to this criterion:
		 IMM: Web interface - Navigation tree is in a separate frame from the main content.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is	Not applicable	The following component does not apply to this criterion:
required.		 IMM: Web interface - No timed responses are required.

O	and the Date T	
Section 1194.23 Telecommunications P Criteria		Pamarka and Explanations
	Supporting Features	Remarks and Explanations
(a) Telecommunications products or	Not applicable	
systems which provide a function		
allowing voice communication and		
which do not themselves provide a TTY		
functionality shall provide a standard		
non-acoustic connection point for TTYs.		
Microphones shall be capable of being		
turned on and off to allow the user to		
intermix speech with TTY use.	Nick confident	
(b) Telecommunications products which	Not applicable	
include voice communication		
functionality shall support all commonly		
used cross-manufacturer non		
proprietary standard TTY signal		
protocols.	<u> </u>	
(c) Voice mail, auto-attendant, and	Not applicable	
interactive voice response		
telecommunications systems shall be		
usable by TTY users with their TTYs.		
(d) Voice mail, messaging, auto-	Not applicable	
attendant, and interactive voice		
response telecommunication systems		
that require a response from a user		
within a time interval, shall give an alert		
when the time interval is about to run		
out, and shall provide sufficient time for		
the user to indicate more time is		
required.		
(e) Where provided, caller identification	Not applicable	
and similar telecommunications		
functions shall also be available for		
users of TTYs and for users who cannot		
see displays.		
(f) For transmitted voice signals,	Not applicable	
telecommunications products shall		
provide a gain adjustable up to a		
minimum of 20 dB. For incremental		
volume control, at least one		
intermediate step of 12 dB of gain shall		
be provided.		
(g) If the telecommunications product	Not applicable	
allows a user to adjust the receiver		
volume, a function shall be provided to		
automatically reset the volume to the		
default level after every use.		
(h) Where a telecommunications	Not applicable	

product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic		
wireless coupling to hearing technologies shall be provided.		
(i) Interface to hearing technologies (including hearing aids, cochlear	Not applicable	
implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of		
hearing technologies to utilize the		
telecommunications product.		
(j) Products that transmit or conduct information or communication, shall	Not applicable	
pass through cross-manufacturer, non-		
proprietary, industry-standard codes,		
translation protocols, formats or other		
information necessary to provide the		
information or communication in usable		
format. Technologies which use encoding, signal compression, format		
transformation, or similar techniques		
shall not remove information needed for		
access or shall restore it upon delivery.		
(k)(1) Products which have		The following component meets this
mechanically operated controls or keys	,	criterion:
shall comply with the following: Controls and Keys shall be tactilely discernible	activating them.	- System x3200 M3 - Done with
without activating the controls or keys.		standard IBM keyboard.
without doubtaining the dominate of helps.		otandara izin keyesara.
(k)(2) Products which have		The following component meets this
, , , , , , , , , , , , , , , , , , ,		criterion:
shall comply with the following: Controls and Keys shall be operable with one	and operated using one hand and require minimal dexterity for ease of use	System v2200 M2 Doily use centrals
hand and shall not require tight		- System x3200 M3 - Daily use controls (power and CD-ROM eject buttons) are
grasping, pinching, twisting of the wrist.		easily controlled. This does not include
The force required to activate controls		latches and controls for servicing the
and keys shall be 5 lbs. (22.2N)		system.
maximum (k)(2) Draduata which have	Cupporto	The following component mosts this
(k)(3) Products which have mechanically operated controls or keys		The following component meets this criterion:
shall comply with the following: If key	rate is provided so users can adjust the	ontenon.
repeat is supported, the delay before	rate to accommodate their needs.	- System x3200 M3 - Done in OS
repeat shall be adjustable to at least 2		hardware supported.
seconds. Key repeat rate shall be		
adjustable to 2 seconds per character.	Cupporto	The following component mosts this
(k)(4) Products which have mechanically operated controls or keys	Supports: The status of locking and toggle controls	The following component meets this
shall comply with the following: The	or keys can be seen as well as	CITICATION.
status of all locking or toggle controls or		- System x3200 M3 - Done in OS
keys shall be visually discernible, and		hardware supported.
discernible either through touch or		
sound.		

Section 1194.25 Self-Contained, Closed Products - Detail

Criteria	Supporting Features	Remarks And Explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach	Not applicable	

Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.		
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must provide the ability to interrupt, pause, and restart the audio at anytime.		The following component does not apply to this criterion: - System x3200 M3 - Not required for beep codes per note from Austin accessibility labs.
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.		
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports: Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments.	The following component meets this criterion: - System x3200 M3 - USB, serial and parallel ports as well as PCI slots available for add-in cards.
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not applicable	
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not applicable	
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable	Not applicable	

control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.	
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.	

Section 1194.26 Desktop and Portable Computers - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Supports: See 1194.23(k) 1 through 4.	The following component meets this criterion: - System x3200 M3 - Daily use controls (power and CD-ROM eject buttons) are easily controlled. This does not include latches and controls for servicing the system.
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	The following component does not apply to this criterion: - System x3200 M3 - No touchscreens in system.
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	The following component does not apply to this criterion: - System x3200 M3 - No biometrics in system.
(d) Where provided, at least one of each type of expansion slots, ports and	Supports: The product design uses industry	The following component meets this criterion:

ailable industry standards.	can be accommodated.	- System x3200 M3 - USB, serial and parallel ports as well as PCI slots available for add-in cards.

Section 1194.31 Functional Performance - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and information retrieval that does not	Supports with exception:	The following component meets this criterion:
require user vision shall be provided, or	See the following for supporting	
support for Assistive Technology used	features:	- System x3200 M3
by people who are blind or visually impaired shall be provided.	- 1194.22 all - 1194.23 k1, k4	
mpaned onan be previded.	- 1194.24 d	The following component meets this
	- 1194.25 a, b, c, e, f, g	criterion with exceptions:
	- 1194.26 b, d	- IMM: Web interface
(b) At least one mode of operation and	Supports with exception:	The following component meets this
information retrieval that does not	Supporte that shoop act.	criterion:
require visual acuity greater than 20/70	See the following for supporting	
shall be provided in audio and enlarged	features: - 1194.22 n	- System x3200 M3
print output working together or independently, or support for Assistive	- 1194.22 II - 1194.25 h	
Technology used by people what are visually impaired shall be provided.	- 1194.26 d	The following component does not meet this criterion:
		- IMM: Web interface
(c) At least one mode of operation and	Supports with exception:	The following component meets this
information retrieval that does not		criterion:
require user hearing shall be provided, or support for Assistive Technology	See the following for other supporting features:	- System x3200 M3
used by people who are deaf or hard of		Gystem xozoo wo
hearing shall be provided.	- 1194.23 k4	
	- 1194.24 c	The following component does not meet
	- 1194.25 e, f	this criterion with exceptions:
		- IMM: Web interface
(d) Where audio information is importan	Supports:	The following component meets this
for the use of the product, at least one	See the following for supporting	criterion:
mode of operation and information retrieval shall be provided in an	features: - 1194.23 k4	- System x3200 M3
enhanced auditory fashion, or support	- 1194.25 R4 - 1194.25 e, f	- System x3200 W3
for assistive hearing devices shall be		
provided.		The following component does not apply
		to this criterion:
		- IMM: Web interface
(e) At least one mode of operation and	Not applicable	
information retrieval that does not		
require user speech shall be provided,		
or support for Assistive Technology used by people with disabilities shall be		
provided.		
(f) At least one mode of operation and	Supports with exception:	The following component meets this
information retrieval that does not		criterion:

require fine motor control or	See the following for supporting	
simultaneous actions and that is	features:	- System x3200 M3
operable with limited reach and strength	- 1194.22 l, p	
shall be provided.	- 1194.23 k1, k2, k3	
·	- 1194.25 b, j1, j2, j3, j4	The following component does not meet
	- 1194.26 d	this criterion with exceptions:
		- IMM: Web interface

Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supports: Product support documentation is provided in at least one accessible format.	Remarks and Explanations The following components meet this criterion: - System x3200 M3 - IMM: Web interface The hardware documentation is in PDF format using a standard template. Minimal or no accessibility testing has
		been done. If you require an accessible version of the documentation it will be provided to you at no additional cost upon request. If you need an accessible version, send a request to dottieg@us.ibm.com. In the request make sure that you include the publication number and title.
		Alternative text is not provided for all images, but the images are introduced and described in the surrounding text.
		Headings, sections, lists are used. Bookmarks are provided. The only color in the documentation is related to cautions and warnings, in which case the anchor words accompany the caution or warning icons. Tables use column and row headings to define relationships between cells. The default language of the reader is used.
		Forms are not used in the document. No flashing images are used.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	· · · · · · · · · · · · · · · · · · ·	The following components meet this criterion: The documentation includes a section on the accessibility features of the product - System x3200 M3 - IMM: Web interface
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports: In addition to standard IBM help desk and support Web sites, IBM has established a TTY telephone service for use by deaf or hard of hearing	

customers to access sales and support services.

This document is for informational purposes only. THE INFORMATION PROVIDED IN THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED. Supporting features apply to product families as a whole. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. For information on third party software and applications please contact the software manufacturer. Lenovo may make changes to the information in this document or to the products described in this document at any time without notice.