Date: October 8, 2014 Name of Product: System x3650 M3

# VPAT Summary

Criteria	Status	Remarks and Explanations
Section 1194.21 Software Applications and	Not applicable	Not applicable
Operating Systems	0 , 11	D ( , , O , () , , , , , , , , , , , , , , , , ,
Section 1194.22 Web-based Internet information & applications	Supports with exceptions	Refer to Section 1194.22 in VPAT Details section below.
Section 1194.23 Telecommunications Products	Supports	Refer to Section 1194.23 in VPAT Details section below.
Section 1194.24 Video and Multi-media Products	Not applicable	Not applicable
Section 1194.25 Self-Contained, Closed Products	Supports	Refer to Section 1194.25 in VPAT Details section below.
Section 1194.26 Desktop and Portable Computers	Supports	Refer to Section 1194.26 in VPAT Details section below.
Section 1194.31 Functional Performance Criteria	Supports	Refer to Section 1194.31 in VPAT Details section below.
Section 1194.41 Information, Documentation, and Support	Supports	Refer to Section 1194.41 in VPAT Details section below.

## **VPAT Details**

### Section 1194.22 Web-based Internet information and applications - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Does not support	The following component does not meet this criterion:  - Integrated Management Module (IMM): Web interface - System status icon and Refresh icon do not have alt text.
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not applicable	The following component does not apply to this criterion:  - IMM: Web interface - No multimedia content.
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Color is used only as an enhancement,	The following component meets this criterion:  - IMM: Web interface - The color-coded information is redundantly coded by shape (for example a red X versus a yellow!).
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Supports: Web page content is readable without the use of a pre-defined style sheet, allowing low vision users to enable their own style sheets that enhance their viewing preferences.	The following component meets this criterion:  - IMM: Web interface - There are some Cascading Style Sheets used. Turning them off still allows normal navigation though the cursor never changes to a pointer on a link on the left navigation area.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not applicable	The following component does not apply to this criterion:  - IMM: Web interface - Image maps are not used.
(f) Client-side image maps shall be	Not applicable	The following component does not apply

mana ara
maps are
s not meet
3 Hot meet
ı
ng has not
s not meet
I
ng has not
s not meet
or frame
to this
ets this
ulain ar an
king or ome
spinning
nary
on the
olink, but
s not apply
are no
ice the
posed
P 0 0 0 0
s not meet
ocus was
ser can no
s not meet
5 HOLIHEEL
ard only
emote
te media
o not get
OW.
s not meet
l
ng has not

including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not applicable	The following component does not apply to this criterion:
		<ul> <li>IMM: Web interface - Navigation tree is in a separate frame from the main content.</li> </ul>
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is	Not applicable	The following component does not apply to this criterion:
required.		- IMM: Web interface - No timed responses are required.

# Section 1194.23 Telecommunications Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or systems which provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.	Not applicable	
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non proprietary standard TTY signal protocols.	Not applicable	
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not applicable	
(d) Voice mail, messaging, auto- attendant, and interactive voice response telecommunication systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not applicable	
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs and for users who cannot see displays.	Not applicable	
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not applicable	
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the	Not applicable	

default level after every use.		
(h) Where a telecommunications	Not applicable	
product delivers output by an audio		
transducer which is normally held up to		
the ear, a means for effective magnetic		
wireless coupling to hearing		
technologies shall be provided.	N. A. B. L.	
(i) Interface to hearing technologies	Not applicable	
(including hearing aids, cochlear		
implants, and assistive listening		
devices) shall be reduced to the lowest possible level that allows a user of		
hearing technologies to utilize the		
telecommunications product.		
(j) Products that transmit or conduct	Not applicable	
information or communication, shall	Not applicable	
pass through cross-manufacturer, non-		
proprietary, industry-standard codes,		
translation protocols, formats or other		
information necessary to provide the		
information or communication in usable		
format. Technologies which use		
encoding, signal compression, format		
transformation, or similar techniques		
shall not remove information needed for		
access or shall restore it upon delivery.		
(k)(1) Products which have	Supports:	The following component meets this
mechanically operated controls or keys	Touch can be used to identify and	criterion:
shall comply with the following: Controls	distinguish controls and keys without	
and Keys shall be tactilely discernible	activating them.	- System x3650 M3 - Power button and
without activating the controls or keys.		DVD-ROM eject button both accessible
		and easy to operate. No keyboard
		provided with system. No other keys on
(1)(0) D. I. (1) I. I.		system.
(k)(2) Products which have		The following component meets this
mechanically operated controls or keys		criterion:
shall comply with the following: Controls		Cystem v2CE0 M2 Dever bytten and
and Keys shall be operable with one hand and shall not require tight	require minimal dexterity for ease of use	_
grasping, pinching, twisting of the wrist.	1 -	DVD-ROM eject button both accessible and easy to operate.
The force required to activate controls		and easy to operate.
and keys shall be 5 lbs. (22.2N)		
maximum		
(k)(3) Products which have	Supports:	The following component meets this
mechanically operated controls or keys		criterion:
shall comply with the following: If key	rate is provided so users can adjust the	
repeat is supported, the delay before	rate to accommodate their needs.	- System x3650 M3 - Keyboard repeat is
repeat shall be adjustable to at least 2		OS dependent but supported in HW.
seconds. Key repeat rate shall be		
adjustable to 2 seconds per character.		
(k)(4) Products which have		The following component meets this
mechanically operated controls or keys	The status of locking and toggle controls	criterion:
shall comply with the following: The	or keys can be seen as well as	
status of all locking or toggle controls or		- System x3650 M3 - Done with IBM
keys shall be visually discernible, and		standard keyboard which is not included
discernible either through touch or		with system but hardware supports this
sound.		function.

Criteria	Supporting Features	Remarks And Explanations
(a) Self contained products shall be	Not applicable	
usable by people with disabilities		
without requiring an end-user to attach		
Assistive Technology to the product.		
Personal headsets for private listening		
are not Assistive Technology.		
(b) When a timed response is required,	Not applicable	
the user shall be alerted and given		
sufficient time to indicate more time is		
required.		
(c) Where a product utilizes	Not applicable	
touchscreens or contact-sensitive		
controls, an input method shall be		
provided that complies with §1194.23		
(k) (1) through (4).	Nia ( a a a P a a Lia	
(d) When biometric forms of user	Not applicable	
identification or control are used, an		
alternative form of identification or		
activation, which does not require the		
user to possess particular biological		
characteristics, shall also be provided.  (e) When products provide auditory	Not applicable	The following component does not apply
output, the audio signal shall be	rvot applicable	to this criterion:
provided at a standard signal level		to this chterion.
through an industry standard connector		- System x3650 M3 - No audible alerts
that will allow for private listening. The		post-OS.
product must provide the ability to		post 00.
interrupt, pause, and restart the audio at		
anytime.		
(f) When products deliver voice output in	Not applicable	
a public area, incremental volume		
control shall be provided with output		
amplification up to a level of at least 65		
dB. Where the ambient noise level of		
the environment is above 45 dB, a		
volume gain of at least 20 dB above the		
ambient level shall be user selectable. A		
function shall be provided to		
automatically reset the volume to the		
default level after every use.		
(g) Color coding shall not be used as	Supports:	The following component meets this
the only means of conveying	Color is used only as an enhancement,	criterion:
information, indicating an action,	and an alternate means to convey	Custom v2CE0 M2. Color only wood on
prompting a response, or distinguishing	information or indicate an action is available to users with visual	- System x3650 M3 - Color only used as
a visual element.		enhancement for hot swap controls.
(h) When a product permits a user to	impairments. Not applicable	
adjust color and contrast settings, a	ινοι αργιισασίο	
range of color selections capable of		
producing a variety of contrast levels		
shall be provided.		
(i) Products shall be designed to avoid	Not applicable	
causing the screen to flicker with a		
frequency greater than 2 Hz and lower		
than 55 Hz.		
(j) (1) Products which are freestanding,	Not applicable	
non-portable, and intended to be used		
in one location and which have operable		
controls shall comply with the following:		
The position of any operable control		

shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.	
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more	

## Section 1194.26 Desktop and Portable Computers - Detail

than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.

(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference

plane.

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Supports: See 1194.23(k) 1 through 4.	The following component meets this criterion:  - System x3650 M3 - Power button and DVD-ROM eject button both accessible and easy to operate.
(b) If a product utilizes touchscreens or touch-operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	The following component does not apply to this criterion:  - System x3650 M3 - No touchscreens in system.
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	The following component does not apply to this criterion:  - System x3650 M3 - No biometrics in system.
(d) Where provided, at least one of each type of expansion slots, ports and connectors shall comply with publicly	Supports: The product design uses industry standard ports so that alternative	The following component meets this criterion:

available industry standards.	, , ,	- System x3650 M3 - USB and serial ports as well as PCI slots available for
		add-in cards.

## Section 1194.31 Functional Performance - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports:  See the following for supporting features: - 1194.22 all - 1194.23 k1, k4 - 1194.25 a, b, c, e, f, g - 1194.26 b, d	The following component meets this criterion: - System x3650 M3  The following component meets this criterion with exceptions: - IMM: Web interface
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people what are visually impaired shall be provided.	Supports with exception:  See the following for supporting features: - 1194.22 n - 1194.25 h - 1194.26 d	The following component meets this criterion: - System x3650 M3  The following component does not meet this criterion: - IMM: Web interface
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Supports: Hardware is designed to alert the software application of system sounds when needed and the software then provides a visual cue so that deaf or hard of hearing users can complete the task.  See the following for other supporting features: - 1194.22 b, m - 1194.23 k4 - 1194.25 e, f	The following component meets this criterion:  - System x3650 M3  The following component does not meet this criterion:  - IMM: Web interface
(d) Where audio information is important for the use of the product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Not applicable:	The following components do not apply to this criterion:  - IMM: Web interface - System x3650 M3
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not applicable	
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength	Supports:  See the following for supporting features: - 1194.22 I, p	The following component meets this criterion: - System x3650 M3

shall be provided.	- 1194.23 k1, k2, k3 - 1194.25 b, j1, j2, j3, j4 - 1194.26 d	The following component does not meet this criterion:
		- IMM: Web interface

# Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and Explanations
Criteria  (a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supports: Product support documentation is provided in at least one accessible format.	Remarks and Explanations The following components meet this criterion:  - System x3650 M3 - IMM: Web interface  The hardware documentation is in PDF format using a standard template. Minimal or no accessibility testing has been done. If you require an accessible version of the documentation it will be provided to you at no additional cost upon request. If you need an accessible version, send a request to dottieg@us.ibm.com. In the request make sure that you include the publication number and title.  Alternative text is not provided for all images, but the images are introduced and described in the surrounding text.  Headings, sections, lists are used. Bookmarks are provided. The only color in the documentation is related to cautions and warnings, in which case the anchor words accompany the caution or warning icons. Tables use column and row headings to define relationships between cells. The default language of the reader is used.  Forms are not used in the document. No
(b) End-users shall have access to a description of the accessibility and	Supports: Documentation includes a description of	
compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	accessibility and compatibility features that make it easier for people with disabilities to use the product. Those descriptions are available in alternate formats upon request.	section on the accessibility features of the product  - System x3650 M3  - IMM: Web interface
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supports: In addition to standard IBM help desk and support Web sites, IBM has established a TTY telephone service for use by deaf or hard of hearing customers to access sales and support services.	

Other IBM/Lenovo products packaged with System x3650 M3

This product interacts with or is packaged with the other IBM products listed in this section

Product/component name	Status	VPAT	Function provided by product
		reference	
IBM Systems Director 6.1	Partially accessible	Notes Link	Systems Director software is optional management software that the users who manage the servers can use to monitor and manage different subsystems of the server like power, performance, system health, storage, and IO.

This document is for informational purposes only. THE INFORMATION PROVIDED IN THIS DOCUMENT IS PROVIDED "AS IS" WITHOUT WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED. Supporting features apply to product families as a whole. The information shall not be construed as product specifications for purposes of any warranty of compliance with product specifications in a given contract or order. For information on third party software and applications please contact the software manufacturer. Lenovo may make changes to the information in this document or to the products described in this document at any time without notice.