Product Name: ThinkPad Edge S430 (Win8	(Accessible)
VPAT Comments:	For a detailed description of the parent features and benefits, please refer to the following URL:
	http://support.lenovo.com/en_US/product-and-parts/detail.page?DocID=PD025101

### **VPAT Summary:**

Criteria	Status	Remarks and Explanations
Section 1194.21 Software Applications and Operating Systems	Supports	Refer to Section 1194.21 in VPAT Details section below.
Section 1194.22 Web-based Internet information & applications	Not applicable	Not applicable
Section 1194.23 Telecommunications Products	Supports	Refer to Section 1194.23 in VPAT Details section below.
Section 1194.24 Video and Multi-media Products	Not applicable	Not applicable
Section 1194.25 Self-Contained, Closed Products	Supports	Refer to Section 1194.25 in VPAT Details section below.
Section 1194.26 Desktop and Portable Computers	Supports	Refer to Section 1194.26 in VPAT Details section below.
Section 1194.31 Functional Performance Criteria	Supports	Refer to Section 1194.31 in VPAT Details section below.
Section 1194.41 Information, Documentation, and Support	Supports	Refer to Section 1194.41 in VPAT Details section below.

## **VPAT Details**

# Section 1194.21 Software Applications and Operating Systems - Detail

Criteria	Supporting Features	Remarks and Explanations
product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	blind and mobility-impaired users to access information without the use of the mouse.	Product meets accessibility criteria. Tabs keys are used to navigate within the help system. The F6 key is used to toggle between the TOC and help content. Standard mnemonics are supported. All active controls have associated keyboard functions.
products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the manufacturer of the operating system and is available to the product developer.	Supports: Operating systems provide accessibility features that allow disabled users to customize their preferences. This application preserves those accessibility user preference settings. For example, if Sticky Keys option is selected by a mobility-impaired user, this option will continue to be activated when used with this application.	
focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supports: When using the application with a keyboard, users can tell where they are on the screen and the information is available to assistive technologies to communicate screen location to visually impaired users.	Product meets accessibility criteria. The Magnifier tool along with other accessibility options provided by Windows works with this product. A standard Microsoft focus indicator is used to indicate active control.
identity, operation and state of the element shall be available to Assistive	Supports: This software application allows a screen reader to describe the user interface environment and controls to a blind user. For example, if you tab through a form and find a radio button, the user would be able to determine it is a radio button and the current selection status of the button.	Product meets accessibility criteria. Information is provided for all significant controls, objects, icons and images. All controls are labeled and images have accompanying text. Where appropriate controls have an associative icon to represent the function being performed. There are 3 images: Nav forward, Nav back and print which are images only. When the mouse is hovered over them, tool-tip text describing their function appears.
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.		Product meets accessibility criteria. Information is provided for all significant controls, objects, icons and images. All controls are labeled and images have accompanying text. Text is displayed with any control that has an image. A consistence feel is used for all controls in the application.
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports: Text information is accessible so assistive technologies can communicate content, attributes and caret location to blind users.	Product meets accessibility criteria. All controls use the standard calls and methods for setting text. All text is screen reader accessible.
	Supports: System settings are inherited by the application so that customized preferences will not need to be continually reset. For example, color contrast settings enhanced for a low vision user would be preserved by the application.	Product meets accessibility criteria. High contrast mode functions for all of the Windows applications in the product are useable.
at least one non-animated presentation mode at the option of the user.	Supports: Application provides an option to display animation in a non-animated mode, allowing users with vision impairments equal access to the same information and reliable interaction with assistive technology.	Product meets accessibility criteria.
(i) Color coding shall not be used as the only means of conveying	Supports:	Product meets accessibility criteria. High contrast mode functions for all

### Date exported: 12/11/2012 2:34:40 PM

	Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments.	of the Windows applications in the product are useable.
		Product meets accessibility criteria.
elements having a flash or blink frequency greater than 2 Hz and lower	Supports: The use of blinking text, objects or elements has been avoided, reducing risk of seizures for users with photosensitive epilepsy.	Product meets accessibility criteria. No flashing or blinking is used.
	Not applicable	Electronic forms are not used

## Section 1194.23 Telecommunications Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or systems which provide a function	Not applicable	
allowing voice communication and which do not themselves provide a		
TTY functionality shall provide a standard non-acoustic connection point		
for TTYs. Microphones shall be capable of being turned on and off to		
allow the user to intermix speech with TTY use.		
(b) Telecommunications products which include voice communication	Not applicable	
functionality shall support all commonly used cross-manufacturer non		
proprietary standard TTY signal protocols.		
(c) Voice mail, auto-attendant, and interactive voice response	Not applicable	
telecommunications systems shall be usable by TTY users with their		
TTYs.		
(d) Voice mail, messaging, auto-attendant, and interactive voice	Not applicable	
response telecommunication systems that require a response from a		
user within a time interval, shall give an alert when the time interval is		
about to run out, and shall provide sufficient time for the user to indicate		
more time is required.		
(e) Where provided, caller identification and similar telecommunications	Not applicable	
functions shall also be available for users of TTYs and for users who		
cannot see displays.		
(f) For transmitted voice signals, telecommunications products shall	Not applicable	
provide a gain adjustable up to a minimum of 20 dB. For incremental		
volume control, at least one intermediate step of 12 dB of gain shall be		
provided.		
(g) If the telecommunications product allows a user to adjust the receive	r Not applicable	
volume, a function shall be provided to automatically reset the volume to		
the default level after every use.		
(h) Where a telecommunications product delivers output by an audio	Not applicable	
transducer which is normally held up to the ear, a means for effective		
magnetic wireless coupling to hearing technologies shall be provided.		
(i) Interface to hearing technologies (including hearing aids, cochlear	Not applicable	
implants, and assistive listening devices) shall be reduced to the lowest		
possible level that allows a user of hearing technologies to utilize the		
telecommunications product.		
(j) Products that transmit or conduct information or communication, shall	Not applicable	
pass through cross-manufacturer, non-proprietary, industry-standard		
codes, translation protocols, formats or other information necessary to		
provide the information or communication in usable format. Technologies		
which use encoding, signal compression, format transformation, or		
similar techniques shall not remove information needed for access or		
shall restore it upon delivery.		
(k)(1) Products which have mechanically operated controls or keys shall	Supporte	Product meets accessibility criteria.
comply with the following: Controls and Keys shall be tactilely discernible		רוטעעט חופבוס מטטבססוטווונץ טרונבוומ.
without activating the controls or keys.		
	activating them.	Braduat mosts accossibility criteria. Force requirement for centrals and
(k)(2) Products which have mechanically operated controls or keys shall		Product meets accessibility criteria. Force requirement for controls and
	Controls and latches can be reached and operated using one hand and	latches is met.
hand and shall not require tight grasping, pinching, twisting of the wrist.	require minimal destenty for ease of use by mobility impaired users.	
The force required to activate controls and keys shall be 5 lbs. (22.2N)		

maximum		
(k)(3) Products which have mechanically operated controls or keys shall	Supports:	Product meets accessibility criteria.
comply with the following: If key repeat is supported, the delay before	An option to change keyboard repeat rate is provided so users can	
repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be	adjust the rate to accommodate their needs.	
adjustable to 2 seconds per character.		
(k)(4) Products which have mechanically operated controls or keys shall	Supports:	Product meets accessibility criteria. All keys and controls are easily
comply with the following: The status of all locking or toggle controls or	The status of locking and toggle controls or keys can be seen as well as	discernible.
keys shall be visually discernible, and discernible either through touch or	distinguished by touch and/or sound when activated.	
sound.		

# Section 1194.25 Self-Contained, Closed Products - Detail

Criteria	Supporting Features	Remarks And Explanations
(a) Self contained products shall be usable by people with disabilities	Not applicable	
without requiring an end-user to attach Assistive Technology to the		
product. Personal headsets for private listening are not Assistive		
Technology.		
(b) When a timed response is required, the user shall be alerted and	Not applicable	
given sufficient time to indicate more time is required.		
(c) Where a product utilizes touchscreens or contact-sensitive controls,	Not applicable	
an input method shall be provided that complies with §1194.23 (k) (1)		
through (4).		
(d) When biometric forms of user identification or control are used, an	Not applicable	
alternative form of identification or activation, which does not require the		
user to possess particular biological characteristics, shall also be		
provided.		
(e) When products provide auditory output, the audio signal shall be	Supports:	Product meets accessibility criteria.
provided at a standard signal level through an industry standard	Audio signal is provided at a standard level via a standard connector so	
connector that will allow for private listening. The product must provide	the audio can be interrupted, paused, or restarted at anytime.	
the ability to interrupt, pause, and restart the audio at anytime.		
(f) When products deliver voice output in a public area, incremental	Not applicable	
volume control shall be provided with output amplification up to a level of		
at least 65 dB. Where the ambient noise level of the environment is		
above 45 dB, a volume gain of at least 20 dB above the ambient level		
shall be user selectable. A function shall be provided to automatically		
reset the volume to the default level after every use.	Cupporto:	Draduct mosta coocceibility criteria
(g) Color coding shall not be used as the only means of conveying	Supports:	Product meets accessibility criteria.
information, indicating an action, prompting a response, or distinguishing a visual element.		
	convey information or indicate an action is available to users with visual	
(b) When a product parmite a upor to adjust oplar and contract actings.	impairments.	
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels		
shall be provided.		
(i) Products shall be designed to avoid causing the screen to flicker with	Not applicable	
a frequency greater than 2 Hz and lower than 55 Hz.		
(j) (1) Products which are freestanding, non-portable, and intended to be	Not applicable	
used in one location and which have operable controls shall comply with		
the following: The position of any operable control shall be determined		
with respect to a vertical plane, which is 48 inches in length, centered on		
the operable control, and at the maximum protrusion of the product		
within the 48 inch length on products which are freestanding, non-		
portable, and intended to be used in one location and which have		
operable controls.		
(i)(2) Draduets which are freestanding, non-particula, and intended to be		
(j)(2) Products which are freestanding, non-portable, and intended to be		
used in one location and which have operable controls shall comply with		
the following: Where any operable control is 10 inches or less behind the		
reference plane, the height shall be 54 inches maximum and 15 inches		
minimum above the floor.		
(i)(0) Decidents which are frequencies and the second line in the line of the second line is the line of the second line of the		
(j)(3) Products which are freestanding, non-portable, and intended to be		
used in one location and which have operable controls shall comply with		
the following: Where any operable control is more than 10 inches and		
not more than 24 inches behind the reference plane, the height shall be		
46 inches maximum and 15 inches minimum above the floor.		

### Date exported: 12/11/2012 2:34:40 PM

(4) Products which are freestanding, non-portable, and intended to sed in one location and which have operable controls shall comply e following: Operable controls shall not be more than 24 inches be e reference plane.
---

### Section 1194.26 Desktop and Portable Computers - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls and keys shall comply with	Supports:	Product meets accessibility criteria.
§1194.23 (k) (1) through (4).	See 1194.23(k) 1 through 4.	
(b) If a product utilizes touchscreens or touch-operated controls, an inp	ut Not applicable	
method shall be provided that complies with §1194.23 (k) (1) through (	4).	
(c) When biometric forms of user identification or control are used, an	Supports:	Product meets accessibility criteria.
alternative form of identification or activation, which does not require th user to possess particular biological characteristics, shall also be provided.	e An alternative means to biometric identification is available.	
(d) Where provided, at least one of each type of expansion slots, ports	Supports:	Product meets accessibility criteria. Industry standards are used for all
and connectors shall comply with publicly available industry standards.		ports, slots, and connections.

#### Section 1194.31 Functional Performance - Detail **Remarks and Explanations** Criteria **Supporting Features** (a) At least one mode of operation and information retrieval that does not Supports: Product meets accessibility criteria. Product uses standard keyboard require user vision shall be provided, or support for Assistive Technology See the following for supporting features: accessibility features built into the OS. No additional functions have been used by people who are blind or visually impaired shall be provided. added. Tab keys are used to navigate within the help system. The F6 key is used to toggle between the TOC and help content. Standard - 1194.21 a, b, c, d, e, f, h, i, l mnemonics are supported. The Magnifier tool along with other - 1194.22 all - 1194.23 k1, k4 accessibility options provided by Windows works with this product. Information is provided for all significant controls, objects, icons and - 1194.24 d images. No time response controls are used. No timed instructions. All - 1194.25 a, b, c, e, f, g user feedback remains on screen until user action is completed s All - 1194.26 b, d active controls have associated keyboard functions. All text displayed by this application is done with standard Microsoft APIs. All text is screen reader accessible. No special color enhancement is done in this application beyond what Microsoft provides in the Operating System. (b) At least one mode of operation and information retrieval that does not Supports: Product meets accessibility criteria. High contrast mode functions for all require visual acuity greater than 20/70 shall be provided in audio and See the following for supporting features: of the Windows applications in the product are useable. enlarged print output working together or independently, or support for Assistive Technology used by people what are visually impaired shall be - 1194.21 c, g, i, j, I provided. - 1194.22 n - 1194.25 h - 1194.26 d (c) At least one mode of operation and information retrieval that does not Supports: Product meets accessibility criteria. No audio alerts used by any require user hearing shall be provided, or support for Assistive Hardware is designed to alert the software application of system sounds application. Technology used by people who are deaf or hard of hearing shall be when needed and the software then provides a visual cue so that deaf or provided. hard of hearing users can complete the task. See the following for other supporting features: - 1194.22 b, m - 1194.23 k4 - 1194.24 c - 1194.25 e, f (d) Where audio information is important for the use of the product, at Supports: Product meets accessibility criteria. least one mode of operation and information retrieval shall be provided in Hardware provides a physical volume control and/or an interface so that an enhanced auditory fashion, or support for assistive hearing devices volume can be controlled by software. shall be provided. See the following for other supporting features: - 1194.23 k4

- 1194.25 e, f

### Date exported: 12/11/2012 2:34:40 PM

(e) At least one mode of operation and information retrieval that does not Not applicable require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	
<ul> <li>(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.</li> <li>1194.21 a, b</li> <li>1194.22 l, p</li> <li>1194.23 k1, k2, k3</li> <li>1194.25 b, j1, j2, j3, j4</li> <li>1194.26 d</li> </ul>	Product meets accessibility criteria. Product uses standard keyboard accessibility features built into the OS. No additional functions have been added. Tabs keys are used to navigate within the help system. The F6 key is used to toggle between the TOC and help content. Standard mnemonics are supported. No timed instructions. All user feedback remains on screen until user action is completed. All active controls have associated keyboard functions.

## Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Not applicable	
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Not applicable	
	Supports: In addition to standard IBM help desk and support Web sites, IBM has established a TTY telephone service for use by deaf or hard of hearing customers to access sales and support services.	Product meets accessibility criteria.

### **Disclaimer:**

Lenovo provides this data for general information on an AS IS basis. For formal representations on particular proposals, please contact a Lenovo Client Representative or contact a Lenovo Federal Client Representative at 1-800-656-0833, Choose Option 1, Extension - 6056.