VPAT for ThinkStation S20,D20 (ACCESSIBLE)

VPAT comments: For a detailed description of the parent features and benefits, please refer to the following URL:

http://shop.lenovo.com/SEUILibrary/controller/e/web/LenovoPortal/en_US/catalog.workflow:category.details?current-

catalog-id=12F0696583E04D86B9B79B0FEC01C087¤t-category-

id=2DA079A8343A4425A902C65DD0D45C75

This parent bundles software from third party vendors. Their Section 508 status, as reported to us by their manufacturer is as follows:

- WinDVD 5.0.11 - Accessible all platforms

- Intel (R) 915 / 865/ 845 G 14.X - Accessible all platforms

VPAT Summary

Criteria	Status	Remarks and Explanations
Section 1194.21 Software Applications and Operating Systems	Supports	Refer to Section 1194.21 in VPAT Details section below.
Section 1194.22 Web-based Internet information & applications	Supports	Refer to Section 1194.22 in VPAT Details section below.
Section 1194.23 Telecommunications Products	Supports	Refer to Section 1194.23 in VPAT Details section below.
Section 1194.24 Video and Multi-media Products	Supports	Refer to Section 1194.24 in VPAT Details section below.
Section 1194.25 Self-Contained, Closed Products	Supports	Refer to Section 1194.25 in VPAT Details section below.
Section 1194.26 Desktop and Portable Computers	Supports	Refer to Section 1194.26 in VPAT Details section below.
Section 1194.31 Functional Performance Criteria	Supports	Refer to Section 1194.31 in VPAT Details section below.
Section 1194.41 Information, Documentation, and Support	Supports	Refer to Section 1194.41 in VPAT Details section below.

VPAT Details

Section 1194.21 Software Applications and Operating Systems - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) When software is designed to run on a system that has a keyboard, product functions shall be executable from a keyboard where the function itself or the result of performing a function can be discerned textually.	Supports: A keyboard can be used to achieve all	The following components meet this criterion: - Message Center - Tabs keys are used to navigate within the help system. The F6 key is used to toggle between the TOC and help content. Standard mnemonics are supported. - ThinkVantage Technologies Welcome Screen 1.00 - Tab key is used to navigate the contents and Enter key to launch sub program. - Help Center - System Migration Assistant 5.1 - Maintenance Manager - Vista First Run - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software 4.5.3 or later - ThinkVantage Productivity Center - ThinkVantage System Update 3.0
(b) Applications shall not disrupt or disable activated features of other products that are identified as accessibility features, where those features are developed and documented according to industry standards. Applications also shall not disrupt or disable activated features of any operating system that are identified as accessibility features where the application programming interface for those accessibility features has been documented by the	Supports: Operating systems provide accessibility features that allow disabled users to customize their preferences. This application preserves those accessibility user preference settings. For example, if Sticky Keys option is selected by a mobility-impaired user, this option will continue to be activated when used with	- Message Center - Product uses standard keyboard accessibility features built into the OS. No additional

Criteria	Supporting Features	Remarks and Explanations
manufacturer of the operating system and is available to the product developer.	this application.	- System Migration Assistant - Maintenance Manager - Vista First Run - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software - ThinkVantage Technologies Welcome Screen - ThinkVantage Productivity Center - ThinkVantage System Update - Rescue and Recovery / Client Security Solution
(c) A well-defined on-screen indication of the current focus shall be provided that moves among interactive interface elements as the input focus changes. The focus shall be programmatically exposed so that Assistive Technology can track focus and focus changes.	Supports: When using the application with a keyboard, users can tell where they are on the screen and the information is available to assistive technologies to communicate screen location to visually impaired users.	The following components meet this criterion: - Message Center - The Magnifier tool, along with other accessibility options provided by Windows, works with this product. - Help Center - System Migration Assistant - Maintenance Manager - Vista First Run - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software - ThinkVantage Technologies Welcome Screen - ThinkVantage System Update
(d) Sufficient information about a user interface element including the identity, operation and state of the element shall be available to Assistive Technology. When an image represents a program element, the information conveyed by the image must also be available in text.	Supports: This software application allows a screen reader to describe the user interface environment and controls to a blind user. For example, if you tab through a form and find a radio button, the user would be able to determine it is a radio button and the current selection status of the button.	The following components meet this criterion: - Message Center - Information is provided for all significant controls, objects, icons, and images. - System Migration Assistant - SMA does not have images that represent a program element. SMA associates labels with controls which are consistent throughout the application. - Help Center - Maintenance Manager - Vista First Run - Factory Recovery - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software - ThinkVantage Productivity Center - ThinkVantage System Update - Rescue and Recovery / Client Security Solution
(e) When bitmap images are used to identify controls, status indicators, or other programmatic elements, the meaning assigned to those images shall be consistent throughout an application's performance.	Supports: The meaning assigned to images used in the application is consistent and unique, minimizing confusion of the context of use for those images.	The following components meet this criterion: - Message Center - Information is provided for all significant controls, objects, icons, and images. - System Migration Assistant - SMA does not have images that represent a program element. SMA associates labels with controls which are consistent throughout the application. - Help Center - Maintenance Manager - Vista First Run - Factory Recovery - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software - ThinkVantage Productivity Center - ThinkVantage System Update - Rescue and Recovery / Client Security Solution
(f) Textual information shall be provided through operating system functions for displaying text. The minimum information that shall be made available is text content, text input caret location, and text attributes.	Supports: Text information is accessible so assistive technologies can communicate content, attributes and caret location to blind users.	The following components meet this criterion:

Criteria	Supporting Features	Remarks and Explanations
		- ThinkVantage System Update - TVSU cannot be read by screen reader(supernova) completely.(For example:navigation panel). - Rescue and Recovery / Client Security Solution -
		Some windows applications are compliant. Pre- Desktop Area (PDA) does not support audio of any kind. There are no audio drivers installed in the Predesktop OS.
		 - Help Center - Message Center - Maintenance Manager - Vista First Run - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software
(g) Applications shall not override user selected contrast and color selections and other individual display attributes.	F.	The following components meet this criterion: - ThinkVantage System Update - Some items can not display normally when high contrast scheme set to High Contrast #2(extra large). - Help Center - Message Center - System Migration Assistant - Maintenance Manager - Vista First Run - Factory Recovery - ScrollPoint Mouse - IBM Online Books - IBM fingerprint software - ThinkVantage Productivity Center
(h) When animation is displayed, the information shall be displayable in at least one non-animated presentation mode at the option of the user.	Supports: Application provides an option to display animation in a non-animated mode, allowing users with vision impairments equal access to the same information and reliable interaction with assistive technology.	The following components meet this criterion: - System Migration Assistant - Maintenance Manager - ThinkVantage System Update
(i) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports: Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments.	The following components meet this criterion: - Help Center - Message Center - System Migration Assistant - Maintenance Manager - Vista First Run - ScrollPoint Mouse - IBM fingerprint software - ThinkVantage Technologies Welcome Screen - ThinkVantage Productivity Center - ThinkVantage System Update - Rescue and Recovery / Client Security Solution
(j) When a product permits a user to adjust color and contrast settings, a variety of color selections capable of producing a range of contrast levels shall be provided.	When color customization is supported,	The following components meet this criterion: - Help Center - Message Center - System Migration Assistant - Maintenance Manager - ScrollPoint Mouse - ThinkVantage Productivity Center
(k) Software shall not use flashing or blinking text, objects, or other elements having a flash or blink frequency greater than 2 Hz and lower than 55 Hz.	Supports: The use of blinking text, objects or elements has been avoided, reducing risk of seizures for users with photosensitive epilepsy.	The following components meet this criterion: - System Migration Assistant - Maintenance Manager - Factory Recovery - IBM Online Books - IBM fingerprint software - ThinkVantage Productivity Center - Rescue and Recovery / Client Security Solution
(I) When electronic forms are used, the form shall allow people using Assistive Technology to access the information, field elements, and functionality	Supports: The application design allows assistive technology access to information, field	The following components meet this criterion: - System Migration Assistant

Criteria	Supporting Features	Remarks and Explanations
required for completion and submission of the form,	elements, and functionality required to	- Vista First Run
including all directions and cues.	complete and submit forms.	- ThinkVantage System Update

Section 1194.22 Web-based Internet information and applications - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Not applicable	Non-text elements do not exist because no web- based internet applications ship with this product.
(b) Equivalent alternatives for any multimedia presentation shall be synchronized with the presentation.	Not applicable	Multimedia presentations do not exist because no web-based internet applications ship with this product.
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Not applicable	Web pages do not exist because no web-based internet applications ship with this product.
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Not applicable	No web-based internet applications ship with this product.
(e) Redundant text links shall be provided for each active region of a server-side image map.	Not applicable	No web-based internet applications ship with this product.
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	Not applicable	No web-based internet applications ship with this product.
(g) Row and column headers shall be identified for data tables.	Not applicable	No web-based internet applications ship with this product.
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Not applicable	No web-based internet applications ship with this product.
(i) Frames shall be titled with text that facilitates frame identification and navigation.	Not applicable	No web-based internet applications ship with this product.
(j) Pages shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not applicable	No web-based internet applications ship with this product.
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Not applicable	No web-based internet applications ship with this product.
(I) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by Assistive Technology.	Not applicable	No web-based internet applications ship with this product.
(m) When a web page requires that an applet, plugin or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (I).	Not applicable	No web-based internet applications ship with this product.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using Assistive Technology to access the information, field elements, and functionality required for completion and submission of the form, including all directions and cues.	Not applicable	No web-based internet applications ship with this product.
(o) A method shall be provided that permits users to skip repetitive navigation links.	Not applicable	No web-based internet applications ship with this product.
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Supports: When a timed response is required, an option to request more time to complete the action is provided to the user.	The following components meet this criterion: - System Migration Assistant - Maintenance Manager - ScrollPoint Mouse

Section 1194.23 Telecommunications Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Telecommunications products or systems which	Not applicable	No telecommunication products are shipped with

Criteria	Supporting Features	Remarks and Explanations
provide a function allowing voice communication and which do not themselves provide a TTY functionality shall provide a standard non-acoustic connection point for TTYs. Microphones shall be capable of being turned on and off to allow the user to intermix speech with TTY use.		this product.
(b) Telecommunications products which include voice communication functionality shall support all commonly used cross-manufacturer non proprietary standard TTY signal protocols.	Not applicable	No telecommunication products are shipped with this product.
(c) Voice mail, auto-attendant, and interactive voice response telecommunications systems shall be usable by TTY users with their TTYs.	Not applicable	No telecommunication products are shipped with this product.
(d) Voice mail, messaging, auto-attendant, and interactive voice response telecommunication systems that require a response from a user within a time interval, shall give an alert when the time interval is about to run out, and shall provide sufficient time for the user to indicate more time is required.	Not applicable	No telecommunication products are shipped with this product.
(e) Where provided, caller identification and similar telecommunications functions shall also be available for users of TTYs and for users who cannot see displays.	Not applicable	No telecommunication products are shipped with this product.
(f) For transmitted voice signals, telecommunications products shall provide a gain adjustable up to a minimum of 20 dB. For incremental volume control, at least one intermediate step of 12 dB of gain shall be provided.	Not applicable	No telecommunication products are shipped with this product.
(g) If the telecommunications product allows a user to adjust the receive volume, a function shall be provided to automatically reset the volume to the default level after every use.	Not applicable	No telecommunication products are shipped with this product.
(h) Where a telecommunications product delivers output by an audio transducer which is normally held up to the ear, a means for effective magnetic wireless coupling to hearing technologies shall be provided.	Not applicable	No telecommunication products are shipped with this product.
(i) Interface to hearing technologies (including hearing aids, cochlear implants, and assistive listening devices) shall be reduced to the lowest possible level that allows a user of hearing technologies to utilize the telecommunications product.	Not applicable	No telecommunication products are shipped with this product.
(j) Products that transmit or conduct information or communication, shall pass through crossmanufacturer, non-proprietary, industry-standard codes, translation protocols, formats or other information necessary to provide the information or communication in usable format. Technologies which use encoding, signal compression, format transformation, or similar techniques shall not remove information needed for access or shall restore it upon delivery.	Not applicable	No telecommunication products are shipped with this product.
(k)(1) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be tactilely discernible without activating the controls or keys.	Supports: Touch can be used to identify and distinguish controls and keys without activating them.	The following component meets this criterion: - ThinkStation S20, D20 - Power, Floppy Disk Drive(FDD), and Optical Disk Drive(ODD) buttons meet criterion. Standard Lenovo keyboards.
(k)(2) Products which have mechanically operated controls or keys shall comply with the following: Controls and Keys shall be operable with one hand and shall not require tight grasping, pinching, twisting of the wrist. The force required to activate controls and keys shall be 5 lbs. (22.2N) maximum	Supports: Controls and latches can be reached and operated using one hand and require minimal dexterity for ease of use by mobility impaired users.	The following component meets this criterion: - ThinkStation S20, D20 - Power, FDD, and ODD
(k)(3) Products which have mechanically operated controls or keys shall comply with the following: If key repeat is supported, the delay before repeat shall be adjustable to at least 2 seconds. Key repeat rate shall be adjustable to 2 seconds per character.	Supports: An option to change keyboard repeat rate is provided so users can adjust the rate to accommodate their needs.	The following component meets this criterion: - ThinkStation S20, D20 - Power, FDD, and ODD buttons meet criterion.
(k)(4) Products which have mechanically operated	Supports:	The following component meets this criterion:
	·	

Criteria	Supporting Features	Remarks and Explanations
controls or keys shall comply with the following: The	The status of locking and toggle controls	
status of all locking or toggle controls or keys shall	or keys can be seen as well as	- ThinkStation S20, D20 - Power, FDD, and ODD
be visually discernible, and discernible either	distinguished by touch and/or sound	buttons are supported. Handled in pre-loaded OS.
through touch or sound.	when activated.	

Section 1194.24 Video and Multi-media Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) All analog television displays 13 inches and larger, and computer equipment that includes analog television receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals. As soon as practicable, but not later than July 1, 2002, widescreen digital television (DTV) displays measuring at least 7.8 inches vertically, DTV sets with conventional displays measuring at least 13 inches vertically, and standalone DTV tuners, whether or not they are marketed with display screens, and computer equipment that includes DTV receiver or display circuitry, shall be equipped with caption decoder circuitry which appropriately receives, decodes, and displays closed captions from broadcast, cable, videotape, and DVD signals.	Not applicable	No video and multimedia products are shipped with this system.
(b) Television tuners, including tuner cards for use in computers, shall be equipped with secondary audio program playback circuitry.	Not applicable	No video and multimedia products are shipped with this system.
(c) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain speech or other audio information necessary for the comprehension of the content, shall be open or closed captioned.	Supports: Training and informational video and multimedia provided with the product supports captioning for relevant audio for deaf and hard of hearing users.	The following components meet this criterion: - System Migration Assistant - SMA does not use video or audio. - ThinkVantage Productivity Center
(d) All training and informational video and multimedia productions which support the agency's mission, regardless of format, that contain visual information necessary for the comprehension of the content, shall be audio described.	Supports: Training and informational video and multimedia provided with the product supports audio descriptions of visual information for blind users.	The following components meet this criterion: - System Migration Assistant - SMA does not use video or audio. - ThinkVantage Productivity Center
(e) Display or presentation of alternate text presentation or audio descriptions shall be user-selectable unless permanent.	Not applicable	No video and multimedia products are shipped with this system.

Section 1194.25 Self-Contained, Closed Products - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) Self contained products shall be usable by people with disabilities without requiring an end-user to attach Assistive Technology to the product. Personal headsets for private listening are not Assistive Technology.	Not applicable	No Self-contained or Closed products are shipped with this system.
(b) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	Not applicable	No Self-contained or Closed products are shipped with this system.
(c) Where a product utilizes touchscreens or contact-sensitive controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Not applicable	No Self-contained or Closed products are shipped with this system.
(d) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to possess particular biological characteristics, shall also be provided.	Not applicable	No Self-contained or Closed products are shipped with this system.
(e) When products provide auditory output, the audio signal shall be provided at a standard signal level through an industry standard connector that will allow for private listening. The product must	Supports: Audio signal is provided at a standard level via a standard connector so the audio can be interrupted, paused, or	The following component meets this criterion: - ThinkStation S20, D20 - Provided in Windows Vista.

Criteria	Supporting Features	Remarks and Explanations
provide the ability to interrupt, pause, and restart the audio at anytime.	restarted at anytime.	
(f) When products deliver voice output in a public area, incremental volume control shall be provided with output amplification up to a level of at least 65 dB. Where the ambient noise level of the environment is above 45 dB, a volume gain of at least 20 dB above the ambient level shall be user selectable. A function shall be provided to automatically reset the volume to the default level after every use.	Not applicable	No Self-contained or Closed products are shipped with this system.
(g) Color coding shall not be used as the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.	Supports: Color is used only as an enhancement, and an alternate means to convey information or indicate an action is available to users with visual impairments.	The following component meets this criterion: - ThinkStation S20, D20 - Color and Icons used. No color only application.
(h) When a product permits a user to adjust color and contrast settings, a range of color selections capable of producing a variety of contrast levels shall be provided.	Not applicable	No Self-contained or Closed products are shipped with this system.
(i) Products shall be designed to avoid causing the screen to flicker with a frequency greater than 2 Hz and lower than 55 Hz.	Not applicable	No Self-contained or Closed products are shipped with this system.
(j) (1) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: The position of any operable control shall be determined with respect to a vertical plane, which is 48 inches in length, centered on the operable control, and at the maximum protrusion of the product within the 48 inch length on products which are freestanding, non-portable, and intended to be used in one location and which have operable controls.	Not applicable	No Self-contained or Closed products are shipped with this system.
(j)(2) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is 10 inches or less behind the reference plane, the height shall be 54 inches maximum and 15 inches minimum above the floor.		
(j)(3) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Where any operable control is more than 10 inches and not more than 24 inches behind the reference plane, the height shall be 46 inches maximum and 15 inches minimum above the floor.		
(j)(4) Products which are freestanding, non-portable, and intended to be used in one location and which have operable controls shall comply with the following: Operable controls shall not be more than 24 inches behind the reference plane.		

Section 1194.26 Desktop and Portable Computers - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) All mechanically operated controls and keys shall comply with §1194.23 (k) (1) through (4).	Supports: See 1194.23(k) 1 through 4.	The following component meets this criterion:
		- ThinkStation S20, D20 - Power, FDD, and ODD buttons meet criterion.
(b) If a product utilizes touchscreens or touch- operated controls, an input method shall be provided that complies with §1194.23 (k) (1) through (4).	Supports: See 1194.23(k) 1 through 4.	The following component meets this criterion: - ThinkStation S20, D20 - Keyboard / Mouse
(c) When biometric forms of user identification or control are used, an alternative form of identification or activation, which does not require the user to	Not applicable	The following component does not apply to this criterion:

Criteria	Supporting Features	Remarks and Explanations
possess particular biological characteristics, shall also be provided.		- ThinkStation S20, D20
F / 1	Supports: The product design uses industry	The following component meets this criterion:
	standard ports so that alternative equipment and assistive technologies can be accommodated.	- ThinkStation S20, D20 - Audio, Video, USB, ports

Section 1194.31 Functional Performance - Detail

Criteria	Supporting Features	Remarks and Explanations
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for Assistive Technology used by people who are blind or visually impaired shall be provided.	Supports: See the following for supporting features: - 1194.21 a, b, c, d, e, f, h, i, I - 1194.22 all - 1194.23 k1, k4 - 1194.24 d - 1194.25 a, b, c, e, f, g - 1194.26 b, d	The following components meet this criterion: - System Migration Assistant - SMA does not use video or audio. - ThinkVantage Productivity Center
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for Assistive Technology used by people what are visually impaired shall be provided. (c) At least one mode of operation and information	Not applicable: Supports:	See the following for supporting features: - 1194.21 c, g, i, j, l - 1194.22 n - 1194.25 h - 1194.26 d The following components meet this criterion:
retrieval that does not require user hearing shall be provided, or support for Assistive Technology used by people who are deaf or hard of hearing shall be provided.	Hardware is designed to alert the software application of system sounds when needed and the software then provides a visual cue so that deaf or hard of hearing users can complete the task. See the following for other supporting features: - 1194.22 b, m - 1194.23 k4 - 1194.24 c - 1194.25 e, f	- ThinkStation S20,D20 - Provided in Windows Vista. - System Migration Assistant - SMA does not use video or audio. - ThinkVantage Productivity Center
(d) Where audio information is important for the use of the product, at least one mode of operation and information retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided.	Supports: Hardware provides a physical volume control and/or an interface so that volume can be controlled by software. See the following for other supporting features: - 1194.23 k4 - 1194.25 e, f	The following components meet this criterion: - ThinkStation S20,D20 - Provided in Windows Vista. - System Migration Assistant - SMA does not use audio. - ThinkVantage Productivity Center
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for Assistive Technology used by people with disabilities shall be provided.	Not applicable	No applications requiring user speech are shipped with this system.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Not applicable:	See the following for other supporting features: - 1194.21 a, b - 1194.22 l, p - 1194.23 k1, k2, k3 - 1194.25 b, j - 1194.26 d

Section 1194.41 Information, Documentation, and Support - Detail

Criteria	Supporting Features	Remarks and Explanations
	Product support documentation is provided in at least one accessible	The following components meet this criterion: - System Migration Assistant - Documentation in
	format.	GUI is compiled HTML format. Documentation of

Criteria	Supporting Features	Remarks and Explanations
		Userguides are in PDF format. Documentation in PE area is HTML. These are accessible formats.
		- ScrollPoint Mouse - HTML help service is provided on the Option CD. HTML is not provided on the MTM version.
		- ThinkVantage System Update - The ThinkVantage System Update Documentation was created in CHM format.
		- Rescue and Recovery / Client Security Solution - Documentation in GUI is compiled HTML format. Documentation of Userguides are in PDF format. Documentation in PE area is HTML. These are accessible formats.
		- ThinkStation S20,D20 - Help Center - Message Center - Maintenance Manager - Vista First Run
		- ThinkVantage Productivity Center
		The following components do not meet this criterion:
		- ThinkVantage Technologies Welcome Screen - No documentation is provided with this component.
(b) End-users shall have access to a description of	Supports:	The following components meet this criterion:
the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Documentation includes a description of accessibility and compatibility features that make it easier for people with disabilities to use the product. Those	- ScrollPoint Mouse - Documentation Points to the IBM Accessibility Website and Mouse complies.
	descriptions are available in alternate formats upon request.	- IBM Online Books - Standard help is provided.
		- ThinkStation S20,D20
		- Help Center
		- Message Center - Maintenance Manager
		- Vista First Run
		- ThinkVantage Productivity Center
		- ThinkVantage System Update
(c) Support services for products shall accommodate the communication needs of end-	Supports:	In addition to standard Lenovo help desk and support Web sites, Lenovo has established a TTY
users with disabilities.		telephone service for use by deaf or hard of hearing
		customers to access sales and support services.

Other IBM products packaged with ThinkStation S20,D20 (ACCESSIBLE)

Product / Component name (web link to VPAT)	Status	Function provided by product
ThinkVantage Client Security Solution 7.0	Accessible	Password security and encryption
ThinkVantage Rescue and Recovery for Vista 4.0	Accessible	Backup and recovery of software

Disclaimer

Lenovo provides this data for general information on an AS IS basis. For formal representations on particular proposals, please contact a Lenovo Client Representative or contact a Lenovo Federal Client Representative at 1-800-656-0833, Choose Option 1, Extension - 6056.